

CULTURAL RESOURCE ASSESSMENT SURVEY UPDATE AND EFFECTS DETERMINATION TECHNICAL MEMORANDUM

**PROJECT DEVELOPMENT AND ENVIRONMENT STUDY
SR 52 from East of McKendree Road to East of US 301
WPI Segment No: 435915-1**

Pasco County, Florida



**Florida Department of Transportation
11201 North McKinley Drive
Tampa, Florida 33612**

May 2015

CULTURAL RESOURCE ASSESSMENT SURVEY UPDATE AND EFFECTS DETERMINATION TECHNICAL MEMORANDUM

**PROJECT DEVELOPMENT AND ENVIRONMENT STUDY
SR 52 from East of McKendree Road to East of US 301
WPI Segment No: 435915-1**

Pasco County, Florida



**Florida Department of Transportation
11201 North McKinley Drive
Tampa, Florida 33612**

Prepared by:

**Archaeological Consultants, Inc.
8110 Blaikie Court, Suite A
Sarasota, Florida 34240**

In association with:

**Atkins North America, Inc.
4030 West Boy Scout Boulevard, Suite 700
Tampa, Florida 33607**

May 2015

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION.....	1-1
1.1 Purpose.....	1-1
1.2 Project Description.....	1-3
1.3 Report Purpose.....	1-3
2.0 BACKGROUND RESEARCH.....	2-1
2.1 Archaeological Sites	2-1
2.2 Historic Resources.....	2-1
3.0 METHODS	3-1
3.1 Field Methodology.....	3-1
3.2 Unexpected Discoveries	3-1
3.3 Laboratory Methods/Curation	3-1
4.0 SURVEY RESULTS.....	4-1
4.1 Archaeological Survey Results.....	4-1
4.2 Historical/Architectural Survey Results.....	4-3
4.1.2 Previously Recorded Historic Resources.....	4-6
4.2.2 Newly Recorded Historic Resources.....	4-14
5.0 EVALUATION OF EFFECTS TO THE FAITH FELLOWSHIP CHURCH (FORMER PASADENA CHURCH)	5-1
5.1 Relationship to the Recommended Alternative.....	5-1
5.2 Visual and Aesthetics.....	5-3
5.3 Noise and Air Quality	5-5
5.4 Access and Use	5-5
6.0 CONCLUSIONS AND RECOMMENDATIONS.....	6-1
7.0 REFERENCES CITED.....	7-1

LIST OF APPENDICES

- APPENDIX A:** Previous CRAS (12/8/2010) and CRAS Update Technical Memorandum (2/20/2015) concurrence letters
- APPENDIX B:** Florida Master Site File Forms
- APPENDIX C:** Demolished resource update letter
- APPENDIX D:** Atkins Drainage Memo and Concept Plan Sheet
- APPENDIX E:** Survey Log

LIST OF FIGURES

	<u>Page</u>
Figure 1-1: Project Location Map	1-2
Figure 4-1: Location of shovel tests within Pond K.....	4-2
Figure 4-2: Location of previously and newly recorded historic resources within the project APE	4-4
Figure 5-1: Location of the Faith Fellowship Church property in relation to Clinton Avenue	5-2
Figure 5-2: Typical section in the vicinity of the Faith Fellowship Church	5-3

LIST OF TABLES

Table 2-1: Previously recorded historic resources within the current SR 52 project APE	2-2
Table 4-1: Previously and newly recorded historic resources within the SR 52 project APE	4-5

LIST OF PHOTOS

Photo 4-1: Looking east across the Pond K area.....	4-1
Photo 4-2: Looking north from the southwest corner of Pond K.....	4-3
Photo 4-3: North and west elevations of the Faith Fellowship Church (former Pasadena Church), at 36134 Clinton Avenue, 8PA02219, looking southeast.....	4-6
Photo 4-4: South elevation of 36027 Clinton Avenue, 8PA02788, looking north.....	4-7
Photo 4-5: South and east elevations of 36047 Clinton Avenue, 8PA02789, looking northwest.....	4-8
Photo 4-6: North elevation of 36316 Clinton Avenue, 8PA02791, looking south.....	4-9
Photo 4-7: North and east elevations of 36332 Clinton Avenue, 8PA02792.....	4-10
Photo 4-8: South elevation of 36433 Clinton Avenue, 8PA02793, looking north.....	4-11
Photo 4-9: South and west elevations of 36751 Clinton Avenue, 8PA02795, looking northwest	4-12
Photo 4-10: South and east elevations of 36845 Clinton Avenue, 8PA02796, looking northwest.....	4-13
Photo 4-11: West elevation of 11810 Circle B Road, 8PA02906, looking southeast.....	4-14
Photo 4-12: East elevation of 11745 Fort King Road, 8PA02907, looking west	4-15
Photo 5-1: Looking east along Clinton Avenue in the vicinity of the Faith Fellowship Church.....	5-4
Photo 5-2: Looking west along Clinton Avenue towards Faith Fellowship Church	5-4

1.0 INTRODUCTION

The Florida Department of Transportation (FDOT), District Seven, is currently conducting a state funded Project Development and Environment (PD&E) Study to determine the engineering and environmental effects of a proposed improvement that includes the realignment and construction of SR 52 on a new route. The SR 52 PD&E Study limits are from east of McKendree Road to east of US 301 within Pasco County, Florida. The total length of the proposed project is approximately 8 miles (mi). Previously, the eastern construction limit was Pasadena Road. The portion from Pasadena Road to US 301 was to be constructed by Pasco County. Subsequent to completing the *Cultural Resource Assessment Survey (CRAS) Update Technical Memorandum* (February 2015), the eastern construction limits were moved approximately one mile east to Fort King Road (**Figure 1-1**). Therefore, the new SR 52 roadway will be constructed on new alignment south of the existing SR 52, connecting to the existing Clinton Avenue at County Road (CR) 579 (Prospect Road). The existing four-lane portion of Clinton Avenue between Fort King Road and US 301, recently constructed by Pasco County, is not the subject of this second CRAS Update Technical Memorandum. The subject of this second CRAS Update Technical Memorandum is the section of Clinton Avenue between Pasadena Road and Fort King Road, a distance of approximately one mile. All other aspects of the project, including purpose, typical section, and alignment, remain consistent with the original CRAS Update (February 2015). This second CRAS Update Technical Memorandum also includes an effects determination for the previously recorded Faith Fellowship Church (former Pasadena Church; 8PA2219) that is located within the additional survey area. This resource was determined eligible for listing in the National Register of Historic Places (NRHP) by the State Historic Preservation Officer (SHPO) in 2010.

1.1 Purpose

The purpose of the PD&E Study is to provide documented environmental and engineering analyses to assist FDOT in reaching a decision on the type, location and conceptual design of the necessary improvements, in order to accommodate future traffic demand in a safe and efficient manner. The PD&E Study also satisfies the requirements of FDOT and follows the process outlined in the FDOT *Project Development and Environment Manual*. Although no federal involvement has been identified, the proposed project's PD&E Study process was developed in compliance with the National Environmental Policy Act (NEPA), and other applicable federal and state regulations.

This PD&E Study documents the need for the new roadway, and presents the procedures utilized to develop and evaluate the improvement alternative. Information relating to the engineering and environmental characteristics essential for development of alternative alignments and analytical decisions was collected. Design criteria were established and preliminary alternative alignments

Figure 1-1: Project Location Map



PROJECT LOCATION MAP



SR 52 PD&E Study

From East of Mckendree Road to East of US 301
WPI Segment No: 435915-1

were developed. The comparison of alternative alignments was based on a variety of parameters utilizing a matrix format. This process was utilized to identify the Recommended Alternative that minimizes natural, physical, and socio-economic impacts, while providing the necessary future transportation improvements. The study also solicits input from the community and users of the facility.

1.2 Project Description

The realignment of SR 52 is proposed as a new four-lane urban controlled access facility within Pasco County, Florida, that will serve as an additional east-west route in the regional transportation network. The study limits extend from the existing SR 52 intersection with McKendree Road easterly to the Clinton Avenue intersection with US 301, as shown in **Figure 1-1**. The roadway will generally be constructed on new alignment south of the existing SR 52. The existing portion of Clinton Avenue between Fort King Road and US 301, recently constructed by Pasco County, will also be designated as SR 52, while the existing SR 52 from McKendree Road to US 301 will revert to Pasco County for ownership and maintenance purposes.

1.3 Report Purpose

In accordance with Chapter 267, F.S. and FDOT procedures, the study team conducted a Cultural Resource Assessment Survey (CRAS) Update to locate and identify any archaeological sites and historic resources occurring within the project area of potential effect (APE) and to assess their significance in terms of their potential eligibility for listing in the National Register of Historic Places (NRHP). This CRAS Update focused on the segment of SR 52, between Pasadena Road and Fort King Road, that was not included in the recent CRAS update (February 2015). This segment includes Pond K that was previously identified by Pasco County. The project APE for archaeological sites was defined as the footprint of Pond K. The APE for historical resources was defined as the project corridor and Pond K, as well as adjacent properties to take into account potential indirect effects such as visual and access. Archaeological and historical/architectural field surveys were preceded by background research.

Background research indicated an absence of previously recorded archaeological sites. Ten recorded historic resources are located within the current project APE, including the NRHP-eligible Faith Fellowship Church (former Pasadena Church; 8PA02219), an 1887 Frame Vernacular style building located at 36134 Clinton Avenue.

As a result of the CRAS update field survey, no new archaeological sites were identified within Pond K. Nine extant previously recorded (8PA02219, 8PA02788, 8PA02789, 8PA02791, 8PA02792, 8PA02793, 8PA02795, 8PA02796, and 8PA02902) and two new historic resources (8PA02906 and 8PA02907) were identified; one historic resource (8PA02794) is no longer extant. With the exception of 8PA02219, no historic resources were determined eligible or are

considered potentially eligible for listing in the NRHP. This CRAS Update also includes an Effects Determination to evaluate the potential effects (primary and secondary) of the proposed undertaking to the NRHP-eligible Faith Fellowship Church (former Pasadena Church; 8PA02219). The proposed improvements include the widening of SR 52; improvements are planned to be within existing ROW in the vicinity of this property. As per revised Chapter 267, Florida Statutes (F.S.), FDOT must consider the effect of the undertaking (project) on any historic property that is included in, or eligible for inclusion in, the NRHP, and afford the Division of Historical Resources (DHR) a reasonable opportunity to comment with regard to such an undertaking. Based on the evaluation of effects provided in Section 5.0, the proposed project will have no effect on this NRHP-eligible historic resource.

2.0 BACKGROUND RESEARCH

Field survey was preceded by background research, which included a review of the findings of the previous CRAS of SR 52 from east of McKendree Road to east of US 301 (ACI 2015), the Clinton Avenue Extension (ACI 2010), plus an updated check of the digital database of the FMSF (April 2015). The relevant archaeological and historical contexts are provided in the 2010 CRAS Report (ACI 2010), and thus, are not repeated in this update technical memorandum.

The FMSF data indicate that five archaeological and historical surveys have been conducted within 500 feet (ft) of the current SR 52 project APE, defined as the immediately adjacent properties along the segment of SR 52 between Pasadena Road and Fort King Road and within 200 ft of the existing or proposed right-of-way (ROW) and Pond K. Among the previous studies are a cell tower development (Burns 2000), the Prosser Road project (Carty 2006), the Clinton Avenue Extension (ACI 2010) and the SR 52 PD&E Study Update (ACI 2015), as well as a historic resources survey of East Pasco County (Janus Research 2005).

2.1 Archaeological Sites

Only one previously recorded archaeological site is located within one mile of the SR 52 project APE. 8PA00009, a prehistoric burial mound, is plotted in the general vicinity of the western shore of Lake Pasadena, far removed from Pond K. It was not evaluated by either the recorder or the SHPO.

2.2 Historic Resources

Historic background research indicated that 10 previously recorded historic resources (8PA02219, 8PA02788, 8PA02789, 8PA02791, 8PA02792, 8PA02793, 8PA02794, 8PA02795, 8PA02796, and 8PA02902) are located within the SR 52 project APE (**Table 2-1**). These resources are all buildings; nine of them (8PA02219, 8PA02788, 8PA02789, and 8PA02791, through 8PA02796) were recorded during the CRAS of the Clinton Avenue Extension corridor (ACI 2010), and one (8PA02902) was recorded during the Survey Update Technical Memorandum (ACI 2015). All were evaluated by the SHPO and found to be ineligible for listing in the NRHP in 2010 and 2015 respectively, except for Faith Fellowship (former Pasadena Church; 8PA02219) (FMSF). This building at 36134 Clinton Avenue, constructed in 1887, was determined NRHP-eligible on December 8, 2010 and is located within the current SR 52 project APE.

The Pasco County Property Appraiser's website and the USGS San Antonio (1954) and Dade City (1960) quadrangle maps were examined to determine the potential for unrecorded historic resources (50 years of age or older). As a result, there is the potential for two such resources, a

commercial building at 11810 Circle B Road, and a residence at 11745 Fort Kings Road (Wells 2015).

Table 2-1: Previously recorded historic resources within the current SR 52 project APE

FMSF No.	Address/Site Name	Date	Style	SHPO Evaluation
8PA02219	36134 Clinton Avenue	ca. 1887	Frame Vernacular	Eligible 12/08/2010
8PA02788	36027 Clinton Avenue	ca. 1950	Masonry Vernacular	Ineligible 12/08/2010
8PA02789	36047 Clinton Avenue	1950	Frame Vernacular	Ineligible 12/08/2010
8PA02791	36316 Clinton Avenue	ca. 1952	Masonry Vernacular	Ineligible 12/08/2010
8PA02792	36332 Clinton Avenue	ca. 1950	Frame Vernacular	Ineligible 12/08/2010
8PA02793	36433 Clinton Avenue	ca. 1954	Masonry Vernacular	Ineligible 12/08/2010
8PA02794	36447 Clinton Avenue	ca. 1953	Frame Vernacular	Ineligible 12/08/2010
8PA02795	36751 Clinton Avenue	ca. 1953	Masonry Vernacular	Ineligible 12/08/2010
8PA02796	36845 Clinton Avenue	ca. 1955	Frame Vernacular	Ineligible 12/08/2010
8PA02902	36005 Clinton Avenue	ca. 1962	Frame Vernacular	Ineligible 2/23/2015

3.0 METHODS

3.1 Field Methodology

Archaeological field survey methods consisted of surface reconnaissance and subsurface testing within Pond K. Shovel tests were circular and measured approximately 0.5 m (20 in) in diameter by 1 m (3.3 ft) in depth. All soil removed from the shovel tests was screened through a 6.4 mm (.25 in) mesh hardware cloth to maximize the recovery of artifacts. The locations of all shovel tests were plotted on the aerial map, and, following the recording of relevant data, such as stratigraphic profile and artifact finds, all shovel tests were refilled.

Historical/architectural field survey methods consisted of the identification of all previously recorded and potential historic resources located within the project APE. Photographs were taken and information gathered for completion of FMSF forms for each property estimated to be built in or before 1965. In addition to architectural descriptions, each historic resource was reviewed to assess style, historic context, and potential NRHP eligibility. Pertinent records on the Pasco County Property Appraiser's website were examined to obtain site-specific building construction dates and other information.

3.2 Unexpected Discoveries

It was anticipated that if human burial sites such as Indian mounds, lost historic and pre-colonial cemeteries, or other unmarked burials or associated artifacts were found, then the provisions and guidelines set forth in Chapter 872.05, *FS* (Florida's Unmarked Burial Law) would be followed. Such sites were not expected within the project APE.

3.3 Laboratory Methods/Curation

No cultural materials were recovered, and therefore, no laboratory analysis was needed. All project-related material (field notes, maps, and photographs) will be stored at Archaeological Consultants, Inc. in Sarasota, until arrangements can be made for curation by the FDOT.

4.0 SURVEY RESULTS

4.1 Archaeological Survey Results

Archaeological field survey included both ground surface reconnaissance and the excavation of four shovel tests within Pond K. Because this pond site had already been developed, judgmental shovel testing was confined to the least disturbed corners within the pond footprint. **Figure 4-1** shows the locations of the shovel tests. As a result, no new archaeological sites were discovered. Testing revealed mottled gray fill to a depth of 100 centimeters (cm) (40 inches [in]) in two shovel tests (northeast and southeast corners), and an upper strata of dark grayish brown sand from 0-25 cm (0-10 in) underlain by light brown sand from 25-100 cm (10-40 in) in the other two shovel tests (northwest and southwest corners). Existing conditions are depicted in **Photos 4-1 and 4-2**.



Photo 4-1: Looking east across the Pond K area



Figure 4-1 Location of the shovel tests (not to scale) within Pond K.

**CRAS Update
SR 52 PD&E Study
from East of McKendree Road
To East of US 301,
Pasco County, Florida
WPI Segment No.: 435915-1**



Photo 4-2: Looking north from the southwest corner of Pond K

4.2 Historical/Architectural Survey Results

The historical/architectural survey update of the project APE resulted in the identification of 11 historic resources, including nine residences, one commercial building, and one church (8PA02219, 8PA02788, 8PA02789, 8PA02791, 8PA02792, 8PA02793, 8PA02795, 8PA02796, 8PA02902, 8PA02906, and 8PA02907) (**Figure 4-2; Table 4-1**). Eight of these were previously recorded during the CRAS of the Clinton Avenue Extension corridor (ACI 2010) (8PA02219, 8PA02788, 8PA02789, 8PA02791 through 8PA02793, 8PA02795, and 8PA02796), and one was recorded during the SR 52 CRAS Update (ACI 2015) (8PA02902). Two are newly identified and recorded as part of this update study, a commercial building at 11810 Circle B Road (8PA02906), and a residence at 11745 King Road (8PA02907). In addition, field survey revealed that one previously recorded building has been demolished, a Frame Vernacular style residence at 36447 Clinton Avenue (8PA02794). The FMSF has been informed of this demolition and a copy of the notification letter is contained in **Appendix C**.

Eight of the previously recorded resources were evaluated by the SHPO and found to be ineligible for listing in the NRHP in 2010 and 2015 (8PA02788, 8PA02789, 8PA02791, 8PA02792, 8PA02793, 8PA02795, 8PA02796, and 8PA02902). However, one resource, the Faith Fellowship Church (former Pasadena Church; 8PA02219), recorded in 2010 as part of the Clinton Avenue Extension corridor CRAS, was evaluated as eligible for the NRHP by the SHPO on December 8, 2010 (FMSF).




Figure 4-2 Location of previously and newly recorded historic resources within the project APE. Current CRAS Update study limits are shown in yellow.

**CRAS Update
SR 52 PD&E Study
from East of McKendree Road
To East of US 301,
Pasco County, Florida
WPI Segment No.: 435915-1**

Table 4-1: Previously and newly recorded historic resources within the SR 52 project APE (Green shading indicates previously recorded)

FMSF No.	Address/Site Name	Date	Style	NRHP Eligibility
8PA02219	36134 Clinton Avenue Faith Fellowship Church (former Pasadena Church)	ca. 1887	Frame Vernacular	Eligible 12/08/2010
8PA02788	36027 Clinton Avenue	ca. 1950	Masonry Vernacular	Ineligible 12/08/2010
8PA02789	36047 Clinton Avenue	1950	Frame Vernacular	Ineligible 12/08/2010
8PA02791	36316 Clinton Avenue	ca. 1952	Masonry Vernacular	Ineligible 12/08/2010
8PA02792	36332 Clinton Avenue	ca. 1950	Frame Vernacular	Ineligible 12/08/2010
8PA02793	36433 Clinton Avenue	ca. 1954	Masonry Vernacular	Ineligible 12/08/2010
8PA02795	36751 Clinton Avenue	ca. 1953	Masonry Vernacular	Ineligible 12/08/2010
8PA02796	36845 Clinton Avenue	ca. 1955	Frame Vernacular	Ineligible 12/08/2010
8PA02902	36005 Clinton Avenue	ca. 1962	Frame Vernacular	Ineligible 2/23/2015
8PA02906	11810 Circle B Road	ca. 1953	Masonry Vernacular	Considered ineligible
8PA02907	11745 Fort King Road	ca. 1954	Masonry Vernacular	Considered ineligible

A comparison of the photographs and descriptions submitted in 2010 and 2015 for all extant previously recorded buildings to their current condition indicates that they have not experienced any significant alterations that would merit an updated FMSF form. Some buildings have been repainted and some have had their windows replaced, but overall they remain largely as previously recorded. In addition, nine have already been evaluated as ineligible for the NRHP and limited research did not reveal any previously unknown significant association that would merit a reevaluation. As such, these nine resources remain ineligible and were not updated.

Similarly, the NRHP-eligible Faith Fellowship Church (former Pasadena Church; 8PA02219) was photographed and visually inspected in the field. A comparison of photographs submitted in 2010 to its current condition indicates that the building has not been altered and retains the same level of physical integrity it held at the time of its 2010 evaluation. As a result, this resource remains eligible for listing in the NRHP, but owing to lack of physical changes or new information related to its significance an updated FMSF form was not completed. An evaluation of potential effects is presented in **Section 5.0**.

The two newly identified and recorded resources, both in the Masonry Vernacular style, are a commercial building dating ca. 1953 (8PA02906) and a residence from 1954 (8PA02907). Both

are typical examples of the Masonry Vernacular style and neither is considered individually eligible for listing in the NRHP. Furthermore, the surveyed area and the general vicinity of the study area does not possess the potential for a historic district, and the total 11 previously and newly recorded historic resources are not associated by a unified use or historical development; as such, none is considered to be eligible as part of a potential historic district. With the exception of 8PA02902 which was recorded within the last six months (ACI 2015), narrative descriptions and photographs for all previously recorded and newly identified historic resources located within the project APE follow. All photographs were taken in April 2015 and reflect current conditions. The narrative descriptions of the extant previously recorded resources were taken from the 2010 CRAS and were updated to include changes noted during this survey whenever applicable; copies of the FMSF forms for the two newly recorded resources are located in **Appendix B**.

4.1.2 Previously Recorded Historic Resources



Photo 4-3: North and west elevations of the Faith Fellowship Church (former Pasadena Church), at 36134 Clinton Avenue, 8PA02219, looking southeast

8PA02219: The ca. 1887 Frame Vernacular style Faith Fellowship Church (former Pasadena Church) at 36134 Clinton Avenue (**Photo 4-3**) is locally designated as a *Historic Place of Pasco County*. This building was originally recorded in 2005 during the *Historic Resources Survey of East Pasco County* (Janus Research 2005). It was described as having a concrete block pier foundation with lattice infill, wood frame walls clad in drop siding, a cross-gable roof covered with 5-V metal crimp, and a brick chimney on the west ridge. An open porch with a shed roof was noted on the north elevation, which provided access to the main entrance, a pair of wood

swing doors with a transom light. Another open porch with a shed roof was noted on the south elevation. One-light fixed storm windows (ca. 1960, 1990) protect the original 2/2 double hung sash (DHS) and one-light fixed stained glass windows. Other architectural features described include gable vents and braces, wood window surrounds, and cornerboards. The church was considered to be eligible for listing in the NRHP under Criterion A due to its association with the developmental history of Pasadena, and under Criterion C in the area of Architecture.

The SHPO determined that this church was eligible for listing in the NRHP on 12/08/2010. A comparison of the photographs and description of this resource submitted to the FMSF indicate that the resource has not undergone any significant alterations or additions. It retains the same physical integrity it held in 2010 during its evaluation. Therefore, 8PA02219 remains eligible for the NRHP and an update FMSF form is not warranted.



Photo 4-4: South elevation of 36027 Clinton Avenue, 8PA02788, looking north

8PA02788: The commercially used residence at 36027 Clinton Avenue (**Photo 4-4**) was constructed in the Masonry Vernacular style ca. 1950. The slab foundation supports the concrete block walls that are clad in stucco (ca. 2000). The gable roof is covered in asphalt shingles and contains a brick chimney on the north slope. An east addition with a flat roof was constructed ca. 1970. Some of the windows have been replaced or filled in with wood siding. Those that remain are one-light fixed with four-light sidelights, eight- and twelve-light casement, two-light sliding (ca. 2000), and 2/2 single hung sash (SHS) (ca. 2000). Other architectural features include fixed shutters, and an open porch on the south elevation with scroll porch posts.

The SHPO determined that this house was not eligible for the NRHP on December 8, 2010. A comparison of the photographs and description of this resource submitted to the FMSF indicate that it has not undergone any significant alterations or additions that would necessitate an updated FMSF form. Furthermore, limited research did not reveal any new information or significant historical associations previously unknown. Therefore, 8PA02788 remains ineligible for the NRHP, either individually, or as part of a historic district.



Photo 4-5: South and east elevations of 36047 Clinton Avenue, 8PA02789, looking northwest

8PA02789: The Frame Vernacular style residence at 36047 Clinton Avenue (**Photo 4-5**) was constructed ca. 1950. The residence features a concrete block pier foundation, wood frame walls clad in drop siding, and a gable roof with asphalt shingles. The replacement windows (ca. 1970) are jalousie, 1/1 SHS, and two-light sliding. Other architectural features include wood window surrounds, cornerboards, and a ca. 1970 open porch on the south elevation. A historic wood frame structure is to the northeast. This is a typical example of the Frame Vernacular style found throughout Pasco County. The replacement windows and porch have diminished its architectural integrity.

The SHPO determined that this house was not eligible for the NRHP on December 8, 2010. A comparison of the photographs and description of this resource submitted to the FMSF indicate that it has not undergone any significant alterations or additions that would necessitate an updated FMSF form. Furthermore, limited research did not reveal any new information or

significant historical associations previously unknown. Therefore, 8PA02789 remains ineligible for the NRHP, either individually, or as part of a historic district.



Photo 4-6: North elevation of 36316 Clinton Avenue, 8PA02791, looking south

8PA02791: The Frame Vernacular residence at 36316 Clinton Avenue (**Photo 4-6**) was constructed ca. 1952. The pier foundation with lattice supports the wood frame walls that are mostly clad in drop siding and asbestos siding (ca. 1970). A hyphen with three-light awning windows and weatherboard was constructed ca. 1980 connecting the main part of the house and the garage. The gable roof, covered with composition shingles (ca. 1980), tops the residence and features a brick chimney on the south slope. Other architectural features include an open porch with a shed roof and scroll posts on the north elevation, DHS windows with surrounds, and wood door surrounds.

The SHPO determined that this house was not eligible for the NRHP on December 8, 2010. A comparison of the photographs and description of this resource submitted to the FMSF indicate that it has not undergone any significant alterations or additions that would necessitate an updated FMSF form. Furthermore, limited research did not reveal any new information or significant historical associations previously unknown. Therefore, 8PA02791 remains ineligible for the NRHP, either individually, or as part of a historic district.



Photo 4-7: North and east elevations of 36332 Clinton Avenue, 8PA02792

8PA02792: The residence at 36332 Clinton Avenue (**Photo 4-7**) was constructed ca. 1950 in the Frame Vernacular style. The wood frame walls are clad in asbestos shingles and are topped with a gable roof surfaced in asphalt shingles (ca. 2000). Original architectural features of this residence include 1/1 DHS windows, gable vents, and an open porch on the north elevation with a gable roof and turned porch posts. The garage was enclosed ca. 2000 and features 1/1 SHS windows. A masonry addition was constructed on the east elevation ca. 2000 and has a flat roof, stucco, and 1/1 SHS windows, which are either 4/4 or 6/6 simulated divided light. Other fenestration includes fixed window shutters, wood window surrounds, and fittings for storm windows.

The SHPO determined that this house was not eligible for the NRHP on December 8, 2010. A comparison of the photographs and description of this resource submitted to the FMSF indicate that it has not undergone any significant alterations or additions that would necessitate an updated FMSF form, except the replacement of some windows. Furthermore, limited research did not reveal any new information or significant historical associations previously unknown. Therefore, 8PA02792 remains ineligible for the NRHP, either individually, or as part of a historic district.



Photo 4-8: South elevation of 36433 Clinton Avenue, 8PA02793, looking north

8PA02793: The Masonry Vernacular style residence at 36433 Clinton Avenue (**Photo 4-8**) was constructed ca. 1954. A slab foundation supports the concrete block walls clad in brick (ca. 2000) and topped with a gable roof surfaced in 5-V metal crimp. The replacement windows are 2/2 and 1/1 SHS, and the garage was enclosed ca. 2000.

The SHPO determined that this house was not eligible for the NRHP on December 8, 2010. A comparison of the photographs and description of this resource submitted to the FMSF indicate that it has not undergone any significant alterations or additions that would necessitate an updated FMSF form. Furthermore, limited research did not reveal any new information or significant historical associations previously unknown. Therefore, 8PA02793 remains ineligible for the NRHP, either individually, or as part of a historic district.



Photo 4-9: South and west elevations of 36751 Clinton Avenue, 8PA02795, looking northwest

8PA02795: The Masonry Vernacular style residence at 36751 Clinton Avenue (**Photo 4-9**) was built ca. 1954. The concrete block walls rest on a slab foundation and are topped with a gable roof surfaced with composition shingles. The replacement windows are 2/2 SHS (ca. 1990) and two-light awning (ca. 2000). Other features include a main entrance on the south elevation with a storm door, projecting window sills, gable vents, and a two bay garage to the east.

This building was vacant at the time of its 2010 recordation; it has since been rehabilitated with new windows, doors and asphalt shingles on the roof; all of which have further diminished its historic integrity. The SHPO determined that this house was not eligible for the NRHP on December 8, 2010. Owing to its ineligible evaluation, an updated FMSF form is not warranted. Furthermore, limited research did not reveal any new information or significant historical associations previously unknown that would require a reevaluation. Therefore, 8PA02795 remains ineligible for the NRHP, either individually, or as part of a historic district.



Photo 4-10: South and east elevations of 36845 Clinton Avenue, 8PA02796, looking northwest

8PA02796: The residence at 36845 Clinton Avenue (**Photo 4-10**) was constructed in the Frame Vernacular style ca. 1955 (This differs from the ca. 1946 date listed on the Pasco County Property Appraiser; PALMM 1957). The slab foundation supports the wood frame walls that are clad in drop siding. The residence is topped with a gable roof covered in asphalt shingles (ca. 2000). A ca. 1980 east addition was constructed to connect to what was once a non-historic ancillary building clad in vertical board. The windows are replacement 2/2 SHS (ca. 1980) and 1/1 SHS (ca. 2000). An open porch with a gable roof on the south elevation provides access to the main entrance, a one-light vinyl swing door with a storm door (ca. 2000). Other architectural features include projecting window sills and a gable vent. A non-historic carport is to the east.

The SHPO determined that this house was not eligible for the NRHP on December 8, 2010. A comparison of the photographs and description of this resource submitted to the FMSF indicate that it has not undergone any significant alterations or additions that would necessitate an updated FMSF form. Furthermore, limited research did not reveal any new information or significant historical associations previously unknown. Therefore, 8PA02796 remains ineligible for the NRHP, either individually, or as part of a historic district.

4.2.2 Newly Recorded Historic Resources



Photo 4-11: West elevation of 11810 Circle B Road, 8PA02906, looking southeast

8PA02906: The Masonry Vernacular style building at 11810 Circle B Road was constructed ca. 1953 (**Photo 4-11**). The one-story, irregular plan commercial building sits on a concrete slab foundation and has concrete block walls clad in stucco. The flat roof is covered with corrugated metal panels. Several entrances are present; however, it appears that that main entrance, a single glazed swing door, is located on the south elevation. Windows are single and paired one-light vinyl fixed units. A large one-story addition, built c. 2000 is present on the south elevation. This addition more than doubled the original size and footprint of the ca. 1953 building. Other structural and decorative features include cast-stone door and window surrounds and applied composite brackets. This building has undergone significant additions and alterations and retains little historic integrity. Its original massing and design are not discernible. In addition, this type of vernacular commercial building is common throughout Pasco County. Furthermore, research revealed no significant historical associations. Therefore, 8PA02906 does not appear potentially eligible for listing in the NRHP, either individually or as part of a historic district.



Photo 4-12: East elevation of 11745 Fort King Road, 8PA02907, looking west

8PA02907: The Masonry Vernacular style building at 11745 Fort King Road was constructed ca. 1954 (**Photo 4-12**). The one-story, rectangular plan residence sits on a concrete slab foundation and has concrete block walls. The cross-gable roof is clad with asphalt shingles. The main entry is located on the east elevation and consists of a single wood swing door. Windows are jalousie, one-light metal flanked by 2/2 metal SHS, and independent 2/2 metal SHS. An attached car port is located on the south elevation. Other structural and decorative features include wide eaves, and concrete window sills. A one-story masonry shed is located on the southwest corner of the lot. The building is currently vacant and physically deteriorated. This is a typical example of a Masonry Vernacular style residence found throughout Pasco County. In addition, research revealed no significant historical associations. Therefore, 8PA02907 does not appear potentially eligible for listing in the NRHP, either individually or as part of a historic district.

5.0 EVALUATION OF EFFECTS TO THE FAITH FELLOWSHIP CHURCH (FORMER PASADENA CHURCH)

Within the project limits, the recommended build alternative follows existing Clinton Avenue and it is anticipated to not require right-of-way from within the historic property boundary. Proposed drainage improvements are planned to avoid right-of-way impacts to the Faith Fellowship Church parcel (Parcel 09-25-21-0000-03200-0000). The proposed project will have no effect to the NRHP-eligible Faith Fellowship Church (former Pasadena Church; 8PA02219), in accordance with revised Chapter 267, F.S. since the project will not alter, directly or indirectly, the characteristics of the historic property that qualify it for inclusion in the NRHP. The church is eligible for NRHP listing under Criterion A due to its association with the developmental history of Pasadena, and under Criterion C in the area of Architecture. The proposed project will not diminish its integrity of location, design, setting, materials, workmanship, feeling or association. The justification for determining that that this historic property will not be affected by the proposed project follows.

5.1 Relationship to the Recommended Alternative

The Faith Fellowship Church (former Pasadena Church), located at 36134 Clinton Avenue, is situated on the south side of Clinton Avenue between Circle B Road and Cove Lane. The NRHP-eligible property encompasses 0.51 acres and measures 140 ft north-south by 160 ft east-west (**Figure 5-1**). While the church property lies adjacent to Clinton Avenue, the historic church building is set back approximately 50 ft from the outside edge of the right-of-way. No acquisition of the historic property for right of way or easements is proposed in support of this project (**Figure 5-2**; Appendix D: Concept Plan Sheet), and the proposed improvements will not result in the physical destruction, damage, or alteration of all or part of the Faith Fellowship Church (8PA02219).

Drainage improvements are planned to be designed to completely avoid right-of-way impacts to the Faith Fellowship parcel. The church is located at Station 343. There is an existing concrete flume near Station 328+75 Rt. discharging to the right-of-way that is located west of the church parcel. Within the church parcel, the back of sidewalk should tie to the existing right-of-way. This will allow for the property to sheet flow over the curb to be collected in the proposed storm sewer system. The church parcel is mostly pervious, and will have minimal impacts to the storm sewer or Pond K. If stages are increased in Pond K, the weir could be modified to allow additional flow (Atkins 2015a; Appendix D: Atkins Drainage Memo).

Figure 5-1: Location of the Faith Fellowship Church property in relation to Clinton Avenue (Source: Pasco County Property Appraiser's Office, 2015)





Figure 5-2: Typical section in the vicinity of the Faith Fellowship Church



5.2 Visual and Aesthetics

Clinton Avenue lies adjacent to the Faith Fellowship Church property. The church will remain approximately 50 ft from the right-of-way and will retain its yard and driveway. The proposed project includes changing SR 52 from a 2-lane roadway to a 4-lane divided roadway with curb and gutter and sidewalks (**Figure 5-2**). Despite these changes, the proposed improvements will not alter the existing visual and aesthetic qualities of the historic property and its setting, nor will it introduce any visually intrusive elements. The church, which is eligible for the NRHP based upon its significant historical associations to the community of Pasadena (Criterion A) and architecture (Criterion C), will retain its integrity of location, design, materials, workmanship, feeling and association. Therefore, the proposed improvements will not significantly alter the existing visual and aesthetic qualities of the Faith Fellowship Church (**Photos 5-1 and 5-2**).



Photo 5-1: Looking east along Clinton Avenue in the vicinity of the Faith Fellowship Church; Note location of church building and driveway in relation to the right-of-way



Photo 5-2: Looking west along Clinton Avenue towards Faith Fellowship Church

5.3 Noise and Air Quality

Noise: The Faith Fellowship Church is located south of existing Clinton Avenue at Station 343. There is no exterior area of frequent human use associated with the church; therefore, the church was analyzed as an Activity Category D (interior) use. Following FHWA procedures documented in *Highway Traffic Noise: Analysis and Abatement Guidance* (FHWA, December 2011), the traffic noise level for the interior of the church is determined by applying a 20 dB(A) reduction to the exterior traffic noise prediction. The 20 dB(A) reduction accounts for the decrease in traffic noise provided by the Frame building. With a predicted interior traffic noise level of 47.9 dB(A) for the year 2025 build condition, the traffic noise level does not approach or exceed the noise abatement criteria (NAC) at the church. Compared to the existing condition, the traffic noise level for the 2025 build condition is predicted to increase 1.9 dB(A). Therefore, the traffic noise level at the church is not expected to substantially increase above the existing condition. Furthermore, the existing traffic noise level is not predicted to substantially increase as a direct result of the transportation improvement project (Atkins 2015b).

Air Quality: The project is in an area that has been designated as attainment for all of the National Ambient Air Quality Standards established by the Clean Air Act and subsequent amendments. Therefore, demonstration of conformity with a State Implementation Plan is not required for this project (Atkins 2015b).

5.4 Access and Use

Vehicular access to the Faith Fellowship Church is provided via a driveway that connects to Clinton Avenue (**Photo 5-1**). The proposed improvement project will not result in any change in access. The future use of the Faith Fellowship Church will ultimately be decided by the property owners. The proposed improvements will not have a potential impact on the use of the church; no changes in land use are anticipated.

6.0 CONCLUSIONS AND RECOMMENDATIONS

The CRAS update resulted in the identification of 11 historic resources, including nine residences, one commercial building, and one church (8PA02219, 8PA02788, 8PA02789, 8PA02791, 8PA02792, 8PA02793, 8PA02795, 8PA02796, 8PA02902, 8PA02906, and 8PA02907). Nine of these were previously recorded during the CRAS of the Clinton Avenue Extension corridor (ACI 2010) and the SR 52 Survey Update (ACI 2015) (8PA02219, 8PA02788, 8PA02789, 8PA02791 through 8PA02793, 8PA02795, 8PA02796, and 8PA02902). Two are newly identified and recorded as part of this update study, a commercial building at 11810 Circle B Road (8PA02906), and a residence at 11745 King Road (8PA02907). In addition, one previously recorded building was confirmed demolished (8PA02794). No previously recorded or newly discovered archaeological sites are located within the project APE.

Eight of the previously recorded historic resources were evaluated by the SHPO and found to be ineligible for listing in the NRHP in 2010 and 2015 (8PA02788, 8PA02789, 8PA02791, 8PA02792, 8PA02793, 8PA02795, 8PA02796, and 8PA02902). The two newly identified resources (8PA02906 and 8PA02907) are typical examples of the Masonry Vernacular style found throughout Pasco County and neither is considered eligible for listing in the NRHP, either individually or as part of a historic district. However, one previously recorded historic resource, the Faith Fellowship Church (former Pasadena Church; 8PA02219) recorded in 2010 as part of the Clinton Avenue Extension corridor CRAS was evaluated as eligible for the NRHP by the SHPO on December 8, 2010 (FMSF).

The proposed improvements are anticipated to have no effect to the NRHP-eligible Faith Fellowship Church (former Pasadena Church; 8PA02219), in accordance with the revised Chapter 267, F.S. since the project will not alter, directly or indirectly, the characteristics of the historic property that qualify it for inclusion in the NRHP, and will not diminish its integrity of location, design, setting, materials, workmanship, feeling or association. The transportation improvement project will not result in the physical destruction, damage, or alteration of all or part of the Faith Fellowship Church; will not alter the existing visual and aesthetic qualities of the historic property and its setting, nor will it introduce any visually intrusive elements; will not substantially increase noise levels or result in air quality impacts; will cause no changes in access to the church; and will have no potential impact on the use of the church.

7.0 REFERENCES CITED

Archaeological Consultants, Inc. (ACI)

- 2010 Cultural Resource Assessment Survey, Clinton Avenue Extension from West of Curley Road to East of Prospect Road, Pasco County, Florida. ACI, Sarasota.
- 2015 Cultural Resource Assessment Survey Update Technical Memorandum, Project Development and Environment Study, SR 52 from East of Mckendree Road to East of US 301, Pasco County, Florida. ACI, Sarasota.

Atkins

- 2015a Memo from Gregory Lee to Doug Reed regarding SR 52 PD&E Faith Fellowship Impacts, April 27, 2015.
- 2015b Email from Dan Doebler and Rebecca Spain Schwarz to ACI regarding SR 52 Noise and Air Quality, May 7, 2015.

Burns, Sheila

- 2000 Proposed Telecommunications Tower, St. Leo #801862, Pasco County, Florida. On file, FDHR, Tallahassee.

Carty, Thomas J.

- 2006 An Archaeological and Historical Survey of the Prosser Road Project Area in Pasco County, Florida. Panamerican Consultants, Inc., Tampa.

Florida Master Site File (FMSF)

- Various Various forms. Accessed online. On file, FDHR, Tallahassee.

Janus Research

- 2005 Historic Resources Survey of East Pasco County. Janus Research, Tampa.

United States Geological Survey (USGS)

- 1954 San Antonio, Florida, Photorevised 1988.
- 1960 Dade City, Florida, Photorevised 1988.

Wells, Michael

- 2014 Property Appraiser information accessed via <http://appraiser.pascogov.com>

**Appendix A: Previous CRAS (12/8/2010) and CRAS Update Technical
Memorandum (2/20/2015) concurrence letters**



RECEIVED
BUREAU OF
HISTORIC PRESERVATION

2015 FEB 23 P 12:55

Florida Department of Transportation

RICK SCOTT
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JIM BOXOLD
SECRETARY

February 20, 2015

Mr. Robert F. Bendus
State Historic Preservation Officer
Florida Division of Historical Resources
500 South Bronough Street
Tallahassee, Florida 32399-0250

Attention: Transportation Compliance Review Program

RE: Work Program Item Segment No.: 435915-1
SR 52 from East of McKendree Road to East of US 301
Pasco County

Dear Mr. Bendus:

Enclosed you will find one copy of the Cultural Resource Assessment Survey (CRAS) Update Technical Memorandum (February 2015) for the above referenced state funded project. Also enclosed are original or updated Florida Master Site File (FMSF) forms, a Survey Log Sheet, and a CD containing digital files of the CRAS Update, FMSF forms, Survey Log Sheet and FMSF photos.

FDOT District Seven, is currently conducting a state funded Project Development and Environment (PD&E) Study to determine the engineering and environmental effects of the proposed realignment of SR 52 from east of McKendree Road to east of US 301 within Pasco County, Florida. The realignment of SR 52 is proposed as a new four-lane urban controlled access facility that will serve as an additional east-west route in the regional transportation network. The study limits extend from the existing State Road (SR) 52 intersection with McKendree Road easterly to the intersection of Pasadena Road with Clinton Avenue. The roadway will be constructed on new alignment south of the existing SR 52. The existing portion of Clinton Avenue between Pasadena Road and US 301 is being constructed by Pasco County. The proposed new alignment and the existing portion of Clinton Avenue will be designated as SR 52, while the existing SR 52 from McKendree Road to US 301 will revert to Pasco County for ownership and maintenance purposes. A *State Environmental Impact Report* (SEIR) is being prepared for this study.

Mr. Robert F. Bendus
Work Program Item Segment No.: 435915-1
SR 52 from East of McKendree Road to East of US 301
February 20, 2015
Page 2

This investigation is an update of the Clinton Avenue Extension Route Study by the Pasco County Engineering Services Department in 2004 which documents the traffic, engineering and environmental analysis, public involvement activities, and the selection of a Recommended Alternative. It serves as the basis for this PD&E Study. The design year is 2025.

In accordance with Chapter 267, F.S. and FDOT procedures, the study team conducted a CRAS Update to locate and identify any archaeological sites and historic resources occurring within the project area of potential effect (APE) and to assess their significance in terms of their potential eligibility for listing in the National Register of Historic Places (NRHP). This CRAS Update was prepared to update two previous CRAS documents that included portions of this study corridor. A CRAS of the Proposed Cannon Ranch Development Site was prepared in 1986 and a CRAS of the Pasco County Clinton Avenue Extension was prepared in 2010. The two previous documents were submitted to the Florida Division of Historical Resources for review when they were prepared and are included in the FMSF. Since they were not reviewed by the Transportation Compliance Review section, the results of the previous surveys are also documented in this CRAS Update.

The project APE for the archaeological survey was defined as the project corridor and pond sites, including easements. Archaeological field survey was not required for the project corridor that was previously studied in 2010 during the Pasco County Clinton Avenue Extension CRAS. The project APE for the historical resources survey was defined as the project corridor and pond sites, as well as immediately adjacent properties to take into account potential indirect effects such as visual and access. This CRAS Update did not evaluate cultural resources for the Clinton Avenue segment between Pasadena Road and US 301 which is being constructed by Pasco County and will not be affected by this project. Archaeological and historical/architectural field surveys were preceded by background research.

As a result of background research and field survey, four previously recorded archaeological sites (8PA00167, 8PA00206, 8PA00207, and 8PA00208), one newly recorded archaeological site (8PA02903), and four archaeological occurrences were identified. Only one new site and one archaeological occurrence was found during the CRAS Update field survey. 8PA00206, 8PA00207, and 8PA00208 were recorded in 1986 during the CRAS for the Proposed Cannon Development Site. 8PA00167 and 8PA00206 were reinvestigated during the 2010 Pasco County Clinton Avenue Extension CRAS. While no evidence of 8PA00167 and 8PA00206 was found during the Clinton Avenue Extension CRAS,

Mr. Robert F. Bendus
Work Program Item Segment No.: 435915-1
SR 52 from East of McKendree Road to East of US 301
February 20, 2015
Page 3

these sites, as well as 8PA00207 and 8PA00208, are located within the SR 52 project APE, in accordance with the FMSF database. Newly identified archaeological site 8PA02903 is located within proposed Stormwater Management Facility (SMF) 1. 8PA00206 is within SMF B-79A according to FMSF data; however, the current field investigation yielded negative results. 8PA02903 is a low artifact density lithic scatter. Given the commonality of this site type throughout Pasco County, and the low research potential, it is not considered potentially eligible for listing in the NRHP. 8PA00206 has not been evaluated by the SHPO but was considered ineligible by the site recorders.

As a result of the background research and field survey, seven previously recorded historic resources (8PA2217, 8PA2218, 8PA2783, and 8PA2785 through 8PA2788) were identified plus an additional five historic resources (8PA2897 and 8PA2899 through 8PA2902) constructed in 1965 or earlier were newly identified, recorded, and evaluated. These are typical buildings and do not appear to meet the criteria for listing in the NRHP due to their commonality of style and lack of significant historical associations. The previously recorded Pasadena Church (8PA2219), which has been determined NRHP eligible, is located east of Pasadena Road. It is located in the portion of the project that is being constructed by Pasco County and will not be affected by this project.

This information is being provided in accordance with the provisions contained in the revised Chapter 267, Florida Statutes. Provided you approve the recommendations and findings in the enclosed cultural resource document, please sign below for concurrence. If you have questions, please contact me at (813) 975-6456 or todd.bogner@dot.state.fl.us or contact Rebecca Spain Schwarz at (813) 281- 8308 or rebecca.spain-schwarz@atkinsglobal.com.

Sincerely,



Todd L. Bogner, MS
Environmental Specialist III
Cultural Resources Coordinator

Mr. Robert F. Bendus
Work Program Item Segment No.: 435915-1
SR 52 from East of McKendree Road to East of US 301
February 20, 2015
Page 4

Enclosures

cc: Stephanie Pierce (FDOT)
Robin Rhinesmith (FDOT)
Roy Jackson (FDOT SEMO)
Kimberly Warren (Atkins)
Rebecca Spain Schwarz (Atkins)

The Florida State Historic Preservation Officer finds the attached Cultural Resource Assessment Survey Update Technical Memorandum complete and sufficient and concurs with the recommendations and findings provided in this cover letter for SHPO/DHR Project File Number 2015-877.

SHPO Comments:



Robert F. Bendus, Director
Florida Division of Historical Resources
and State Historic Preservation Officer

3/16/15

Date



FLORIDA DEPARTMENT OF STATE
Dawn K. Roberts
Interim Secretary of State
DIVISION OF HISTORICAL RESOURCES

Ms. Joan Deming
Archaeological Consultants, Inc.
8110 Blaikie Court, Suite A
Sarasota, Florida 34240

December 8, 2010

Re: DHR Project File No.: 2010-05209 (2009-5782B) / Received by DHR: October 18, 2010
SWFWMD Application No.: 44035184.000
Cultural Resource Assessment Survey, Clinton Avenue Extension from West of Curley Road to East of Prospect Road, Pasco County, Florida

Dear Ms. Deming:

Our office received and reviewed the above referenced survey report in accordance with Chapters 267 and 373 of the *Florida Statutes*, for possible adverse impact to cultural resources (any prehistoric or historic district, site, building, structure, or object) listed, or eligible for listing, in the National Register of Historic Places (NRHP).

In September 2010, Archaeological Consultants, Inc. (ACI) conducted an archaeological and historical Phase I survey of the proposed Clinton Avenue extension project corridor on behalf of Reynolds, Smith and Hills, Inc and the Pasco County Department of Engineering Services. ACI identified fourteen previously unrecorded historic buildings (8PA2783 – 8PA2796) and three previously recorded historic buildings (8PA2217 – 8PA2219) within the project area during the investigation. ACI did not recover any evidence of three previously recorded archaeological sites (8PA114, 8PA167, and 8PA206) within the project corridor during the investigation. ACI found that three previously recorded historic structures (8PA1726, 8PA2216, and 8PA2220) are no longer extant.

ACI determined that the Pasadena Church (8PA2219) an 1887 frame vernacular building, appears to be eligible for listing in the NRHP under Criterion A for its association with the developmental history of Pasadena and under Criterion C for its architecture.

ACI determined that the rest of the historic buildings in the area of potential effect do not meet the minimum criteria for listing in the NRHP based on common forms and styles, lack of significant historical associates, and/or additions and alterations.

500 S. Bronough Street • Tallahassee, FL 32399-0250 • <http://www.flheritage.com>

Director's Office
850.245.6300 • FAX: 245.6436

Archaeological Research
850.245.6444 • FAX: 245.6452

Historic Preservation
850.245.6333 • FAX: 245.6437


Ms. Deming
December 8, 2010
Page 2

Based on the information provided, our office concurs with these determinations and finds the submitted report complete and sufficient in accordance with Chapter 1A-46, *Florida Administrative Code*. However, please note that shovel tests should be excavated to a depth of at least one meter wherever possible.

The proposed Clinton Avenue extension project may affect the NRHP-eligible Pasadena Church (8PA2219). Pasco County will need to provide our office with additional details about project plans in the vicinity of the historic church so that we can assess the potential impacts.

For any questions concerning our comments, please contact Rudy Westerman, Historic Preservationist, by electronic mail at rjwesterman@dos.state.fl.us, or by phone at 850.245.6333. We appreciate your continued interest in protecting Florida's historic properties.

Sincerely,



Laura A. Kammerer
Historic Preservationist Supervisor
Compliance Review Section
Bureau of Historic Preservation

Pc: Mr. Paul O'Neil, Southwest Florida Water Management District – Bartow

Appendix B: Florida Master Site File Forms

Original
 Update



HISTORICAL STRUCTURE FORM

FLORIDA MASTER SITE FILE

Version 4.0 1/07

Site #8 **PA02906**
Field Date 4-28-2015
Form Date 4-30-2015
Recorder # 1

Shaded Fields represent the minimum acceptable level of documentation.
Consult the *Guide to Historical Structure Forms* for detailed instructions.

Site Name(s) (address if none) 11810 Circle B Road Multiple Listing (DHR only) _____
Survey Project Name CRAS, SR-52 Extension, Pasco County Survey # (DHR only) _____
National Register Category (please check one) building structure district site object
Ownership: private-profit private-nonprofit private-individual private-nonspecific city county state federal Native American foreign unknown

LOCATION & MAPPING

Address: 11810 Circle B Road
Street Number Direction Street Name Street Type Suffix Direction
Cross Streets (nearest / between) Between Pasadena Road and Orangewood Drive
USGS 7.5 Map Name DADE CITY USGS Date 1983 Plat or Other Map _____
City / Town (within 3 miles) Dade City In City Limits? yes no unknown County Pasco
Township 25S Range 21E Section 9 1/4 section: NW SW SE NE Irregular-name: _____
Tax Parcel # 0925210040004000021 Landgrant _____
Subdivision Name Not in a subdivision Block _____ Lot _____
UTM Coordinates: Zone 16 17 Easting 380598 Northing 3134220
Other Coordinates: X: _____ Y: _____ Coordinate System & Datum _____
Name of Public Tract (e.g., park) _____

HISTORY

Construction Year: 1953 approximately year listed or earlier year listed or later
Original Use Commercial From (year): 1953 To (year): curr
Current Use _____ From (year): _____ To (year): _____
Other Use _____ From (year): _____ To (year): _____
Moves: yes no unknown Date: _____ Original address _____
Alterations: yes no unknown Date: c. 2000 Nature Windows, roof
Additions: yes no unknown Date: c. 2000 Nature S elevation, one-story addition
Architect (last name first): Unknown Builder (last name first): Unknown
Ownership History (especially original owner, dates, profession, etc.) Steven and Theresa Smith (2006)

Is the Resource Affected by a Local Preservation Ordinance? yes no unknown Describe _____

DESCRIPTION

Style Masonry Vernacular Exterior Plan Irregular Number of Stories 1
Exterior Fabric(s) 1. Stucco 2. _____ 3. _____
Roof Type(s) 1. Flat 2. _____ 3. _____
Roof Material(s) 1. Sheet metal: corrugated 2. _____ 3. _____
Roof secondary strucs. (dormers etc.) 1. _____ 2. _____
Windows (types, materials, etc.) One-light metal fixed, individual and paired

Distinguishing Architectural Features (exterior or interior ornaments) Cast-stone door and window surrounds, non-original

Ancillary Features / Outbuildings (record outbuildings, major landscape features; use continuation sheet if needed.) None visible

DHR USE ONLY		OFFICIAL EVALUATION		DHR USE ONLY	
NR List Date	SHPO – Appears to meet criteria for NR listing: <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> insufficient info	Date	_____	Init.	_____
<input type="checkbox"/> Owner Objection	KEEPER – Determined eligible: <input type="checkbox"/> yes <input type="checkbox"/> no	Date	_____		
	NR Criteria for Evaluation: <input type="checkbox"/> a <input type="checkbox"/> b <input type="checkbox"/> c <input type="checkbox"/> d (see <i>National Register Bulletin 15</i> , p. 2)				

DESCRIPTION (continued)

Chimney: No. 0 Chimney Material(s): 1. _____ 2. _____
 Structural System(s): 1. Concrete block 2. _____ 3. _____
 Foundation Type(s): 1. Slab 2. _____
 Foundation Material(s): 1. Concrete, Generic 2. _____
 Main Entrance (stylistic details) S elevation, single glazed door. Several other entrances are present on the west elevation.
 Porch Descriptions (types, locations, roof types, etc.) None present

Condition (overall resource condition): excellent good fair deteriorated ruinous

Narrative Description of Resource One-story Masonry Vernacular style commercial building. The building exhibits a large c. 2000 one-story addition on its south elevation, which more than doubled the original foot print. The original massing and design are lost. It retains no integrity.

Archaeological Remains _____ Check if Archaeological Form Completed

RESEARCH METHODS (check all that apply)

FMSF record search (sites/surveys) library research building permits Sanborn maps
 FL State Archives/photo collection city directory occupant/owner interview plat maps
 property appraiser / tax records newspaper files neighbor interview Public Lands Survey (DEP)
 cultural resource survey (CRAS) historic photos interior inspection HABS/HAER record search
 other methods (describe) USDA historic aerial photographs (Accessible through PALMM)

Bibliographic References (give FMSF manuscript # if relevant, use continuation sheet if needed) Publication of Archival Library & Museum Materials (PALMM), accessible online at: <http://susdl.fcla.edu/>

OPINION OF RESOURCE SIGNIFICANCE

Appears to meet the criteria for National Register listing individually? yes no insufficient information
 Appears to meet the criteria for National Register listing as part of a district? yes no insufficient information
 Explanation of Evaluation (required, whether significant or not; use separate sheet if needed) This is a typical example of the Masonry Vernacular style found throughout Pasco County. Furthermore, limited research did not reveal any significant historical associations. Therefore, 8PA02906 does not appear eligible for listing in the NRHP.
 Area(s) of Historical Significance (see *National Register Bulletin 15*, p. 8 for categories: e.g. "architecture", "ethnic heritage", "community planning & development", etc.)
 1. Architecture 3. _____ 5. _____
 2. _____ 4. _____ 6. _____

DOCUMENTATION

Accessible Documentation Not Filed with the Site File - including field notes, analysis notes, photos, plans and other important documents

- 1) Document type All materials at one location Maintaining organization Archaeological Consultants Inc
 Document description Field photographs, notes, maps File or accession #'s P1314C
 2) Document type _____ Maintaining organization _____
 Document description _____ File or accession #'s _____

RECORDER INFORMATION

Recorder Name Jorge Danta Affiliation Archaeological Consultants Inc
 Recorder Contact Information 8110 Blaikie Court, Suite A, Sarasota, FL 34240/941-379-6206/ACIFlorida@comcast.net
 (address / phone / fax / e-mail)

Required Attachments

- ① USGS 7.5' MAP WITH STRUCTURE LOCATION PINPOINTED IN RED
- ② LARGE SCALE STREET, PLAT OR PARCEL MAP (available from most property appraiser web sites)
- ③ PHOTO OF MAIN FACADE, ARCHIVAL B&W PRINT OR DIGITAL IMAGE FILE

If submitting an image file, it must be included on disk or CD AND in hard copy format (plain paper is acceptable). Digital image must be at least 1600 x 1200 pixels, 24-bit color, jpeg or tiff.



PHOTOGRAPH



AERIAL MAP





USGS

Dade City

Township 25 South, Range 21 East, Section 9



Original
 Update



HISTORICAL STRUCTURE FORM

FLORIDA MASTER SITE FILE

Version 4.0 1/07

Site #8 **PA02907**
Field Date 4-28-2015
Form Date 4-30-2015
Recorder # 2

Shaded Fields represent the minimum acceptable level of documentation.
Consult the *Guide to Historical Structure Forms* for detailed instructions.

Site Name(s) (address if none) 11745 Fort King Road Multiple Listing (DHR only) _____
Survey Project Name CRAS, SR-52 Extension, Pasco County Survey # (DHR only) _____
National Register Category (please check one) building structure district site object
Ownership: private-profit private-nonprofit private-individual private-nonspecific city county state federal Native American foreign unknown

LOCATION & MAPPING

Street Number 11745 Direction _____ Street Name Fort King Street Type Road Suffix Direction _____
Address: _____
Cross Streets (nearest / between) Between Fruit Alley and Fort King Road
USGS 7.5 Map Name DADE CITY USGS Date 1983 Plat or Other Map _____
City / Town (within 3 miles) Dade City In City Limits? yes no unknown County Pasco
Township 25S Range 21E Section 9 1/4 section: NW SW SE NE Irregular-name: _____
Tax Parcel # 0925210000011000000 Landgrant _____
Subdivision Name Not in a subdivision Block _____ Lot _____
UTM Coordinates: Zone 16 17 Easting 381937 Northing 3134269
Other Coordinates: X: _____ Y: _____ Coordinate System & Datum _____
Name of Public Tract (e.g., park) _____

HISTORY

Construction Year: 1954 approximately year listed or earlier year listed or later
Original Use Private Residence (House/Cottage/Cabin) From (year): 1954 To (year): unk
Current Use Abandoned/Vacant From (year): unk To (year): curr
Other Use _____ From (year): _____ To (year): _____
Moves: yes no unknown Date: _____ Original address _____
Alterations: yes no unknown Date: _____ Nature _____
Additions: yes no unknown Date: _____ Nature _____
Architect (last name first): Unknown Builder (last name first): Unknown
Ownership History (especially original owner, dates, profession, etc.) Mary John (2003)

Is the Resource Affected by a Local Preservation Ordinance? yes no unknown Describe _____

DESCRIPTION

Style Masonry Vernacular Exterior Plan Rectangular Number of Stories 1
Exterior Fabric(s) 1. Concrete 2. _____ 3. _____
Roof Type(s) 1. Cross-gabled 2. _____ 3. _____
Roof Material(s) 1. Asphalt shingles 2. _____ 3. _____
Roof secondary strucs. (dormers etc.) 1. _____ 2. _____
Windows (types, materials, etc.) Jalousie, one-light metal units flanked by 2/2 metal SHS, 2/2 metal SHS, independent.
Distinguishing Architectural Features (exterior or interior ornaments) Wide eaves, concrete window sills.

Ancillary Features / Outbuildings (record outbuildings, major landscape features; use continuation sheet if needed.) One-story masonry shed is located on the southwest corner of the lot

DHR USE ONLY		OFFICIAL EVALUATION		DHR USE ONLY	
NR List Date	SHPO – Appears to meet criteria for NR listing: <input type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> insufficient info	Date	_____	Init.	_____
<input type="checkbox"/> Owner Objection	KEEPER – Determined eligible: <input type="checkbox"/> yes <input type="checkbox"/> no	Date	_____		
	NR Criteria for Evaluation: <input type="checkbox"/> a <input type="checkbox"/> b <input type="checkbox"/> c <input type="checkbox"/> d (see <i>National Register Bulletin 15</i> , p. 2)				

DESCRIPTION (continued)

Chimney: No. 0 Chimney Material(s): 1. _____ 2. _____
 Structural System(s): 1. Concrete block 2. _____ 3. _____
 Foundation Type(s): 1. Slab 2. _____
 Foundation Material(s): 1. Concrete, Generic 2. _____
 Main Entrance (stylistic details) E elevation, single wood swing door

Porch Descriptions (types, locations, roof types, etc.) None present

Condition (overall resource condition): excellent good fair deteriorated ruinous

Narrative Description of Resource One-story Masonry Vernacular style residence. This house is currently vacant and physically deteriorated. Although it retains high integrity, it is a typical example of its type in Pasco County and throughout the state.

Archaeological Remains _____ Check if Archaeological Form Completed

RESEARCH METHODS (check all that apply)

FMSF record search (sites/surveys) library research building permits Sanborn maps
FL State Archives/photo collection city directory occupant/owner interview plat maps
property appraiser / tax records newspaper files neighbor interview Public Lands Survey (DEP)
cultural resource survey (CRAS) historic photos interior inspection HABS/HAER record search
other methods (describe) USDA historic aerial photographs (Accessible through PALMM)

Bibliographic References (give FMSF manuscript # if relevant, use continuation sheet if needed) Publication of Archival Library & Museum Materials (PALMM), accessible online at: <http://susdl.fcla.edu/>

OPINION OF RESOURCE SIGNIFICANCE

Appears to meet the criteria for National Register listing individually? yes no insufficient information

Appears to meet the criteria for National Register listing as part of a district? yes no insufficient information

Explanation of Evaluation (required, whether significant or not; use separate sheet if needed) This is a typical example of the Masonry Vernacular style found throughout Pasco County. Furthermore, limited research did not reveal any significant historical associations. Therefore, 8PA02907 does not appear eligible for listing in the NRHP.

Area(s) of Historical Significance (see *National Register Bulletin 15*, p. 8 for categories: e.g. "architecture", "ethnic heritage", "community planning & development", etc.)

1. Architecture 3. _____ 5. _____
 2. _____ 4. _____ 6. _____

DOCUMENTATION

Accessible Documentation Not Filed with the Site File - including field notes, analysis notes, photos, plans and other important documents

1) Document type All materials at one location Maintaining organization Archaeological Consultants Inc
 Document description Field photographs, notes, maps File or accession #'s P1314C
 2) Document type _____ Maintaining organization _____
 Document description _____ File or accession #'s _____

RECORDER INFORMATION

Recorder Name Jorge Danta Affiliation Archaeological Consultants Inc

Recorder Contact Information 8110 Blaikie Court, Suite A, Sarasota, FL 34240/941-379-6206/ACIFlorida@comcast.net
 (address / phone / fax / e-mail)

Required Attachments

- ① USGS 7.5' MAP WITH STRUCTURE LOCATION PINPOINTED IN RED
- ② LARGE SCALE STREET, PLAT OR PARCEL MAP (available from most property appraiser web sites)
- ③ PHOTO OF MAIN FACADE, ARCHIVAL B&W PRINT OR DIGITAL IMAGE FILE

If submitting an image file, it must be included on disk or CD AND in hard copy format (plain paper is acceptable).
 Digital image must be at least 1600 x 1200 pixels, 24-bit color, jpeg or tiff.



PHOTOGRAPH



AERIAL MAP




Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community, Esri, HERE, DeLorme, MapmyIndia, © OpenStreetMap contributors



USGS

Dade City

Township 25 South, Range 21 East, Section 9



Appendix C: Demolished resource update letter



Florida's First Choice in Cultural Resource Management

April 30, 2015

Mr. Vincent Birdsong
Florida Master Site File
Division of Historic Resources
R.A. Gray Building
500 South Bronough Street
Tallahassee, FL 32399-0250

RE: Historic Resource Status

Dear Mr. Birdsong:

This letter is to inform you that background research and a recent field reconnaissance survey conducted in April 2015, has discovered that the following property is no longer extant since it was last recorded:

8PA02794	36447 Clinton Avenue
----------	----------------------

Sincerely,

A handwritten signature in blue ink, appearing to read 'Jorge Danta', with a long horizontal flourish extending to the right.

Jorge Danta, MHP
Senior Architectural Historian

Appendix D: Atkins Drainage Memo and Concept Plan Sheet

Memo


To:	Doug Reed		
From:	Gregory Lee	Date:	Apr 27, 2015
Ref:	SR 52 PD&E	cc:	Rebecca Spain-Schwarz
Subject:	Faith Fellowship Impacts		

The Faith Fellowship Church property (Parcel 09 25 21 0000 03200 0000) has proposed Right of Way (ROW) impacts in the fiscal year 2010 “Plans of Proposed Clinton Ave. Extension (From West of Curley Road to West of Fort King Road) Project Number C-3216.40” by Reynolds, Smith and Hills, dated October 25, 2010. The impacts to the Faith Fellowship parcel were evaluated from a drainage prospective to reduce or remove the ROW impacts. With the information available, it does appear the ROW impacts to the Faith Fellowship parcel can be completely avoided.

The findings were based on the Reynolds, Smith and Hills roadway plan set (Drainage Map 9, Roadway Plan sheets 40 & 41, and Roadway Cross Sections), SWFWMD permit calculations for Pasco Work Order No. C-3216.40, aerial images, and online street view images. The Environmental Resource Permit (ERP) for Fisherman’s Cove Mobile Home development was not available online.

There is an existing concrete flume near 328+75 Rt. discharging to the ROW that is located west of the church parcel. The proposed structure S-930 will need to remain to pick up these offsite flows. Within the church parcel the back of sidewalk should tie to the existing ROW. This will allow for the property to sheet flow over the curb to be collected in the proposed storm sewer system. The church parcel is 0.51 acres, which is mostly pervious, will have minimal impacts to the storm sewer or the Stormwater Management Facility (SMF) K. If stages are increased in SMF K the weir could be modified to allow additional flow as the 100-year/24-hour event has reduced the flowrate from the existing condition by 37.48 CFS. The proposed concrete ditch pavement will need to be removed from S-930 to S-931. The proposed ROW at the intersection with Cove Ln should be maintained and utilize S-931 to collect offsite water.

The Reynolds, Smith and Hills plan set shows that the Faith Fellowship Church proposed driveway will tie in within the existing ROW without any additional easement, but will be reevaluated in the design phase.



USER: RYCEG184 5/5/2015 3:45:29 PM \\n\paf\507\Tampa\TF\Projects\FDOT\SR 52 - SEIR\CADD\PLAN01 14.dgn

	CENTERLINE OF CONSTRUCTION		PROPOSED TEMPORARY EASEMENT		PROPOSED SIDEWALK		POTENTIAL RESIDENTIAL RELOCATION
	PROPERTY LINE		PROPOSED ROADWAY		POTENTIAL POND SITE		POTENTIAL RESIDENTIAL RELOCATION
	EXISTING R/W LINE		IMPROVEMENTS BY PASCO COUNTY		WETLANDS		POTENTIAL RESIDENTIAL RELOCATION
	PROPOSED R/W LINE		POTENTIAL CONTAMINATION SITE		EXISTING TRAFFIC SIGNAL		POTENTIAL RESIDENTIAL RELOCATION
	PROPOSED EASEMENT						

ATKINS NORTH AMERICA, INC.
 4030 WEST BOY SCOUT BLVD
 SUITE 700
 TAMPA, FL 33607

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
SR 52	PASCO	435915-1

**SR 52 PD&E STUDY
 CONCEPT PLANS**

SHEET NO.
14

Appendix E: Survey Log

Ent D (FMSF only)



Survey Log Sheet

Florida Master Site File
Version 4.1 1/07

Survey # (FMSF only)

Consult *Guide to the Survey Log Sheet* for detailed instructions.

Identification and Bibliographic Information

Survey Project (name and project phase) CRAS Update and Effects Determination, Pasco County

Report Title (exactly as on title page) Cultural Resource Assessment Survey Update and Effects Determination Technical Memorandum, PD&E Study, SR 52 from East of McKendree Road to East of US 301, Pasco County, Florida

Report Authors (as on title page, last names first) 1. ACI 3. _____
2. _____ 4. _____

Publication Date (year) 2015 Total Number of Pages in Report (count text, figures, tables, not site forms) 47

Publication Information (Give series, number in series, publisher and city. For article or chapter, cite page numbers. Use the style of *American Antiquity*.)
P1314C, ACI, Sarasota

Supervisors of Fieldwork (even if same as author) Names Deming, Joan

Affiliation of Fieldworkers: Organization Archaeological Consultants Inc City Sarasota

Key Words/Phrases (Don't use county name, or common words like *archaeology, structure, survey, architecture, etc.*)

1. SR 52 3. _____ 5. _____ 7. _____
2. Clinton Ave. 4. _____ 6. _____ 8. _____

Survey Sponsors (corporation, government unit, organization or person directly funding fieldwork)

Name _____ Organization Florida Dept of Transportation - District 7

Address/Phone/E-mail 11201 North McKinley Dr., Tampa, FL 33612-6456

Recorder of Log Sheet Joan Deming Date Log Sheet Completed 5-7-2015

Is this survey or project a continuation of a previous project? No Yes: Previous survey #s (FMSF only)

Mapping

Counties (List each one in which field survey was done; attach additional sheet if necessary)

1. Pasco 3. _____ 5. _____
2. _____ 4. _____ 6. _____

USGS 1:24,000 Map Names/Year of Latest Revision (attach additional sheet if necessary)

1. Name SAN ANTONIO Year 1954 4. Name _____ Year _____
2. Name DADE CITY Year 1960 5. Name _____ Year _____
3. Name _____ Year _____ 6. Name _____ Year _____

Description of Survey Area

Dates for Fieldwork: Start 4-28-2015 End 4-29-2015 Total Area Surveyed (fill in one) _____ hectares 13 acres

Number of Distinct Tracts or Areas Surveyed 2

If Corridor (fill in one for each) Width: _____ meters 100 feet Length: _____ kilometers 1.00 miles

Research and Field Methods

Types of Survey (check all that apply): archaeological architectural historical/archival underwater
damage assessment monitoring report other(describe): _____

Scope/Intensity/Procedures Background research; judgmental archaeological testing within one ponds site only, 50 cm diameter, 1 m deep, 6.4 mm mesh screen; historic resources documented; tech memo prepared

Preliminary Methods (check as many as apply to the project as a whole)

Florida Archives (Gray Building) library research- local public local property or tax records other historic maps
Florida Photo Archives (Gray Building) library-special collection - nonlocal newspaper files soils maps or data
Site File property search Public Lands Survey (maps at DEP) literature search windshield survey
Site File survey search local informant(s) Sanborn Insurance maps aerial photography
other (describe): _____

Archaeological Methods (check as many as apply to the project as a whole)

Check here if NO archaeological methods were used.
surface collection, controlled shovel test-other screen size block excavation (at least 2x2 m)
surface collection, uncontrolled water screen soil resistivity
shovel test-1/4" screen posthole tests magnetometer
shovel test-1/8" screen auger tests side scan sonar
shovel test 1/16" screen coring pedestrian survey
shovel test-unscreened test excavation (at least 1x2 m) unknown
other (describe): _____

Historical/Architectural Methods (check as many as apply to the project as a whole)

Check here if NO historical/architectural methods were used.
building permits demolition permits neighbor interview subdivision maps
commercial permits exposed ground inspected occupant interview tax records
interior documentation local property records occupation permits unknown
other (describe): _____

Survey Results (cultural resources recorded)

Site Significance Evaluated? Yes No
Count of Previously Recorded Sites 0 Count of Newly Recorded Sites 2
Previously Recorded Site #'s with Site File Update Forms (List site #'s without "8". Attach additional pages if necessary.) NA

Newly Recorded Site #'s (Are all originals and not updates? List site #'s without "8". Attach additional pages if necessary.) PA02906, PA02907

Site Forms Used: Site File Paper Form Site File Electronic Recording Form

REQUIRED: ATTACH PLOT OF SURVEY AREA ON PHOTOCOPY OF USGS 1:24,000 MAP(S)

SHPO USE ONLY SHPO USE ONLY SHPO USE ONLY
Origin of Report: 872 CARL UW 1A32 # _____ Academic Contract Avocational
Grant Project # _____ Compliance Review: CRAT # _____
Type of Document: Archaeological Survey Historical/Architectural Survey Marine Survey Cell Tower CRAS Monitoring Report
Overview Excavation Report Multi-Site Excavation Report Structure Detailed Report Library, Hist. or Archival Doc
MPS MRA TG Other: _____
Document Destination: _____ Plotability: _____



0 0.5 1 Miles

0 1 2 Kilometers

Copyright:© 2013 National Geographic Society, i-cubed

SR 52 project APE
 Current CRAS Update study limits are shown in yellow
 Township 25 South, Range 21 East, Section 9
 USGS San Antonio 1954, PR 1988
 Pasco County

CRAS Update
SR 52 PD&E Study
 from East of McKendree Road
 To East of US 301,
 Pasco County, Florida
 WPI Segment No.: 435915-1