

Location Hydraulic Report

**US 98/SR 35/SR 700
From CR 54 to
US 301/SR 39
Project Development & Environment (PD&E) Study**



**Florida Department of Transportation
District 7**

Work Program Item Segment No. 443368-2
ETDM Project No. 14374
Pasco County, Florida

September 2022

The environmental review, consultation, and other actions required by applicable federal environmental laws for this project are being, or have been, carried out by FDOT pursuant to 23 U.S.C. § 327 and a Memorandum of Understanding dated May 26, 2022 and executed by FHWA and FDOT.

Location Hydraulic Report

US 98/SR 35/SR 700

From CR 54 to US 301/SR 39

Project Development & Environment (PD&E) Study

Work Program Item Segment No. 443368-2

ETDM Project No. 14374

Pasco County, Florida

Prepared for:



Florida Department of Transportation

District Seven

Prepared by:

Rummel Klepper & Kahl, LLP

402 S. Kentucky Avenue

Suite 400

Lakeland, FL 33801


September 2022

Signature Sheet

US 98/SR 35/SR 700 from CR 54 to US 301/SR 39
Pasco County, Florida
Work Program Item Segment No. 443368-2
ETDM Project No. 14374

I hereby certify that I am a registered professional engineer in the State of Florida practicing with Rummel, Klepper & Kahl, LLP, a corporation authorized to operate as an engineering business, Certificate of Authorization No. 26879, by the State of Florida, Department of Professional Regulation, and Board of Professional Engineers. I have reviewed or approved the evaluation, findings, opinions and conclusions as reported in this Location Hydraulics Report (LHR).

The LHR includes a summary of data collection efforts and design analysis for the floodplain impacts for the US 98/SR 35/SR 700 PD&E Study. I acknowledge that the procedures and references used to develop the results contained in this report are standard to the professional practice of civil engineering as applied through design standards and criteria set forth by the federal, state, and local regulatory agencies as well as professional judgment and experience.



Elizabeth A. Lorello, P.E.
P.E. No. 74699
Senior Project Engineer

Rummel Klepper & Kahl, LLP
402 S. Kentucky Avenue
Suite 400
Lakeland, FL 33801
Phone: 863-333-4580
Fax: 863-802-3907
C.A. No. 26879

EXECUTIVE SUMMARY

The objective of the PD&E study is to assist the FDOT's Office of Environmental Management (OEM) in reaching a decision on the type, location, and conceptual design of the proposed improvements for the widening of US 98, including stormwater management facility (SMF) and floodplain compensation (FPC) sites. This study documents the need for the improvements as well as the procedures utilized to develop and evaluate various improvements, including elements such as proposed typical sections, preliminary horizontal alignments, and intersection enhancement alternatives.

The PD&E study satisfies all applicable requirements, including the National Environmental Policy Act (NEPA), to qualify for federal-aid funding of subsequent development phases (design, right of way (ROW) acquisition, and construction). This project was screened through the FDOT's Efficient Transportation Decision Making (ETDM) process as ETDM Project No. 14374. The ETDM Programming Screen Summary Report was published on February 24, 2021, containing comments from the Environmental Technical Advisory Team (ETAT) on the project's effects on various natural, physical, and social resources. A Type 2 Categorical Exclusion will be prepared as part of this PD&E study.

The proposed improvements will widen US 98 from a 2-lane undivided facility to a 4-lane divided facility from CR 54 to north of Townsend Road, approximately 6.8 miles, and realign US 98 from north of Townsend Road to US 301, approximately 2.0 miles. The realignment allows US 98 to align with the Clinton Avenue (New SR 52) intersection at US 301 and was the results of a separate ACE study (WPI Segment No. 443368-1).

This Location Hydraulic Report was prepared to evaluate risks associated with the implementation of this project, impacts on natural and beneficial floodplain values, the discouragement of incompatible floodplain development, and measures to minimize floodplain impacts. This report was conducted in accordance with 23 CFR 650 Subpart A, Section 650.111. The protection of floodplains and floodways is required and the intent of the regulations are to avoid and minimize any encroachments within floodplains that may reduce available storage and/or increase water surface elevations by the proposed improvements.

The project is located within Federal Emergency Management Agency (FEMA) Insurance Rate Maps (FIRMs) 12101C0280F, 12101C0285F, 12101C0295F, and 12101C0315F in Pasco County, effective 9/26/2014. The project extends through areas of FEMA Flood Zone A and AE. Zone A has a 1% probability of flooding every year and no water elevations have been established. Zone AE has a 1% probability of flooding every year and a determined base flood elevation (BFE). The flood zones within the project area are associated with the Hillsborough River and the Green Swamp with elevations ranging from 82 to 84 feet NAVD. There are 25.72 acres of estimated impacts to the floodplain which result in approximately 119.45 ac-ft of volumetric impacts based on the flood elevation and the SHW values.

These impacts are transverse and unavoidable as the floodplain extends well outside of the corridor. Development within the 100-year floodplain has the potential for placing citizens and property at risk

of flooding and producing changes in floodplain elevations. Improvements within floodplains increase the potential for flooding by limiting flood storage capacity. Development also reduces vegetated buffers that protect water quality and impacts important habitats for fish and wildlife.

Floodplain impacts are proposed to be mitigated for in offsite floodplain compensation sites on a cup-for-cup basis. The calculated sizes of the floodplain compensation areas were designed to be at least 5% larger than those of the impact areas to account for increases due to maintenance access and tying back into existing ground. **Table E-1** shows the summary of floodplain impacts and the compensation areas to be provided.

Table E-1 Summary of Floodplain Encroachment and Proposed Mitigation

Total Area of Impacts (Acres)	100-Year Volume of Impact (Ac-FT)	Area of FPC (Acres)	Volume of FPC (Ac-Ft)
25.72	119.45	39.95	130.92

The analysis in this report indicates that the recommended alternative is feasible from a hydraulic perspective. Existing drainage patterns will be maintained. Where unavoidable, floodplain impacts are proposed to be compensated with new floodplain compensation sites. No significant changes to the base flood elevation or mapped floodplains are anticipated. The drainage design will be consistent with FEMA, FDOT, and Southwest Florida Water Management District (SWFWMD) design guidelines. There will be no significant or adverse impacts on natural and beneficial floodplain values. There will be no significant change in flood risk, and there will not be a significant change in the potential for interruption or termination of emergency service or emergency evacuation routes. It has been determined that this encroachment is not significant.

According to the PD&E Manual Figure 13-1, the improvements can be categorized as

Statement 4: PROJECTS ON EXISTING ALIGNMENT INVOLVING REPLACEMENT OF EXISTING DRAINAGE STRUCTURES WITH NO RECORD OF DRAINAGE PROBLEMS

The proposed structure will perform hydraulically in a manner equal to or greater than the existing structure, and backwater surface elevations are not expected to increase. Thus, there will be no significant adverse impacts on natural and beneficial floodplain values. There will be no significant change in flood risk, and there will not be a significant change in the potential for interruption or termination of emergency service or emergency evacuation routes. Therefore, it has been determined that this encroachment is not significant.

It has been determined, through consultation with local, state, and federal water resources and floodplain management agencies that there is no regulatory floodway involvement on the project and that the project will not support base floodplain development that is incompatible with existing floodplain management program.

Table of Contents

SECTION 1	INTRODUCTION	1-1
1.1	PD&E Study Purpose	1-1
1.2	Project Purpose and Need	1-1
1.3	Existing Facility and Proposed Improvements	1-4
1.3.1	Existing Facility	1-4
1.3.2	Proposed Improvements.....	1-4
1.4	Report Purpose	1-5
SECTION 2	EXISTING DRAINAGE PATTERNS	2-1
2.1	History of Flooding	2-2
SECTION 3	FLOODPLAIN	3-2
3.1	Flood Insurance Rate Maps (FIRMs)	3-2
3.2	Encroachments.....	3-3
3.2.1	FPI-B200-SOUTH-01	3-4
3.2.2	FPI-B200-SOUTH-02	3-4
3.2.3	FPI-B200-SOUTH-03	3-4
3.2.4	FPI-B200-SOUTH-04	3-4
3.2.5	FPI-B200-SOUTH-05	3-4
3.2.6	FPI-B200-NORTH-01	3-5
3.2.7	FPI-B300-SOUTH-01	3-5
3.2.8	FPI-B300-SOUTH-02	3-5
3.2.9	FPI-B300-SOUTH-03	3-5
3.2.10	FPI-B300-NORTH-01	3-5
3.2.11	FPI-B300-NORTH-02	3-5
3.2.12	FPI-B300-NORTH-03	3-6
SECTION 4	CROSS DRAINS	4-6
SECTION 5	PROPOSED DRAINAGE PATTERNS	5-7
5.1	Floodplain Compensation	5-7
5.1.1	FPC-300-South-01 Alternative	5-8
5.1.2	FPC-300-South-02 Alternative	5-8
5.1.3	FPC-300-North-01 Alternative	5-9
5.1.4	FPC-300-North-02 Alternative	5-9
SECTION 6	RISK EVALUATION AND PROJECT CLASSIFICATION.....	6-10
6.1.1	RISK EVALUATION	6-10
6.1.2	PROJECT CLASSIFICATION	6-10
SECTION 7	RECOMMENDATIONS AND CONCLUSIONS	7-11

List of Figures

Figure 1-1	Project Location Map	1-2
Figure 3-1	FEMA FIRMs Within Project Limits	3-2

List of Tables

Table 2-1	Summary of Existing Drainage Basins.....	2-1
Table 3-1	Summary of Floodplain Impacts.....	3-3
Table 4-1	Summary of Cross Drains	4-6
Table 4-2	Summary of Existing Bridges	4-6
Table 5-1	Summary of Recommended Ponds	5-7
Table 5-2	Summary of Recommended Floodplain Compensation Areas.....	5-8
Table 7-1	Summary of Floodplain Encroachment and Proposed Mitigation	7-11

Appendices

Appendix A	Drainage Maps
Appendix B	FEMA FIRM Maps
Appendix C	Floodplain Impact Maps
Appendix D	Geotechnical Report
Appendix E	Straight Line Diagrams
Appendix F	SWFWMD Pre-Application Minutes
Appendix G	ELA Evaluation
Appendix H	Flooding Investigations

SECTION 1 INTRODUCTION

1.1 PD&E STUDY PURPOSE

The objective of the PD&E study is to assist the FDOT's Office of Environmental Management (OEM) in reaching a decision on the type, location, and conceptual design of the proposed improvements for the widening of US 98, including stormwater management facility (SMF) and floodplain compensation (FPC) sites. This study documents the need for the improvements as well as the procedures utilized to develop and evaluate various improvements, including elements such as proposed typical sections, preliminary horizontal alignments, and intersection enhancement alternatives.

The PD&E study satisfies all applicable requirements, including the National Environmental Policy Act (NEPA), to qualify for federal-aid funding of subsequent development phases (design, right of way (ROW) acquisition, and construction). This project was screened through the FDOT's Efficient Transportation Decision Making (ETDM) process as ETDM Project No. 14374. The ETDM Programming Screen Summary Report was published on February 24, 2021, containing comments from the Environmental Technical Advisory Team (ETAT) on the project's effects on various natural, physical, and social resources. A Type 2 Categorical Exclusion will be prepared as part of this PD&E study.

The project is located in Sections 11, 12, 13, and 14, Township 25S, and Range 21E; and Sections 18, 19, 20, 27, 28, 29, 34 and 35, Township 25S, and Range 22E; Pasco County, Florida. See **Figure 1-1** for Project Location Map.

1.2 PROJECT PURPOSE AND NEED

Purpose

The purpose of this project is to evaluate the capacity improvements of the corridor, including the realigned intersection of US 98/Clinton Ave at US 301 which will enhance safety and provide system linkage/regional connectivity.

Need

A realignment of US 98 to Clinton Avenue intersection is needed to eliminate the existing closely spaced intersections of US 301 at US 98 and US 301 at Clinton Avenue, to reduce crashes, and to enhance safety. Construction of the realignment of SR 52 from east of McKendree Road to east of US 301 began in 2019 and will serve as an additional east/west route in the regional transportation network. When completed, this improvement will increase traffic at the US 301 at US 98 and US 301 at Clinton Avenue intersections, exacerbating the current intersection safety concerns. Also, plans are currently underway for the widening of US 98 from north of West Socrum Loop Road to South of CR 54 (Financial Management (FM) No.: 436673-1-22-01). This project will address capacity needs for the final segment of US 98 connecting to US 301 (which is a designated regional freight mobility corridor) as well as operational improvements to the intersection of US 98 and US 301 ultimately resulting in enhanced transportation network connectivity.




Figure 1-1 Project Location Map

Project Status

In April 2019, FDOT District Seven initiated the ACE process for the US 301/US 98/Clinton Avenue Intersection Realignment Study in Pasco County, Florida. The ACE completed in January 2021 and recommended the Alternative B alignment. The widening and realignment of US 98 is listed in both the Needs Plan and the Cost Feasible Plan of the Pasco County MPO's 2045 Long Range Transportation Plan (LRTP). The project is funded for ROW and design-build construction (WPI Segment #443368-3 and -4) on the Pasco County Metropolitan Planning Organization's (MPO's) 2023-2027 Transportation Improvement Program (TIP) Project List. The project is also listed on the current State Transportation Improvement Program (STIP) for ROW and design-build construction.

System Linkage

US 98 is a regional corridor which provides a connecting link between Polk and Pasco Counties and, within the area, provides a connection to the cities of Lakeland and Bartow to the south.

US 98 is the longest road in Florida and spans from Pensacola to Palm Beach primarily traveling along the Gulf Coast. Plans are currently underway for the widening of US 98 from north of West Socrum Loop Road to South of CR 54 (FM No.: 436673-1-22-01). This project will provide additional capacity for the final segment of US 98 connecting to US 301 (which is a designated regional freight mobility corridor) as well as operational improvements to the intersection of US 98 and US 301 ultimately resulting in enhanced transportation network connectivity. Currently, this segment of US 98 experiences truck volumes in excess of 23% of annual average daily traffic (AADT) which illustrates this facility's importance to the overall freight network within the State of Florida.

Also, the SR 52/Clinton Avenue extension from I-75 to West of Fort King Road (FM No.: 435142-1) is currently under construction. This extension will provide direct linkage to I-75 from this project.

Safety

The closely spaced intersections of US 301 at US 98 and US 301 at Clinton Avenue have crash rates that exceed the statewide average. Between 2014 and 2018, the intersection of US 301 at US 98 experienced a total of 63 crashes. The predominant crash types were angle crashes (58%) followed by rear end crashes (29%). This intersection exhibited a crash rate (0.816 crashes per million entering vehicles) that was consistently higher than the statewide average (0.270) for a similar type of intersection resulting in a crash ratio of 3.022 (crash rate divided by statewide average crash rate).

Between 2014 and 2018, the intersection of US 301 and Clinton Avenue experienced a total of 65 crashes. The predominant crash types were rear end crashes (55%) followed by angle crashes (25%). This intersection exhibited a crash rate (1.259) that was consistently higher than the statewide average (0.526) for a similar type of intersection resulting in a crash ratio of 2.394. A realignment of US 98 to Clinton Avenue to eliminate high traffic volumes at one of the two closely spaced intersections has the potential to reduce crashes and enhance safety.

Capacity

US 98 operates at Level of Service (LOS) C under the existing conditions. However, the US 301 at Clinton Avenue intersection fails to meet the LOS target D. In the design year (2045), US 98 from CR 54 to Old Lakeland Highway will fail to meet the LOS target C and both the intersections of US 301 at Clinton Avenue and US 301 at US 98 will fail to meet the LOS target of D with no improvements. Proposed improvements are expected to increase LOS along the corridor and at intersections to an acceptable LOS.

1.3 EXISTING FACILITY AND PROPOSED IMPROVEMENTS

1.3.1 Existing Facility

The existing US 98 from CR 54 to US 301 is a 2-lane roadway. The roadway is functionally classified by FDOT as a Principal Arterial – Other. In Pasco County, the 2-lane undivided facility has 12-foot travel lanes and 4-foot paved shoulders. The existing ROW along the project corridor is 160 feet. There are two (2) existing bridges in the project limits. The first carries US 98 over the Hillsborough River Bridge and the second carries US 98 over Old Lakeland Highway and the CSX railway. Both locations consist of a single bridge with two 12-foot lanes and 8-foot paved shoulders. There are no sidewalks, shared use paths, bike lanes or other similar multi-modal facilities within the project corridor.

1.3.2 Proposed Improvements

The proposed improvements will widen US 98 from a 2-lane undivided facility to a 4-lane divided facility from CR 54 to north of Townsend Road, approximately 6.8 miles, and realign US 98 from north of Townsend Road to US 301, approximately 2.0 miles. The realignment allows US 98 to align with the Clinton Avenue (New SR 52) intersection at US 301 and was the results of a separate ACE study (WPI Segment No. 443368-1).

The 4-lane divided facility will consist of two 11 to 12-foot travel lanes in each direction separated by a median which varies from 14 to 40 feet. Where the existing roadway is widened, the roadway consists of rural typical sections with two 12-foot travel lanes in each direction and will fit within the existing 160-foot wide ROW. In the realignment section, the roadway consists of a suburban typical section with two 12-foot travel lanes in each direction located within a proposed 245-foot wide ROW and includes a 6-foot sidewalk on the east side of the road and a 12-foot shared use path on the west side of the road. Where the new US 98 connects to Clinton Avenue and extends to US 301, the roadway consists of an urban typical section with two 11-foot travel lanes in each direction within a 140-foot wide ROW and includes a 6-foot sidewalk on the east side of the road and a 10-foot shared use path on the west side of the road that connects to the existing shared use path on US 301. At the Hillsborough River and Old Lakeland Highway / CSX Railroad locations, the bridges will be replaced with twin bridges with two 12-foot travel lanes with 6-foot inside shoulders and 10-foot outside shoulders. Both bridges will include barrier separated 10-foot walkway to accommodate future shared use path and/or sidewalk (bicycle and pedestrian) accommodations and will be located within the existing 160-foot ROW. The remaining segment of Old US 98 between the new US 98 connection and US 301 (Mile Post (MP) 7.185 to MP 8.183) will be milled and

resurfaced. Eight stormwater and two floodplain management sites were identified to capture and retain stormwater and compensate for any impacts to existing floodplain areas.

1.4 REPORT PURPOSE

The purpose of this Location Hydraulic Report is to document the risks associated with the implementation of this project, impacts on natural and beneficial floodplain values, the discouragement of incompatible floodplain development, and measures to minimize floodplain impacts. This Location Hydraulic Report was conducted in accordance with 23 CFR 650 Subpart A, Section 650.111. The protection of floodplains and floodways is required and the intent of the regulations are to avoid and minimize any encroachments within floodplains that may reduce available storage and/or increase water surface elevations by the proposed improvements.

SECTION 2 EXISTING DRAINAGE PATTERNS

The topography of the project area is relatively flat, with a majority of the project draining towards the Hillsborough River and Withlacoochee River. Elevations range from a high of approximately 160.00-feet to a low of 74.50-feet based on the LiDAR contours. All elevations within this report are based on the North American Vertical Datum of 1988 (NAVD 88). The runoff ultimately outfalls to Florida waterbody identification numbers WBID 1443A (Hillsborough River Waterbody), WBID 1329F (Withlacoochee Waterbody), WBID 1403B (Clear Lake Outlet Waterbody) and WBID 1445 (Port Lonesome Waterbody). The FDEP statewide comprehensive verified list of impaired waters has been reviewed, and it has been identified that WBID 1443A (Hillsborough River Waterbody) is impaired for dissolved oxygen. WBID 1329F (Withlacoochee Waterbody), WBID 1403B (Clear Lake Outlet Waterbody) and WBID 1445 (Port Lonesome Ditches Waterbody) are not impaired. Net improvements will not be required for this project due to none of the receiving waterbodies being impaired for nutrients. Project drainage basins within the Hillsborough River and Withlacoochee River waterbodies outfall directly to Outstanding Florida Waters (OFWs). Project drainage basins within the Clear Lake Outlet waterbody do not outfall directly to Outstanding Florida Waters (OFWs).

Runoff is typically divided from the roadway crown and conveyed by roadside ditches and side drains to project low points. The existing drainage boundaries will be mostly maintained in the future condition.

The project has been subdivided into 10 basins. Refer to **Table 2-1** for a summary of the existing basins. Basins 800 and 900 are closed basins. Refer to **Appendix A** for the Pre Development Drainage Maps.

Table 2-1 Summary of Existing Drainage Basins

Basin	Begin Station	End Station
Basin 100	929+50	934+33
Basin 200	934+33	1018+42
Basin 300	1018+42	1184+00
Basin 400	1184+00	1203+78
Basin 500	1203+78	1224+53
Basin 600	1224+53	1250+64
Basin 700	1250+64	1286+23
Basin 800	1286+23	1313+45
Basin 900	1313+45	1381+33
Basin 1000	1381+33	1393+74

2.1 HISTORY OF FLOODING

Flooding complaints within the area were obtained from the FDOT. There were only two records on file. Flood Investigation 1410162018139 and 1401032018820 both involve the flooding of a driveway connected to US 98 east of Stanton Hall Drive. The listed address is 8933 US 98, Dade City, Florida. The address is within a low-lying area adjacent to the Green Swamp and below the FEMA BFE listed for the area. Additionally, the complaint was made following Hurricane Irma when the area experienced over 10 inches of rainfall. It was determined that the resultant flooding of the driveway was due to local flooding from the adjacent swamp following a record rainfall event. There are no other documented flood areas within the project area. Please refer to **Appendix H** for the flooding complaints.

SECTION 3 FLOODPLAIN

3.1 FLOOD INSURANCE RATE MAPS (FIRMS)

The project is located within Federal Emergency Management Agency (FEMA) Insurance Rate Maps (FIRMs) 12101C0280F, 12101C0285F, 12101C0295F, and 12101C0315F in Pasco County, effective 9/26/2014. Refer to **Figure 3-1** for a summary of the firms and **Appendix B** for the full FIRM panels.




Figure 3-1 FEMA FIRMs Within Project Limits

3.2 ENCROACHMENTS

The project extends through areas of FEMA Flood Zone A and AE. Zone A has a 1% chance of being equaled or exceeded in any given year and no water elevations have been established. Zone AE has a 1% chance of being equaled or exceeded in any given year and a determined base flood elevation (BFE). The flood zones within the project area are associated with the Hillsborough River and the Green Swamp with elevations ranging from 82 to 84 feet NAVD. The areas on the south side of US 98 are noted with a BFE of 82. The north side of US 98 BFE ranges between 83 and 84 feet. Since both sides of the roadway are hydraulically connected by the existing bridge over the Hillsborough River, an elevation of 84 feet has been used for impact and compensation calculations. This was confirmed during a pre-application meeting with the SWFWMD held on July 29, 2021.

Geotechnical Exploration Data Reports (for Roadway and Structures) were prepared by Test Lab, Inc. and are included in this report in **Appendix D**. For calculating floodplain impact and compensation, the SHWT used for Basin 200 and Basin 300 in the Green Swamp is approximated to be 80.00, which is based on the elevations of Borings B-25 to B-73 range from 79.9 to 82.9 and the adjacent 100-year floodplain elevation of 84.00. For calculating floodplain impact and compensation for a low area in Basin 300 in the Green Swamp the SHWT was approximated to be 78.00, which is based on (the elevations of Borings B-75 to B-83 range from 75.6 to 81.8. and the adjacent 100-year floodplain elevation of 84.00). The impacts are summarized in **Table 3-1**. Refer to **Appendix C** for the Floodplain Impact Maps.

Table 3-1 Summary of Floodplain Impacts

Basin	Side	Floodplain Impact (FPI) Area	Flood Zone	BFE (Ft.NAVD88)	SHW (Ft.NAVD88)	Total Area of Impacts (Acres)	100-Year Volume of Impact (Ac-FT)
200	South	FPI-B200-SOUTH-01	A, AE	84.00	80.00	0.46	0.80
		FPI-B200-SOUTH-02					
		**FPI-B200-SOUTH-03	A			6.10	0.62
		**FPI-B200-SOUTH-04	A			6.16	14.24
		*FPI-B200-SOUTH-05	A			6.05	2.73
200	North	FPI-B200-NORTH-01	AE	84.00	80.00	2.80	8.07
300	South	FPI-B300-SOUTH-01	AE	84.00	78.00	4.96	27.13
		FPI-B300-SOUTH-02	A	84.00	80.00	8.81	60.62
		*FPI-B300-SOUTH-03					
300	North	FPI-B300-NORTH-01	AE	84.00	80.00	2.53	8.59
		FPI-B300-NORTH-02					
		FPI-B300-NORTH-03					
***Conservative Totals:						25.72	119.45

**Highlighted rows reflect floodplain impacts associated with the preferred pond sites.*

***Highlighted values reflect floodplain impacts associated with pond alternatives not selected as preferred*

****The totals reflect a conservative estimate by assuming worst case scenario and utilize the largest impact associated with Pond Alternative SMF-200-1 within FPI-B200-SOUTH-04*

These impacts are transverse and unavoidable as the floodplain extends well outside of the corridor. Development within the 100-year floodplain has the potential for placing citizens and property at risk of flooding and producing changes in floodplain elevations. Improvements within floodplains increase the potential for flooding by limiting flood storage capacity. Development also reduces vegetated buffers that protect water quality and impacts important habitats for fish and wildlife.

3.2.1 FPI-B200-SOUTH-01

FPI-B200-SOUTH-01 is located left of the centerline (CL) between Sta. 983+66 and 987+53 in Basin 200. The floodplain associated with this encroachment is classified as Zone A and is assumed to have a base flood elevation of 84.0 feet. The 100-year elevation for this floodplain is based on the adjacent Zone AE Floodplain which has a 100-year elevation of 84.0. The encroachment area is within a wetland that is approximately 31 feet left of the CL to the right-of-way line.

3.2.2 FPI-B200-SOUTH-02

FPI-B200-SOUTH-02 is located left of the CL between Sta. 1017+17 and 1017+65 in Basin 200. The floodplain associated with this encroachment is classified as Zone AE and has a determined base flood elevation of 84.0 feet. The encroachment area is within a wetland that is approximately 17 feet left of the CL at the Hillsborough Bridge.

3.2.3 FPI-B200-SOUTH-03

FPI-B200-SOUTH-03 is located left of the CL between Sta. 973+55 to Sta. 978+51 in Basin 200. SMF 200-2 has a portion identified in a FEMA floodplain and is adjacent to the FEMA floodplain classified as Zone AE and has a determined base flood elevation of 84.0 feet. This floodplain impact has been identified only if SMF-200-2 is selected, as the existing grades in the area of SMF-200-2 are 83.00 to 86.00. The encroachment area extends in the location of SMF 200-2.

3.2.4 FPI-B200-SOUTH-04

FPI-B200-SOUTH-04 is located left of the CL between Sta. 982+65 to Sta. 987+50 in Basin 200. SMF 200-1 has a portion identified in a FEMA floodplain and is adjacent to the FEMA floodplain classified as Zone AE and has a determined base flood elevation of 84.0 feet. This floodplain impact has been identified only if SMF 200-1 is selected, as the existing grades in the area of SMF 200-1 are 81.00 to 85.00. The encroachment area extends in the location of SMF 200-1.

3.2.5 FPI-B200-SOUTH-05

FPI-B200-SOUTH-05 is located left of the CL between Sta. 972+56 to Sta. 977+45 in Basin 200. SMF-200-3 has a portion identified in a FEMA floodplain and is adjacent to the FEMA floodplain classified as Zone AE and has a determined base flood elevation of 84.0-feet. This floodplain impact has been identified only if SMF-200-3 is selected, as the existing grades in the area of SMF-200-3 are 82.00 to 86.00. The encroachment area extends in the location of SMF-200-3.

3.2.6 FPI-B200-NORTH-01

FPI-B200-NORTH-01 is located right of the CL between Sta. 986+71 and 1017+65 in Basin 200. The floodplain associated with this encroachment is classified as Zone AE and has a determined base flood elevation of 84.0 feet. The encroachment area is within a wetland that are approximately 41 feet right of the CL to the right-of-way line.

3.2.7 FPI-B300-SOUTH-01

FPI-B300-SOUTH-01 is located left of the CL between Sta. 1019+35 and 1088+12 in Basin 300. The floodplain associated with this encroachment is classified as Zone AE and has a determined base flood elevation of 84.0 feet. The encroachment area is within a wetland that are approximately 25 feet left of the CL to the right-of-way line.

3.2.8 FPI-B300-SOUTH-02

FPI-B300-SOUTH-02 is located left of the CL between Sta. 1092+90 and 1117+54 in Basin 300. The floodplain associated with this encroachment is classified as Zone AE and has a determined base flood elevation of 84.0 feet. The encroachment area extends along the left side of the road, set about 14 feet right of the CL to the right-of-way line.

3.2.9 FPI-B300-SOUTH-03

FPI-B300-SOUTH-03 is located left of the CL between Sta. 1119+27 and 1125+89 in Basin 300. SMF 300-1 has a portion identified in a FEMA floodplain and is adjacent to the FEMA floodplain classified as Zone AE and has a determined base flood elevation of 84.0 feet. This floodplain impact has been identified only if SMF-300-1 is selected, as the existing grades in the area of SMF-300-1 are 78.00 to 79.00. The encroachment area extends in the location of SMF 300-1.

3.2.10 FPI-B300-NORTH-01

FPI-B300-NORTH-01 is located left of the CL between Sta. 1019+35 and 1027+63 in Basin 300. The floodplain associated with this encroachment is classified as Zone AE and has a determined base flood elevation of 84.0 feet. The encroachment area extends along the right side of the road, set about 23 feet right of the CL to the right-of-way line.

3.2.11 FPI-B300-NORTH-02

FPI-B300-NORTH-02 is located right of the CL between Sta. 1041+98 and 1055+27 in Basin 300. The floodplain associated with this encroachment is classified as Zone AE and has a determined base flood elevation of 84.0 feet. The encroachment area extends along the right side of the road, set about 67 feet right of the CL to the right-of-way line.

3.2.12 FPI-B300-NORTH-03

FPI-B300-NORTH-03 is located right of the CL between Sta. 1117+58 and 1144+79 in Basin 300. The floodplain associated with this encroachment is classified as Zone AE and has a determined base flood elevation of 84.0 feet. The encroachment area extends along the right side of the road, set about 30 feet right of the CL to the right-of-way line.

SECTION 4 CROSS DRAINS

There are 9 cross drains and two bridges identified within the project limits. The cross drains are summarized in **Table 4-1** and the bridges are summarized in **Table 4-2**. CD-01 and CD-03 are old cattle crossings and will be removed as they do not provide stormwater conveyance. The remaining cross drains will require extension or replacement. The proposed size and length will be determined during the design phase of the project. Refer to **Appendix E** for the straight line diagrams.

Table 4-1 Summary of Cross Drains

Cross Drain	Station	Size	Type	Alignment	Note
CD-01	963+10	10' x 8'	Box	US 98	To be removed
CD-02	1111+04	(2) 36"	Pipe	US 98	
CD-03	1130+00	10' x 8'	Box	US 98	To be removed
CD-04	1139+03	36"	Pipe	US 98	
CD-05	1236+01	36"	Pipe	US 98	
CD-06	1296+23	30"	Pipe	US 98	
CD-07	1360+28	30"	Pipe	Clinton Ave	
CD-08	1390+29	36"	Pipe	Clinton Ave	
CD-09	1393+22	36"	Pipe	Clinton Ave	

Table 4-2 Summary of Existing Bridges

Structure Number	Bridge Number	Station	Alignment	Description
BR-01	BR #0024	1018+44	US 98	200.6' Bridge over the Hillsborough River
BR-02	BR #0025	1203+78	US 98	364.3' Bridge Over CSX Railroad and Old Lakeland Hwy.

SECTION 5 PROPOSED DRAINAGE PATTERNS

The stormwater runoff from the project limits will be collected and conveyed in roadside ditches or closed drainage systems to the proposed wet or dry detention ponds. The ponds will discharge at or near the same cross drains that carry the roadway runoff in the existing condition basins. The basins in the proposed condition will closely match the basins identified in the existing condition. The water quality treatment and water quantity attenuation will be achieved through the construction of wet detention, dry detention (open basin), or dry retention (closed basin) ponds, which will require the acquisition of additional right-of-way. An Environmental Look Around Evaluation was completed in February 2021 and is included within **Appendix G**. The preferred pond sites are identified in **Table 5-1**. Refer to **Appendix A** for the proposed drainage maps.

Table 5-1 Summary of Recommended Ponds

Basin	Pond Name	Minimum Pond Site Area	
		Required (Acre)	Provided (Acre)
200	SMF 200-3	6.98	9.33
300	SMF 300-1	12.37	13.06
400	SMF 400-1	1.33	2.57
500	SMF 500-1	1.01	1.66
600	SMF 600-2	2.41	3.03
700	SMF 700-1	2.01	2.53
800	SMF 800-3 East	5.55	2.89
	SMF 800-3 West		2.21
900	SMF 900-1 East	8.18	10.56
	SMF 900-1 West	1.91	3.91
Total		41.75	51.75

5.1 FLOODPLAIN COMPENSATION

Floodplain impacts have been calculated for encroachments to the 100-year floodplain within the project R/W and the alternative SMF sites. Floodplain impacts are proposed to be mitigated for in offsite floodplain compensation sites on a cup-for-cup basis. From the available data, approximate Floodplain Impact (FPI) Areas have been calculated (see **Table 3-1**). Within the project limits twelve (12) FPI segments have been identified as potential impacts to the 100-year floodplain (Zone A and AE), (see **Appendix C Floodplain Impact Maps**). Areas for floodplain compensation are identified in **Appendix A Post-development Drainage Maps**. The calculated sizes of the floodplain compensation areas were designed to be at least 5% larger than those of the impact areas to account for increases due to maintenance access and tying back into existing ground.

Areas are measured using the shapes shown in **Appendix C**. The depth of impact has been calculated from the difference between the floodplain elevation and existing ground elevation, with the seasonal

high-water table elevation as the lower limit. The Zone AE floodplain elevations were taken directly from the FIRM. The Zone A floodplain elevations were estimated based on the approximate contours from LiDAR from the (SWFWMD). The floodplain compensation areas were determined by using the area(s) of floodplain impact for each segment. See **Table 5-2** for the floodplain area and volume.

Table 5-2 Summary of Floodplain Compensation Areas

Basin	Side	Floodplain Compensation (FPC) Areas	Flood Zone	BFE (Ft.-NAVD-88)	SHW (Ft.-NAVD-88)	Area of FPC (Acres)	Volume of FPC (Ac-Ft)
300	South	FPC-300-SOUTH-01*	A, AE	84.00	78.00	34.36	111.30
300	South	FPC-300-SOUTH-02	A, AE	84.00	78.00	20.47	47.45
300	North	FPC-300-NORTH-01*	AE	84.00	80.00	5.59	19.62
300	North	FPC-300-NORTH-02	AE	84.00	80.00	5.84	19.73
**Total						39.95	130.92

**Highlighted values depict recommended floodplain compensation sites*

***The total only includes the recommended compensation sites.*

5.1.1 FPC-300-South-01 Alternative

FPC 300-SOUTH-01 is located left of the CL between Sta. 1118+86 to Sta. 1130+44 in Basin 300. This is the recommended floodplain compensation site. The compensation area is adjacent to the Green Swamp and the proposed pond SMF 300-1. The compensation area is on Parcel # 29-25-22-0000-00100-0010. A partial take of the parcel will be required for the floodplain compensation. The proposed FPC area is a vacant site with a combination of open space and woods. A residential driveway adjacent to the FPC will be maintained in the post-development conditions. The ground elevations range from 79-feet to 96-feet, and the SHW elevation was estimated to be 78.0-feet. The existing soils within the FPC consist mostly of Type A soils. Floodplain impacts to Basins 200 and 300 south of US 98 will be compensated in FPC 300-SOUTH-01. FPC 300-SOUTH-01 considers impacts from SMF 300-1 as the floodplain compensation and proposed pond are within this parcel.

5.1.2 FPC-300-South-02 Alternative

FPC 300-SOUTH-02 is located left of the CL between Sta. 1123+37 to Sta. 1138+29 in Basin 300. This is an alternate floodplain compensation site. The compensation area is one parcel away from the Green Swamp. The compensation area is adjacent to proposed pond SMF 300-2. The compensation area is on Parcels # 29-25-22-0000-00100-0020 and # 29-25-22-0000-01200-0021. Multiple partial parcel takes will be required for the floodplain compensation. The proposed FPC area is a vacant site with a combination of open space and woods. A residential driveway adjacent to the FPC will be maintained in the post-development conditions. The ground elevations range from 77-feet to 98-feet, and the SHW elevation was estimated to be 78.0-feet. The existing soils within the FPC consist mostly of Type A and A/D soils. Floodplain impacts to Basins 200 and 300 south of US 98 will be compensated in FPC 300-SOUTH-02.

5.1.3 FPC-300-North-01 Alternative

FPC 300-NORTH-01 is located right of the CL between Sta. 1151+52 to Sta. 1161+41 in Basin 300. This is the recommended floodplain compensation site. The compensation area is adjacent to the floodplain. The compensation area is on Parcel # 20-25-22-0000-01600-0000. A partial take of the parcel will be required for the floodplain compensation. An easement is proposed to provide access for maintenance to the FPC site. The proposed FPC area consists of a residential home site, open space and woods. The ground elevations range from 80-feet to 107-feet, and the SHW elevation was estimated to be 80.0-feet. The existing soils within the FPC consist mostly of Type A soils. Floodplain impacts to Basins 200 and 300 north of US 98 will be compensated in FPC 300-NORTH-01.

5.1.4 FPC-300-North-02 Alternative

FPC 300-NORTH-02 is located right of the CL between Sta. 1151+47 to Sta. 1160+09 in Basin 300. This is an alternate floodplain compensation site. The compensation area is adjacent to the floodplain. The compensation area is on Parcel # 20-25-22-0000-01400-0000. A partial take of the parcel will be required for the floodplain compensation. An easement is proposed to provide access for maintenance to the FPC site. The proposed FPC area consists of a residential home site, open space and woods. The ground elevations range from 80-feet to 92-feet, and the SHW elevation was estimated to be 80.0-feet. The existing soils within the FPC consist mostly of Type A soils. Floodplain impacts to Basins 200 and 300 north of US 98 will be compensated in FPC 300-NORTH-02.

SECTION 6 RISK EVALUATION AND PROJECT CLASSIFICATION

6.1.1 RISK EVALUATION

There is no significant change in flood “risk” associated with this project. The encroachments will not have a significant potential for interruption or termination of transportation facilities needed for emergency vehicles or used as an evacuation route. In addition, no significant adverse impacts on natural and beneficial floodplain values are anticipated and no significant impacts to highway users are expected. The project traverses the Green Swamp and therefore, there will be no changes in flood risk to any residents or property loss associated with the proposed improvements.

6.1.2 PROJECT CLASSIFICATION

The proposed impacts to the floodplain could not be avoided as the existing corridor passes through the Green Swamp. The proposed impacts to the floodplain will be mitigated on a cup-for-cup basis. There are no rises to the flood stages anticipated with the proposed alternative and the proposed improvements will maintain the existing drainage patterns.

Minimal encroachments on a floodplain occur when there is floodplain involvement, but the impacts on human life, transportation facilities, and natural and beneficial floodplain values are not significant and can be resolved with minimal efforts. Normally, these minimal efforts to address the impacts will consist of applying the Department’s drainage design standards and following the Water Management District’s procedures to achieve results that will not increase or significantly change the flood elevations and/or limits.

There will be no significant or adverse impacts on natural and beneficial floodplain values. There will be no significant change in flood risk, and there will not be a significant change in the potential for interruption or termination of emergency service or emergency evacuation routes. It has been determined that this encroachment is not significant.

According to the PD&E Manual Figure 13-1, the improvements can be categorized as

Statement 4: PROJECTS ON EXISTING ALIGNMENT INVOLVING REPLACEMENT OF EXISTING DRAINAGE STRUCTURES WITH NO RECORD OF DRAINAGE PROBLEMS

The proposed structure will perform hydraulically in a manner equal to or greater than the existing structure, and backwater surface elevations are not expected to increase. Thus, there will be no significant adverse impacts on natural and beneficial floodplain values. There will be no significant change in flood risk, and there will not be a significant change in the potential for interruption or termination of emergency service or emergency evacuation routes. Therefore, it has been determined that this encroachment is not significant.

It has been determined, through consultation with local, state, and federal water resources and floodplain management agencies that there is no regulatory floodway involvement on the project and that the project will not support base floodplain development that is incompatible with existing floodplain management program.

SECTION 7 RECOMMENDATIONS AND CONCLUSIONS

The analysis in this report indicates that the recommended alternative is feasible from a hydraulic perspective. Existing drainage patterns will be maintained. Where unavoidable, floodplain impacts are proposed to be compensated with new floodplain compensation sites. No significant changes to the base flood elevation or mapped floodplains are anticipated.

FPI-B200-SOUTH-03 will only be considered a floodplain impact if SMF-200-2 is chosen as the preferred pond alternative. FPI-B200-SOUTH-04 will only be considered a floodplain impact if SMF-200-1 is chosen as the preferred pond alternative. FPI-B200-SOUTH-05 will only be considered a floodplain impact if SMF-200-3 is chosen as the preferred pond alternative. Therefore, the summary table below includes the alternative with the greatest floodplain impact for conservatism.

Table 7-1 summarizes the total impacts and mitigation to be provided from the recommended pond sites and recommended FPC sites for the project. The drainage design will be consistent with FEMA, FDOT, and SWFWMD design guidelines.

Table 7-1 Summary of Floodplain Encroachment and Proposed Mitigation


Total Area of Impacts (Acres)	100-Year Volume of Impact (Ac-FT)	Area of FPC (Acres)	Volume of FPC (Ac-Ft)
25.72	119.45	39.95	130.92

APPENDICES

- Appendix A Drainage Maps
- Appendix B FEMA FIRM Maps
- Appendix C Floodplain Impact Maps
- Appendix D Geotechnical Report
- Appendix E Straight Line Diagrams
- Appendix F SWFWMD Pre-Application Minutes
- Appendix G ELA Evaluation
- Appendix H Flooding Investigations

APPENDIX A

Drainage Maps



6/30/2022 11:49:54 AM bfrichards
 c:\pw_work\arcadispw01\thin\nguyen\dms68999\DRIPAD01.dgn

REVISIONS		REVISIONS		GREGG B HAMM, P.E. P.E. LICENSE NUMBER 69760 ARCADIS U.S., INC. 4300 WEST CYPRESS ST. SUITE 450 TAMPA, FL 33607 T: 813 903 3100 CERTIFICATE OF AUTHORIZATION NO.: 7917	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			PRE-DEVELOPMENT DRAINAGE MAP	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3 443368-4		1



GREEN SWAMP

BASIN 200

BASIN 300

MATCHLINE STA. 993+00

MATCHLINE STA. 1068+00


995 1000 1005 1010 1015 1020 1025 1030 1035 1040 1045 1050 1055 1060 1065

US 98

BR-01

6/30/2022 2:33:59 PM bfrichards
 c:\pw\work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn

REVISIONS				GREGG B HAMM, P.E. P.E. LICENSE NUMBER 69760 ARCADIS U.S., INC. 4300 WEST CYPRESS ST. SUITE 450 TAMPA, FL 33607 T: 813 903 3100 CERTIFICATE OF AUTHORIZATION NO.: 7917	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			PRE-DEVELOPMENT DRAINAGE MAP	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		2
					US 98	PASCO	443368-3 443368-4		



6/30/2022 2:39:19 PM bfrichards c:\pw\work\arcadispw01\thin\nguyen\dms68999\DRIPAD01.dgn


REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**PRE-DEVELOPMENT
DRAINAGE MAP**

SHEET NO.
3



6/30/2022 2:45:05 PM bfrichards
 c:\pw\work\arcadispw01\thinb\nguyen\dms68999\DRIPRD01.dgn

REVISIONS	
DATE	DESCRIPTION


GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**PRE-DEVELOPMENT
DRAINAGE MAP**

SHEET
NO.

4



6/30/2022 2:43:22 PM bfrichards
 c:\pw\work\arcadispw02\bonnie.richards\dms\6156\DRMPR001.dgn

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**PRE-DEVELOPMENT
 DRAINAGE MAP**

SHEET
 NO.
 5



6/30/2022 2:47:22 PM bfrichards
 c:\pw\work\arcadispw02\bonnie.richards\dms\6156\DRMPRD01.dgn


REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**PRE-DEVELOPMENT
DRAINAGE MAP**

SHEET NO.
6



6/30/2022 2:48:35 PM bfrichards
 c:\pw\work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION


GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**PRE-DEVELOPMENT
DRAINAGE MAP**

SHEET
NO.

7



6/30/2022 1:58:45 PM bfrichards
c:\pw_work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn

REVISIONS				GREGG B HAMM, P.E. P.E. LICENSE NUMBER 69760 ARCADIS U.S., INC. 4300 WEST CYPRESS ST. SUITE 450 TAMPA, FL 33607 T: 813 903 3100 CERTIFICATE OF AUTHORIZATION NO.: 7917	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			POST-DEVELOPMENT DRAINAGE MAP	SHEET NO. 1
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				US 98	PASCO	443368-3 443368-4			



GREEN SWAMP

BASIN 200

BASIN 300

MATCHLINE STA. 993+00

MATCHLINE STA. 1068+00

995 1000 1005 1010 1015 1020 1025 1030 1035 1040 1045 1050 1055 1060 1065

US 98

BR-01

6/30/2022 6:24:01 PM bfrichards
c:\pw_work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn


REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
P.E. LICENSE NUMBER 69760
ARCADIS U.S., INC.
4300 WEST CYPRESS ST.
SUITE 450
TAMPA, FL 33607
T: 813 903 3100
CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**POST-DEVELOPMENT
DRAINAGE MAP**

SHEET NO.
2



6/30/2022 2:01:08 PM bfrichards c:\pw\work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn


REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**POST-DEVELOPMENT
DRAINAGE MAP**

SHEET NO.
3



6/30/2022 2:16:18 PM bfrichards c:\pw\work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn


REVISIONS	
DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**POST-DEVELOPMENT
DRAINAGE MAP**

SHEET NO.
4



6/30/2022 2:24:55 PM bfrichards
 c:\pw\work\arcadispw02\bonnie.richards\dms\6156\DRMPR002.dgn

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**POST-DEVELOPMENT
 DRAINAGE MAP**

SHEET
 NO.
 5

6/30/2022 2:27:13 PM bfrichards
 c:\pw\work\arcadispw02\bonnie.richards\dms\6156\DRMPRD02.dgn




REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**POST-DEVELOPMENT
DRAINAGE MAP**

SHEET NO.
6



6/30/2022 2:29:48 PM bfrichards
 c:\pw_work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
 P.E. LICENSE NUMBER 69760
 ARCADIS U.S., INC.
 4300 WEST CYPRESS ST.
 SUITE 450
 TAMPA, FL 33607
 T: 813 903 3100
 CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

**POST-DEVELOPMENT
DRAINAGE MAP**

SHEET
NO.

7

MATCHLINE STA. 1322+00



6/30/2022 6:20:13 PM bfrichards
 c:\pw\work\arcadispw01\thinh.nguyen\dms68999\DRMPAD01.dgn

REVISIONS				GREGG B HAMM, P.E. P.E. LICENSE NUMBER 69760 ARCADIS U.S., INC. 4300 WEST CYPRESS ST. SUITE 450 TAMPA, FL 33607 T: 813 903 3100 CERTIFICATE OF AUTHORIZATION NO.: 7917	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			POST-DEVELOPMENT DRAINAGE MAP	SHEET NO. 8
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				US 98	PASCO	443368-3 443368-4			

APPENDIX B

FEMA FIRM Maps

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **Floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole foot elevations. BFEs in detailed watersheds are rounded to tenth-foot elevations. See Watershed Table below. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations (BFEs) shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

Base map information shown on this FIRM was provided in digital format by the Southwest Florida Water Management District. The original orthorectified base imagery was provided in color with a one-foot pixel resolution at a scale of 1" = 1' from photography flown January 2009.

This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels, community map repository addresses, and a listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the **FEMA Map Service Center** at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include Letters of Map Change, a Flood Insurance Study report and/or digital versions of this map. The FEMA Map Service Center may also be reached by fax at 1-800-358-9620 and its website at <http://www.msc.fema.gov>. A FIRMETTE (full scale section of a FIRM) is also available at this website.

If you have questions about this map or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA website at <http://www.fema.gov/business/>.

DATUM INFORMATION

The projection used in the preparation of this map was State Plane Florida West. The horizontal datum was NAD 83. Differences in datum, spheroid, projection or State Plane Zone used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not reflect the accuracy of this FIRM.

Base Flood Elevation (BFEs) on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov> or contact the National Geodetic Survey at the following address:

Spatial Reference System Division
National Geodetic Survey, NOAA
Silver Spring Metro Center
1315 East-West Highway
Silver Spring, Maryland 20910
(301) 713-3191

Example Datum Offset Calculation
using datum offset table below
NAVD88 = NGVD29 + (datum offset value)



To obtain current elevation, description, and/or location information for **benchmarks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>



- Watershed Boundary
- Coastal Construction Control Line

Watershed Table						
Watershed	Datum Offset (ft)	Study Type	Total Rainfall Volume (in) Multi-Day	Rainfall Used*	Date of Model	
1. Bear Creek	-0.84	Effective Transfer	12.0	NO	06/30/92	
2. Blanton Lake	-0.84	Effective Transfer	11.0	NO	09/30/92	
3. Cypress Creek	-0.84	Detailed	12.4	YES	04/27/10	
4. Double Hammock Creek	-0.84	Effective Transfer	12.0	NO	09/30/92	
5. Duck Lake	-0.84	Effective Transfer	11.0	NO	09/30/92	
6. East Pasco	-0.84	Detailed	12.0	YES	02/23/10	
7. East Pinellas Anclote	-0.84	Detailed	12.0	NO	04/26/11	
8. Hammock Creek	-0.84	Effective Transfer	12.0	NO	09/30/92	
9. Lower Coastal	-0.84	Effective Transfer	12.1	NO	09/30/92	
10. New River	-0.84	Effective Transfer	11.1	NO	09/30/92	
11. North Lakes	-0.84	Effective Transfer	N/A	NO	09/30/92	
12. Philachascolite	-0.84	Effective Transfer	12.0	NO	09/30/92	
13. Trout Creek	-0.84	Detailed	12.4	YES	06/26/10	
14. Upper Hillsborough	-0.84	Effective Transfer	11.0	NO	05/01/79	
15. Upper Philachascolite	-0.84	Effective Transfer	12.0	NO	09/30/92	
16. Upper Withlacoochee	-0.84	Effective Transfer	10.9	NO	05/01/79	
17. West Pinellas Anclote	-0.84	Effective Transfer	12.0	NO	09/30/92	

*Redelineation performed for coastal flood zones
Multi-Day event used only in specific sub-basins, refer to the FIS report.
Zone X (shaded) 0.2% annual chance floodplain is delineated only in watersheds where the Study Type is Redelineation or Coastal. The 0.2% annual chance floodplain is not delineated in watersheds where the Study Type is Detailed. Refer to the Watershed Table for Study Type.



LEGEND

SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, AP, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

ZONE A No Base Flood Elevations determined.

ZONE AE Base Flood Elevations determined.

ZONE AH Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.

ZONE AO Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.

ZONE AR Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently discontinued. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.

ZONE AP Areas to be protected from 1% annual chance flood event by a federal flood protection system under construction; no Base Flood Elevations determined.

ZONE V Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.

ZONE VE Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

ZONE X^a Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot, and areas protected by levees from 1% annual chance flood. See additional note in Watershed Table on left column.

OTHER AREAS

ZONE D Areas determined to be outside the 0.2% annual chance floodplain; Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAs)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

1% annual chance floodplain boundary
0.2% annual chance floodplain boundary
Floodway boundary
Zone D boundary
CBRS and OPA boundary
Boundary dividing Special Flood Hazard Area Zones and boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths, or flood velocities
Base Flood Elevation line and value; elevation in feet
Base Flood Elevation value where uniform within zone; elevation in feet

MAP SCALE 1" = 1000'

0 500 1,000 1,500 2,000 FEET
0 500 1,000 1,500 METERS

NFIP

PANEL 0280F

FIRM

FLOOD INSURANCE RATE MAP

PASCO COUNTY, FLORIDA

AND INCORPORATED AREAS

PANEL 280 OF 500

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
DADE CITY CITY OF	120231	0280	F
PASCO COUNTY	120230	0280	F
ST. LEON TOWN OF	120165	0280	F

NOTE TO USER: The Map Number shown below should be used when making map orders. The Community Number shown above should be used on insurance applications for the subject community.

MAP NUMBER 1210C0280F

EFFECTIVE DATE SEPTEMBER 26, 2014

Federal Emergency Management Agency

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood detailed information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **Floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole foot elevations. BFEs in detailed floodway areas are rounded to tenth foot elevations, see Watershed Table below. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations (BFEs) shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

Base map information shown on this FIRM was provided in digital format by the Southwest Florida Water Management District. The original orthographic base imagery was provided in color with a one-foot pixel resolution at a scale of 1" = 1' from photography flown January 2009.

This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels, community map repository addresses, and a listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the **FEMA Map Service Center** at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-358-9620 and its website at <http://www.msc.fema.gov>. A FIRMETTE (full scale section of a FIRM) is also available at this website.

If you have questions about this map or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA website at <http://www.fema.gov/business/info/>.

DATUM INFORMATION


The projection used in the preparation of this map was State Plane Florida West. The horizontal datum was NAD 83, GRS1980 spheroid. Differences in datum, spheroid, projection or State Plane Zone used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not reflect the accuracy of this FIRM.

Base Flood Elevation (BFEs) on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov> or contact the National Geodetic Survey at the following address:

Spatial Reference System Division
National Geodetic Survey, NOAA
Silver Spring Metro Center
1315 East-West Highway
Silver Spring, Maryland 20910
(301) 713-3191

Example Datum Offset Calculation
using datum offset table below
NAVD88 = NGVD29 + (datum offset value)


To obtain current elevation, description, and/or location information for **benchmarks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>.




Watershed Boundary
Coastal Construction Control Line

Watershed Table						
Watershed	Datum Offset (ft)	Study Type	Total Rainfall Volume (in) Multi-Day	Rainfall Used*	Date of Model	Date of Model
1. Bear Creek	-0.84	Effective Transfer	12.0	NO	09/30/92	
2. Blanton Lake	-0.84	Effective Transfer	11.0	NO	09/30/92	
3. Cypress Creek	-0.84	Detailed	12.4	YES	04/27/10	
4. Double Hammock Creek	-0.84	Effective Transfer	12.0	NO	09/30/92	
5. Duck Lake	-0.84	Effective Transfer	11.0	NO	09/30/92	
6. East Pasco	-0.84	Detailed	12.0	YES	02/23/10	
7. East Pinellas Anclote	-0.84	Detailed	12.0	NO	04/26/11	
8. Hammock Creek	-0.84	Effective Transfer	12.0	NO	09/30/92	
9. Lower Coastal	-0.84	Effective Transfer	12.1	NO	09/30/92	
10. New River	-0.84	Effective Transfer	11.1	NO	09/30/92	
11. North Lakes	-0.84	Effective Transfer	N/A	NO	09/30/92	
12. Pinellas Anclote	-0.84	Effective Transfer	12.0	NO	09/30/92	
13. Trout Creek	-0.84	Detailed	12.4	YES	06/29/10	
14. Upper Hillsborough	-0.84	Effective Transfer	11.0	NO	05/01/79	
15. Upper Withlacoochee	-0.84	Effective Transfer	12.0	NO	09/30/92	
16. Upper Withlacoochee	-0.84	Effective Transfer	10.9	NO	05/01/79	
17. West Pinellas Anclote	-0.84	Effective Transfer	12.0	NO	09/30/92	

*Redesignated performed for coastal flood zones
Multi-Day event used only at specific sub-basins, refer to the FIS report.
*Zone X (shaded) 0.2% annual chance floodplain is delineated only in watersheds where the Study Type is Redesignated or Coastal. The 0.2% annual chance floodplain is not delineated in watersheds where the Study Type is Detailed. Refer to the Watershed Table for Study Type.



This digital Flood Insurance Rate Map (FIRM) was produced through a cooperative partnership between the Southwest Florida Water Management District (SWFWMD), Pasco County, Federal Emergency Management Agency (FEMA), and the associated communities within Pasco County.



LEGEND

SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, AR9, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

- ZONE AE** No Base Flood Elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE AR** Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decommissioned. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- ZONE AR9** Areas to be protected from 1% annual chance flood event by a federal flood protection system under construction; no Base Flood Elevations determined.
- ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
- ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

- ZONE X*** Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot, and areas protected by levees from 1% annual chance flood. *See additional note in Watershed Table on left column.

OTHER AREAS

- ZONE D** Areas determined to be outside the 0.2% annual chance floodplain.
- ZONE X** Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAs)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

- 1% annual chance floodplain boundary
- 0.2% annual chance floodplain boundary
- Floodway boundary
- FIP boundary
- CBRS and OPA boundary
- Boundary dividing Special Flood Hazard Area Zones and boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths, or flood velocities
- Base Flood Elevation line and value; elevation in feet* (EL 987)
- Base Flood Elevation value where uniform within zone; elevation in feet*

* Referenced to the North American Vertical Datum of 1988

Cross section line

Transect line

Geographic coordinates referenced to the North American Datum of 1983 (NAD 83), Western Hemisphere

1000-meter Universal Transverse Mercator grid ticks, zone 17

5000-foot grid values: Florida State Plane coordinate system, West Zone (FIPZONE = 0902), Transverse Mercator projection

Bench mark (see explanation in Notes to Users section of this FIS report)

MT 5
River Mile

222218
Section - Township - Range

Junction - Points denoting locations of flow accumulation or hydraulic connectivity. The first two characters of the Junction name represents the specific watershed (as shown in the map collar locator map) in which the Junction is located (note that boundary junctions, without an associated floodplain, are also shown).

Hydraulic Connectivity - Flow pathway between junctions.

MAP REPOSITORIES

Refer to Map Repositories List on Map Index

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP

September 26, 2014

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

MAP SCALE 1" = 1000'

0 500 1,000 1,500 2,000 FEET

0 500 1,000 METERS

NFIP

NATIONAL FLOOD INSURANCE PROGRAM

PANEL 0285F

FIRM

FLOOD INSURANCE RATE MAP

PASCO COUNTY, FLORIDA AND INCORPORATED AREAS

PANEL 285 OF 500

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
DADE CITY CITY OF	120231	0285	F
PASCO COUNTY	120230	0285	F

MAP NUMBER
12101C0285F

EFFECTIVE DATE
SEPTEMBER 26, 2014

Federal Emergency Management Agency

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole foot elevations. BFEs in detailed watersheds are rounded to tenth-foot elevations. See Watershed Table below. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations (BFEs) shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

Base map information shown on this FIRM was provided in digital format by the Southwest Florida Water Management District. The original orthorectified base imagery was provided in color with a one-foot pixel resolution at a scale of 1" = 1' from photography flown January 2009.

This map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels, community map repository addresses, and a listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the **FEMA Map Service Center** at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-358-9620 and its website at <http://www.msc.fema.gov>. A **FIRMETTE** (full scale section of a FIRM) is also available at this website.

If you have questions about this map or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA website at <http://www.fema.gov/business/info/>.

DATUM INFORMATION

The projection used in the preparation of this map was State Plane Florida West. The horizontal datum was NAD 83. Differences in datum, spherical projection or State Plane Zone used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not reflect the accuracy of this FIRM.

Base Flood Elevation (BFEs) on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov> or contact the National Geodetic Survey at the following address:

Spatial Reference System Division
National Geodetic Survey, NOAA
Silver Spring Metro Center
1315 East-West Highway
Silver Spring, Maryland 20910
(301) 713-3191

To obtain current elevation, description, and/or location information for **benchmarks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>.





- Watershed Boundary
- Coastal Construction Control Line


Watershed Table

Watershed	Datum Offset (ft)	Study Type	1 Day 100yr Rainfall Used?	Multi-Day	Date of Model
1. Bear Creek	-0.84	Effective Transfer	12.0	NO	09/30/92
2. Blanton Lake	-0.84	Effective Transfer	11.0	NO	09/30/92
3. Cypress Creek	-0.84	Detached	12.4	YES	04/27/10
4. Double Hammock Creek	-0.84	Effective Transfer	12.0	NO	09/30/92
5. Duck Lake	-0.84	Effective Transfer	11.0	NO	09/30/92
6. East Pasco	-0.84	Detached	12.0	YES	02/23/10
7. East Pinellas Anicote	-0.84	Detached	12.0	NO	04/26/11
8. Hammock Creek	-0.84	Effective Transfer	12.0	NO	09/30/92
9. Lower Coastal	-0.84	Effective Transfer	12.1	NO	09/30/92
10. New River	-0.84	Effective Transfer	11.1	NO	09/30/92
11. North Larks	-0.84	Effective Transfer	N/A	NO	09/30/92
12. Pinellas Anicote	-0.84	Effective Transfer	12.0	NO	09/30/92
13. Trout Creek	-0.84	Detached	12.4	YES	06/10/10
14. Upper Hillsborough	-0.84	Effective Transfer	11.0	NO	05/01/79
15. Upper Hillsborough	-0.84	Effective Transfer	12.0	NO	09/30/92
16. Upper Withlacoochee	-0.84	Effective Transfer	10.9	NO	05/01/79
17. West Pinellas Anicote	-0.84	Effective Transfer	12.0	NO	09/30/92

Redelineation performed for coastal flood zones
Multi-Day event used only at specific sub-basins, refer to the FIS report
Zone X (shaded) 0.2% annual chance floodplain is delineated only in watersheds where the Study Type is Redelineation or Coastal. The 0.2% annual chance floodplain is not delineated in watersheds where the Study Type is Detached. Refer to the Watershed Table for Study Type.



Duck Lake Watershed



THIS AREA SHOWN AT A SCALE OF 1"=500'
ON MAP NUMBER 12101C0293

LEGEND

- SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD**
 - 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, AP, AV, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.
 - ZONE A** No Base Flood Elevations determined.
 - ZONE AE** Base Flood Elevations determined.
 - ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
 - ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
 - ZONE AR** Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decommissioned. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
 - ZONE AR#** Areas to be protected from 1% annual chance flood event by a federal flood protection system under construction; no Base Flood Elevations determined.
 - ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
 - ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.
 - FLOODWAY AREAS IN ZONE AE**
 - The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.
 - OTHER FLOOD AREAS**
 - ZONE X#** Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot, and areas protected by levees from 1% annual chance flood. See additional note in Watershed Table on left column.
 - OTHER AREAS**
 - ZONE X** Areas determined to be outside the 0.2% annual chance floodplain. Areas in which flood hazards are undetermined, but possible.
 - COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS**
 - OTHERWISE PROTECTED AREAS (OPAs)**
- CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.
- 1% annual chance floodplain boundary
 - 0.2% annual chance floodplain boundary
 - Floodway boundary
 - Floodway boundary
 - CBRS and OPA boundary
 - Boundary dividing Special Flood Hazard Area Zones and boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths, or flood velocities
 - Base Flood Elevation line and value; elevation in feet
 - Base Flood Elevation value where uniform within zone; elevation in feet
 - Referenced to the North American Vertical Datum of 1988
 - Cross section line
 - Transport line
 - Geographic coordinates referenced to the North American Datum of 1983 (NAD 83), Western Hemisphere
 - 475°E
 - 1000-meter Universal Transverse Mercator grid ticks; zone 17
 - 5000-foot grid values: Florida State Plane coordinate system, West Zone (FIPSZONE = 0902), Transverse Mercator projection
 - Bench mark (see explanation in Notes to Users section of this FIS report)
 - M 1.5
 - Five Mile
 - 222218
 - Section - Township - Range
 - Junction - Points defining locations of flow accumulation or hydraulic connectivity. The first two characters of the Junction name represents the specific watershed (as shown in the map collar locator map) in which the Junction is located (note that boundary junctions, without an associated floodplain, are also shown).
 - Hydraulic Connectivity - Flow pathway between junctions.
- MAP REPOSITORIES
Refer to Map Repositories List on Map Index
- EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP
September 26, 2014
- EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL
- For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this jurisdiction.
- To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.



NFIP

NATIONAL FLOOD INSURANCE PROGRAM

PANEL 0295F

FIRM

FLOOD INSURANCE RATE MAP

PASCO COUNTY, FLORIDA AND INCORPORATED AREAS

PANEL 295 OF 500
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
PASCO COUNTY	120295	0295	F
ZEPHYRUS, CITY OF	120295	0295	F

MAP NUMBER 12101C0295F

EFFECTIVE DATE SEPTEMBER 26, 2014

Federal Emergency Management Agency

This digital Flood Insurance Rate Map (FIRM) was produced through a cooperative partnership between the Southwest Florida Water Management District (SWFWMD), Pasco County, Federal Emergency Management Agency (FEMA), and the associated communities within Pasco County.

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **Floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole foot elevations. BFEs in detailed floodway areas are rounded to tenth foot elevations. See Watershed Table below. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations (BFEs) shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD 88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

Base map information shown on this FIRM was provided in digital format by the Southwest Florida Water Management District. The original orthographic base imagery was provided in color with a one-foot pixel resolution at a scale of 1" = 1' from photography flown January 2009.

This map reflects more detailed and up-to-date **stream channel configurations** than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the **FEMA Map Service Center** at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include Letters of Map Change, a Flood Insurance Study report, and/or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-358-9620 and its website at <http://www.msc.fema.gov>. A FIRMETTE (full scale section of a FIRM) is also available at this website.

If you have questions about this map or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA MAP (1-877-336-2627) or visit the FEMA website at <http://www.fema.gov/business/nfp/>.

DATUM INFORMATION

The projection used in the preparation of this map was State Plane Florida West. The horizontal datum was NAD 83, GRS1980 spheroid. Differences in datum, spheroid, projection or State Plane Zone used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not reflect the accuracy of this FIRM.

Base Flood Elevation (BFEs) on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov> or contact the National Geodetic Survey at the following address:

Spatial Reference System Division
National Geodetic Survey, NOAA
Silver Spring Metro Center
1315 East-West Highway
Silver Spring, Maryland 20910
(301) 713-3191

Example Datum Offset Calculation
using datum offset table below
NAVD88 = NGVD29 + (datum offset value)


To obtain current elevation, description, and/or location information for **benchmarks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>.



- Watershed Boundary
- Coastal Construction Control Line

Watershed Table					
Watershed	Datum Offset (ft)	Study Type	Total Rainfall Volume (in)		Date of Model
			1 Day 100yr	Rainfall Used*	
1. Bear Creek	-0.84	Effective Transfer	12.0	NO	09/30/92
2. Blanton Lake	-0.84	Effective Transfer	11.0	NO	09/30/92
3. Cypress Creek	-0.84	Detailed	12.4	YES	04/27/10
4. Double Hammock Creek	-0.84	Effective Transfer	12.0	NO	09/30/92
5. Duck Lake	-0.84	Effective Transfer	11.0	NO	09/30/92
6. East Pasos	-0.84	Detailed	12.0	YES	02/23/10
7. East Pinellas Anicote	-0.84	Detailed	12.0	NO	04/26/11
8. Hammond Creek	-0.84	Effective Transfer	12.0	NO	09/30/92
9. Lower Coastal	-0.84	Effective Transfer	12.1	NO	09/30/92
10. New River	-0.84	Effective Transfer	11.1	NO	09/30/92
11. North Lakes	-0.84	Effective Transfer	N/A	NO	09/30/92
12. Palmetto Creek	-0.84	Effective Transfer	12.0	NO	09/30/92
13. Trout Creek	-0.84	Detailed	12.4	YES	06/28/10
14. Upper Hillsborough	-0.84	Effective Transfer	11.0	NO	05/01/79
15. Upper Withlacoochee	-0.84	Effective Transfer	12.0	NO	09/30/92
16. Upper Withlacoochee	-0.84	Effective Transfer	10.9	NO	05/01/79
17. West Pinellas Anicote	-0.84	Effective Transfer	12.0	NO	09/30/92

*Redesignation performed for coastal flood zones
Multi-Day event used only in specific sub-basins, refer to the FIS report.
*Zone X (shaded) 0.2% annual chance floodplain is delineated only in watersheds where the Study Type is Redesignation or Coastal. The 0.2% annual chance floodplain is not delineated in watersheds where the Study Type is Detailed. Refer to the Watershed Table for Study Type.



LEGEND

SPECIAL FLOOD HAZARD AREAS SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, AP, AV, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

- ZONE AE** No Base Flood Elevations determined.
- ZONE AE** Base Flood Elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE AR** Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decommissioned. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- ZONE ARF** Areas to be protected from 1% annual chance flood event by a federal flood protection system under construction; no Base Flood Elevations determined.
- ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
- ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

- ZONE X*** Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot; and areas protected by levees from 1% annual chance flood. *See additional note in Watershed Table on left collar.

OTHER AREAS

- ZONE X** Areas determined to be outside the 0.2% annual chance floodplain.
- ZONE D** Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAs)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

- 1% annual chance floodplain boundary
- 0.2% annual chance floodplain boundary
- Floodway boundary
- FIR boundary
- CBRS and OPA boundary
- Boundary dividing Special Flood Hazard Area Zones and boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths, or flow velocities
- 513 Base Flood Elevation line and value; elevation in feet*
- (EL 987) Base Flood Elevation value where uniform within zone; elevation in feet*

* Referenced to the North American Vertical Datum of 1988

Cross section line

Transect line

Geographic coordinates referenced to the North American Datum of 1983 (NAD 83), Western Hemisphere

476°00'E
600000 FT
DX5510
M1.5
River Mile
222218
7N11000

Section - Township - Range

Junction - Points defining locations of flow accumulation or hydraulic connectivity. The first two characters of the Junction name represents the specific watershed (as shown in the map collar locator map) in which the Junction is located (note that boundary junctions, without an associated floodplain, are also shown).

Hydraulic Connectivity - Flow pathway between junctions.

MAP REPOSITORIES
Refer to Map Repositories List on Map Index

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP
September 26, 2014

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

For community map revision history prior to countywide mapping, refer to the Community Map History table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

MAP SCALE 1" = 1000'

NFIP

PANEL 0315F

FIRM

FLOOD INSURANCE RATE MAP

PASCO COUNTY, FLORIDA AND INCORPORATED AREAS

PANEL 315 OF 500

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
PASCO COUNTY	03250	0315	F

Notice to User: The Map Number shown below should be used when placing map orders. The Community Number shown above should be used on insurance applications for the subject community.


MAP NUMBER 1210C0315F





EFFECTIVE DATE SEPTEMBER 26, 2014

Federal Emergency Management Agency

APPENDIX C

Floodplain Impact Maps



LEGEND	
	EXIST. 100-YR FLOODPLAIN
	FLOODPLAIN IMPACT
	EXIST. R/W
	BFE CONTOUR

5/12/2022 8:17:58 AM MRNoss c:\pw_work\arcadispw01\thin\nguyen\dms68999\DRMPAD01.dgn

REVISIONS				GREGG B HAMM, P.E. P.E. LICENSE NUMBER 69760 ARCADIS U.S., INC. 3109 WEST DR. MARTIN LUTHER KING JR. BLVD. TAMPA, FL 33607 T: 813 903 3100 CERTIFICATE OF AUTHORIZATION NO.: 7917	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			FLOODPLAIN IMPACT MAP	SHEET NO. 1
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				US 98	PASCO	443368-3 443368-4			



GREEN SWAMP

BASIN 200

BASIN 300

FPI-B200-SOUTH-02
ZONE AE
BFE 84.00
0.03 AC.

FPI-B300-SOUTH-01
ZONE AE
BFE 84.00
3.51 AC.

BASIN BOUNDARY

995 1000 1005 1010 1015 1020 1025 1030 1035 1040 1045 1050 1055 1060 1065

US 98

FPI-B200-NORTH-01
ZONE AE
BFE 84.00
2.80 AC.

FPI-B300-NORTH-01
ZONE AE
BFE 84.00
0.68 AC.

FPI-B300-NORTH-02
ZONE AE
BFE 84.00
0.15 AC.

LEGEND

- EXIST. 100-YR FLOODPLAIN
- FLOODPLAIN IMPACT
- EXIST. R/W
- BFE CONTOUR

10/18/2021 10:46:53 AM triguyen
c:\pw_work\arcadispw01\thin\triguyen\dms68999\DRMPAD01.dgn

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

GREGG B HAMM, P.E.
P.E. LICENSE NUMBER 69760
ARCADIS U.S., INC.
3109 WEST DR. MARTIN LUTHER KING JR. BLVD.
TAMPA, FL 33607
T: 813 903 3100
CERTIFICATE OF AUTHORIZATION NO.: 7917

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3 443368-4

FLOODPLAIN IMPACT MAP

SHEET NO.
2



GREEN SWAMP

BASIN 300

84.00

FPI-B300-SOUTH-03
ZONE AE
BFE 84.00
8.81 AC.

FPI-B300-SOUTH-02
ZONE AE
BFE 84.00
1.45 AC.

FPI-B300-NORTH-03
ZONE AE
BFE 84.00
1.70 AC.

MATCHLINE STA. 1068+00

MATCHLINE STA. 1143+00

1070 1075 1080 1085 1090 1095 1100 1105 1110 1115 1120 1125 1130 1135 1140

84

US 98

83


BASIN BOUNDARY

LEGEND

- EXIST. 100-YR FLOODPLAIN
- FLOODPLAIN IMPACT
- EXIST. R/W
- BFE CONTOUR

10/18/2021 10:47:11 AM triguyen c:\pw_work\arcadispw01\thin\triguyen\dms68999\DRMPAD01.dgn

REVISIONS				GREGG B HAMM, P.E. P.E. LICENSE NUMBER 69760 ARCADIS U.S., INC. 3109 WEST DR. MARTIN LUTHER KING JR. BLVD. TAMPA, FL 33607 T: 813 903 3100 CERTIFICATE OF AUTHORIZATION NO.: 7917	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			FLOODPLAIN IMPACT MAP	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		3
					US 98	PASCO	443368-3 443368-4		



LEGEND	
	EXIST. 100-YR FLOODPLAIN
	FLOODPLAIN IMPACT
	EXIST. R/W
	BFE CONTOUR

REVISIONS				GREGG B HAMM, P.E. P.E. LICENSE NUMBER 69760 ARCADIS U.S., INC. 3109 WEST DR. MARTIN LUTHER KING JR. BLVD. TAMPA, FL 33607 T: 813 903 3100 CERTIFICATE OF AUTHORIZATION NO.: 7917	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			FLOODPLAIN IMPACT MAP	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		4
					US 98	PASCO	443368-3 443368-4		

10/18/2021 10:47:24 AM triguynen
 c:\pw_work\arcadispw01\thinh.nguyen\dms68999\DRMPAD01.dgn

MATCHLINE STA. 1143+00

Flood Compensation Summary (FPC 300-South-01)

	South Side - Basin 200 & 300 & SMF 200-01 & SMF-300-01 Combined		FPC 300-South-01		
	Impacts		Compensation		
Stage (FT)	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)	Incremental Volume Compensation (CF)	Cumulative Volume Compensation (CF)	Net Increase In Floodplain Storage (CF)
78.00	0	0	0	0	0
78.50	138,977	138,977	706,566	706,566	567,589
79.00	167,351	306,328	679,048	1,385,614	1,079,286
79.50	219,825	526,153	594,407	1,980,021	1,453,868
80.00	236,798	762,950	526,427	2,506,448	1,743,498
80.50	339,560	1,102,510	365,106	2,871,554	1,769,044
81.00	351,119	1,453,629	336,975	3,208,529	1,754,900
81.50	389,843	1,843,472	314,246	3,522,775	1,679,303
82.00	406,666	2,250,138	298,372	3,821,146	1,571,009
82.50	466,954	2,717,092	280,710	4,101,856	1,384,764
83.00	492,423	3,209,515	264,890	4,366,746	1,157,231
83.50	603,705	3,813,220	248,784	4,615,530	802,311
84.00	664,424	4,477,644	232,753	4,848,283	370,639
TOTALS		4,477,644		4,848,283	

Flood Compensation Summary (FPC 300-South-02)

	South Side - Basin 200 & 300 & SMF 200-01 Combined		FPC 300-South-02		
Stage (FT)	Impacts		Compensation		Net Increase In Floodplain Storage (CF)
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)	Incremental Volume Compensation (CF)	Cumulative Volume Compensation (CF)	
78.00	0	0	0	0	0
78.50	4,832	4,832	333,501	333,501	328,669
79.00	5,160	9,992	283,792	617,293	607,301
79.50	5,160	15,152	238,409	855,702	840,550
80.00	5,160	20,312	209,343	1,065,045	1,044,733
80.50	102,314	122,626	181,497	1,246,541	1,123,916
81.00	113,873	236,499	159,543	1,406,085	1,169,586
81.50	152,597	389,096	142,502	1,548,587	1,159,490
82.00	169,420	558,516	128,220	1,676,807	1,118,290
82.50	229,708	788,225	114,921	1,791,728	1,003,503
83.00	255,177	1,043,402	102,114	1,893,842	850,440
83.50	366,459	1,409,861	89,584	1,983,425	573,564
84.00	427,179	1,837,040	83,722	2,067,147	230,107
TOTALS		1,837,040		2,067,147	

Flood Compensation Summary (FPC 300-North-01)

	North Side - Basin 200 & 300 Combined		FPC 300-North-01		
Stage (FT)	Impacts		Compensation		Net Increase In Floodplain Storage (CF)
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)	Incremental Volume Compensation (CF)	Cumulative Volume Compensation (CF)	
80.00	0	0	0	0	0
80.50	52,278	52,278	108,967	108,967	56,689
81.00	73,100	125,378	108,965	217,932	92,555
81.50	81,855	207,232	108,963	326,895	119,663
82.00	90,610	297,842	108,825	435,720	137,878
82.50	97,880	395,722	108,358	544,078	148,356
83.00	105,150	500,873	106,500	650,578	149,705
83.50	110,059	610,931	103,631	754,209	143,278
84.00	115,100	726,031	100,323	854,532	128,501
TOTALS		726,031		854,532	

Flood Compensation Summary (FPC 300-North-02)

	North Side - Basin 200 & 300 Combined		FPC 300-North-02		
Stage (FT)	Impacts		Compensation		Net Increase In Floodplain Storage (CF)
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)	Incremental Volume Compensation (CF)	Cumulative Volume Compensation (CF)	
80.00	0	0	0	0	0
80.50	52,278	52,278	110,039	110,039	57,761
81.00	73,100	125,378	109,961	220,000	94,622
81.50	81,855	207,232	109,346	329,346	122,113
82.00	90,610	297,842	108,465	437,811	139,969
82.50	97,880	395,722	107,394	545,204	149,482
83.00	105,150	500,873	106,285	651,489	150,616
83.50	110,059	610,931	104,927	756,416	145,484
84.00	115,100	726,031	103,139	859,555	133,524
TOTALS		726,031		859,555	

Floodplain Impacts (Basin 200 South)

FPI-B200-SOUTH-01 & 02		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
80.00	0	0
80.50	280	280
81.00	559	839
81.50	1,626	2,465
82.00	2,693	5,159
82.50	4,920	10,078
83.00	7,146	17,224
83.50	8,327	25,551
84.00	9,507	35,058

FPI-B200-SOUTH-03 (SMF-B200-02)		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
82.00	0	0
82.50	1,042	1,042
83.00	1,904	2,946
83.50	8,017	10,963
84.00	15,838	26,801

FPI-B200-SOUTH-04 (SMF-B200-01)		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
81.00	0	0
81.50	35,942	35,942
82.00	49,984	85,926
82.50	106,234	192,159
83.00	127,664	319,824
83.50	146,891	466,714
84.00	153,457	620,171

FPI-B200-SOUTH-05 (SMF-B200-03)		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
82.00	0	0
82.50	12,368	12,368
83.00	24,555	36,923
83.50	27,401	64,324
84.00	54,606	118,930

Floodplain Impacts (Basin 300 South)

FPI-B300-SOUTH-01 & 02		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
78.00	0	0
78.50	4,832	4,832
79.00	5,160	9,992
79.50	5,160	15,152
80.00	5,160	20,312
80.50	102,034	122,346
81.00	113,314	235,660
81.50	115,029	350,689
82.00	116,743	467,432
82.50	118,555	585,987
83.00	120,367	706,354
83.50	211,242	917,596
84.00	264,214	1,181,810

FPI-B300-SOUTH-03 (SMF-B300-03)		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
78.00	0	0
78.50	134,145	134,145
79.00	162,191	296,336
79.50	214,665	511,001
80.00	231,638	742,638
80.50	237,246	979,884
81.00	237,246	1,217,130
81.50	237,246	1,454,376
82.00	237,246	1,691,621
82.50	237,246	1,928,867
83.00	237,246	2,166,113
83.50	237,246	2,403,359
84.00	237,246	2,640,604

Floodplain Impacts (Basin 200 North)

FPI-B200-NORTH-01		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
80.00	0	0
80.50	16,272	16,272
81.00	32,543	48,815
81.50	38,695	87,510
82.00	44,846	132,356
82.50	49,588	181,944
83.00	54,330	236,274
83.50	56,584	292,858
84.00	58,837	351,695

Floodplain Impacts (Basin 300 North)

FPI-B300-NORTH-01 & 02 & 03		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
80.00	0	0
80.50	36,006	36,006
81.00	40,556	76,562
81.50	43,160	119,723
82.00	45,764	165,486
82.50	48,292	213,778
83.00	50,820	264,599
83.50	53,475	318,074
84.00	56,262	374,336

Impact Summary (Combined B200 & 300)

South Side - 200 & 300 & SMF 200-01 & SMF-300-01 Combined - (For FPC B300-South-01)		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
78.00	0	0
78.50	138,977	138,977
79.00	167,351	306,328
79.50	219,825	526,153
80.00	236,798	762,950
80.50	339,560	1,102,510
81.00	351,119	1,453,629
81.50	389,843	1,843,472
82.00	406,666	2,250,138
82.50	466,954	2,717,092
83.00	492,423	3,209,515
83.50	603,705	3,813,220
84.00	664,424	4,477,644

South Side - 200 & 300 & SMF 200-01 Combined - (For FPC B300-South-02)		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
78.00	0	0
78.50	4,832	4,832
79.00	5,160	9,992
79.50	5,160	15,152
80.00	5,160	20,312
80.50	102,314	122,626
81.00	113,873	236,499
81.50	152,597	389,096
82.00	169,420	558,516
82.50	229,708	788,225
83.00	255,177	1,043,402
83.50	366,459	1,409,861
84.00	427,179	1,837,040

North Side - 200 & 300 Combined		
Stage (FT)	Impacts	
	Incremental Volume Impact (CF)	Cumulative Volume Impacts (CF)
80.00	0	0
80.50	52,278	52,278
81.00	73,100	125,378
81.50	81,855	207,232
82.00	90,610	297,842
82.50	97,880	395,722
83.00	105,150	500,873
83.50	110,059	610,931
84.00	115,100	726,031

APPENDIX D

Geotechnical Report

**GEOTECHNICAL EXPLORATION DATA REPORT - ROADWAY
US 98 FROM POLK COUNTY LINE TO US 301**

FPN NO. 443368-3

TEST LAB PROJECT NO. GE-20-5131

Prepared for:

**FLORIDA DEPARTMENT OF TRANSPORTATION
FDOT DISTRICT 1/7 MATERIALS OFFICE
P.O. BOX 1249, 2730 STATE ROAD 60 WEST**

Prepared by:



**P.O. Box 15732
Tampa, Florida 33684
Florida Certificate of Authorization No. 1450**



July 15, 2021

Florida Department of Transportation
FDOT District 1/7 Materials Office
P.O. Box 1249, 2730 State Road 60 West

Attention: Ms. Teresa (Terry) Puckett, P.E.

Subject: **Geotechnical Exploration Data Report - Roadway
Contract No. C-9S21 – Task 44
US 98 from Polk County Line to US 301
Pasco County, Florida
FPN No. 443368-3
Test Lab Project No. GE-20-5131**

Dear Ms. Puckett:

Test Lab, Inc. (Test Lab) has completed a Geotechnical Exploration Data Report for the above referenced project. This report presents the findings of our field exploration and laboratory testing program.

Test Lab appreciates the opportunity of providing our services to the Florida Department of Transportation (FDOT) on this project. If there are any questions concerning this exploration, or if we may be of any further assistance, please do not hesitate to contact us.

Respectfully submitted,

Test Lab, Inc.

4112 West Osborne Avenue, Tampa, Florida 33614
Florida Certificate of Authorization No. 1450

Connie Johnson-Gearhart, P.E.
Geotechnical Engineer
Florida License No. 69013

Igor Kratser
2021.07.16
10:51:09 -04'00'

Igor (Igon) Kratser, P.E.
Senior Geotechnical Engineer
Florida License No. 73129



This item has been digitally signed and sealed by Igor (Igon) Kratser, P.E. on the date adjacent to the seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Copies Submitted: (1) PDF

TABLE OF CONTENTS

Page 1 of 1

PROJECT INFORMATION 1
Project Description 1
General Site Conditions 1
PURPOSE AND SCOPE OF SERVICES 1
REVIEW OF AVAILABLE DATA 2
Regional Geology 2
USGS Quadrangle Maps 4
USDA/NRCS Soil Survey 4
Potentiometric Surface Maps 4
SUBSURFACE EXPLORATION 4
Boring Location Plan 4
Borings 4
LABORATORY TESTING 5
Test Designation 5
RESULTS OF SUBSURFACE EXPLORATION 6
General Soil Conditions 6
Groundwater 7
Seasonal High Groundwater Estimates 7
Resilient Modulus Testing 8
LIMITATIONS 8

APPENDIX A

- USDA & USGS Vicinity Maps (Sheet 1)
- Roadway Soils Survey (Sheet 2)
- Boring Location Plan (Sheets 3 – 15)
- Soil Profiles (Sheets 16 - 24)

APPENDIX B

- Summary of USDA Soil Survey-Polk County
- Summary of USDA Soil Survey-Pasco County
- Summary of Seasonal High Groundwater Table Estimates

APPENDIX C

- Summary of Laboratory Test Results
- Summary of Corrosion Test Results
- Resilient Modulus Test Results

PROJECT INFORMATION

Project Description

This report focuses on a subsurface exploration along the referenced alignment of US 98. The subsurface information obtained to date is provided herein.

General Site Conditions

The existing roadway section of US 98 along the referenced alignment consists of a two-lane road that is supported by a slightly raised embankment with right turn lanes, left turn lanes and crossovers. There are two (2) bridge crossings along the alignment, one at the Hillsborough River and one over Old Lakeland Highway. The stormwater conveyance system within the project alignment consists of linear swales and culvert crossings adjacent to the existing roadway. A portion of the project corridor extends through undeveloped private parcels and along Clinton Avenue. Land use adjacent to the alignment is generally considered rural with occasional residential development.

PURPOSE AND SCOPE OF SERVICES

The geotechnical exploration presented herein was performed to obtain subsurface information at the above referenced site. The following services were provided in order to achieve the preceding objective:

- i. Reviewed readily available published topographic and soils information. This information included Florida Quadrangle maps published by the United States Geological Survey (USGS), the "Soil Survey of Pasco County, Florida" and "Soil Survey of Polk County", both published by the United States Department of Agriculture (USDA) Natural Resource Conservation Services (NRCS), and the "Potentiometric Surface of the Upper Floridan Aquifer in the Southwest Florida Water Management District – September 2015" map produced by Southwest Florida Water Management District.
- ii. Completed a program of subsurface exploration consisting of one hundred eighty-three (183) hand and power auger borings advanced to depths of 6 to 11½ feet. Estimated Seasonal High Groundwater Table (SHGWT) at the boring locations.
- iii. Collected bulk samples at 18 locations along the project alignment. Transported the bulk samples to the State Materials Office in Gainesville for Resilient Modulus (M_r) testing.
- iv. Visually classified the recovered soil samples in the laboratory. Performed laboratory tests on selected representative samples to develop the soil legend for the project using the American Association of State Highway and Transportation Officials (AASHTO) Soil Classification System.
- v. Prepared this Geotechnical Exploration Data Report for the project.

REVIEW OF AVAILABLE DATA

Regional Geology

Pasco County is in the central or mid-peninsular physiographic zone of the Florida Peninsula. The county is characterized by discontinuous highlands in the form of ridges separated by broad valleys. The ridges are above the static level of the water in the aquifer but the broad valleys are below it. Broad shallow lakes are common on the valley floors, and smaller deep lakes are on the ridges. Based on physiography, the county can be divided into five areas: the Coastal Swamps, the Gulf Coastal Lowlands, the Brooksville Ridge, the Tsala Apopka Plain and the Western Valley.

The county is underlain by several thousand feet of sedimentary rock, principally various limestone formations. A very gently sloping, very flat limestone terrain extends inland from the Gulf of Mexico. This is the Coastal Swamps area. It extends the length of the county and ranges up to about 2 miles in width. As one goes inland from the coast, the terrain changes very gradually from shallow marine water to salt marshes to fresh water swamps. Much of the area is shallow to limestone and because there are no barrier formations, sands did not accumulate and beaches did not form. In some areas, the limestone has dissolved and pockets of organic materials have accumulated. As a result, some places have a mixture of organic and mineral soils.

The soils of the Coastal Swamps area are very poorly drained, and the marsh areas are subject to daily flooding by normal tides. The vegetation ranges from salt-tolerant grasses in the marshes to stands of mixed hardwoods on more elevated areas. Elevation ranges from sea level to about 10 feet above sea level. Some urban development has taken place in the area. In some places limestone is mined.

The Gulf Coastal Lowlands lie between the Coastal Swamps and the Brooksville Ridge and the Western Valley. In the northern part of the county they conjoin the Brooksville Ridge, and in the southern part they conjoin the Western Valley area at Zephyrhills Gap. The elevation ranges between about 10 and 50 feet above sea level. The area consists mainly of pine and saw palmetto flatwoods and has numerous small ponds and broad grassy sloughs. The soils are predominantly nearly level, wet and sandy. Some areas have deep, well drained and excessively drained sands which are relict sand dunes. Much of the urban development in the county has occurred on the better drained parts of the lowlands. Much of the wetter acreage is used as pastureland.

The Brooksville Ridge extends south from Hernando County to about the area of Zephyrhills. It extends about from Florida Highway 581 on the west to U.S. Highway 301 on the east. Considerable local relief has developed along the ridge as a result of the numerous sinkholes. The elevation varies from about 70 to 300 feet over short distances. Clay Hill, 6 miles northwest of Dade City, reaches an altitude of 301 feet, while Lake Dowling, a sinkhole lake 0.7 mile away, is at an altitude of only 75 feet. There is little surface drainage. Most of the surface is covered by a few feet of sand. Near the western side of the ridge are thicker deposits of sand that may be old stabilized dunes. Natural vegetation on the deep sands is mainly turkey oak and scattered longleaf pine. Other areas consist of poorly drained to well drained, sandy to clayey soils that support pine and hardwoods. Much of the Brooksville Ridge has been cleared and is used for cultivated crops and pasture.

The Tsala Apopka Plain extends south from Hernando County east of U.S. Highway 301 to about 3 miles north of Dade City. It is about 6 miles wide and ranges in elevation from about 75 to 85 feet above sea level. The area consists mostly of pine and saw palmetto flatwoods. Numerous ponds, depressions and broad grassy sloughs are present. The soils are mainly nearly level and wet and generally have a loamy subsoil. Most of this area remains in natural vegetation and is used primarily as woodland and wildlife habitat.

The Western Valley extends the length of the county on its eastern side. The Western Valley turns west at the termination of the Brooksville Ridge and unites with the Gulf Coastal Lowlands at Zephyrhills Gap. It contains the valleys of the Withlacoochee and Hillsboro Rivers and consists mainly of poorly drained sandy soils. The vegetation is mainly longleaf pine and saw palmetto.

Most of the soils in the Western Valley have loamy subsoil ranging from acid to alkaline over short distances. Outcroppings of limestone are common in some parts. Scattered throughout the Western Valley area are small to large, slightly depressional areas of sandy soils that support mixed swamp hardwoods and cypress. Much of the area remains in natural vegetation but some areas have been cleared and planted to improve pasture and cultivated crops.

The drainage of the area has been studied. Much of the water falling on the county is returned to the atmosphere by evaporation and transpiration. The remainder enters the ground. Ultimately, all of this ground water flows into the Gulf of Mexico. It drains from the area through the underlying limestone and via a few surface streams. Streams are present only where materials of slow permeability overlie the limestone or the water level in the limestone is near the ground surface. The Pthlachascotee and Anclote Rivers drain the area west of U.S. Highway 41 and south of Florida Highway 52. The southeastern and south-central parts of the county are drained by tributaries of the Hillsborough River. The Withlacoochee River drains the eastern part of the county.

Some areas of the county have sinkhole drainage patterns. Bear Creek, for example, drains into Bear Sink and, when Bear Sink is full, into a second sinkhole. In periods when both of these sinks cannot drain the full water flow, the excess flows westward, via a poorly developed channel, across U.S. Highway 19 to the Gulf of Mexico. Several lakes east of Port Richey are drained by Rocky Sink.

Some parts of the county are drained by closed depressions. These are common in the drainage area of streams. These closed depressions, which drain internally, generally provide adequate subsurface drainage during periods of normal rainfall. During very wet periods, however, the closed depressional drains may receive more water than they can release into the underlying limestone formation. Then, the closed depressions become flowing springs.

Groundwater drainage emerges as spring flow at or near the coast. Spring flow increases during wet periods, but there is a lag period in relation to the periods of rainfall inland. The water from the springs has a bicarbonate level of about 100 to 200 parts per million. The chloride content of the inland springs is low, and that of springs near the coast is much greater.

USGS Quadrangle Maps

Based on a review of the Florida Quadrangle Maps, it appears that the natural ground surface elevations within the project corridor range from approximately +80 feet to +155 feet North American Vertical Datum of 1988 (NAVD88) as illustrated on the **USGS Vicinity Map (Sheet 1)** in **Appendix A**. The existing ground surface elevations have been slightly altered due to road grading and embankment, however, based on the survey information for the project the current ground elevations are generally near or within the range provided on the Quadrangle Maps.

USDA/NRCS Soil Survey

Based on a review of the Pasco County Soil Survey and Polk County Soil Survey, published by the USDA/NRCS, it appears that there are thirteen (13) soil-mapping units and one (1) soil-mapping unit, respectively, noted within the project alignment. A reproduction of the **USDA Vicinity Map (Sheet 1)** is illustrated in **Appendix A** and the soil mapping units are summarized in **Appendix B**.

It should be noted that information contained in the USDA/NRCS Soil Survey may not be reflective of actual soil and groundwater conditions, particularly if recent development in the project vicinity has modified soil conditions or surface/subsurface drainage.

Potentiometric Surface Maps

Based on a review of the "Potentiometric Surface of the Upper Floridan Aquifer" (published in 2015) produced by Southwest Florida Water Management District, the potentiometric surface elevation of the upper Floridan Aquifer in the project alignment appears to be approximately +70 feet to +90 feet, NGVD29. Artesian conditions were not encountered at the time of our field activities.

SUBSURFACE EXPLORATION

Boring Location Plan

Prior to commencing our subsurface exploration, a boring location plan was prepared based on team needs, accessible areas and our engineering judgment. The borings were located in the field using hand-held Global Positioning System (GPS) equipment. The borings were generally performed at the proposed boring locations.

Utility clearances were coordinated by Test Lab and updated as required prior to performing the soil borings in order to reduce the potential for damage to utilities during our subsurface explorations. The subsurface explorations were performed in general compliance with the applicable FDOT Roadway and Traffic Design Standard Indices.

Borings

Test Lab performed one hundred eighty-three (183) hand and power auger borings along the project corridor. The borings were performed to evaluate the shallow subsurface soil conditions and measure the ground water table level. In areas where shallow groundwater table was present and required boring depth could not be achieved by hand auger method due to "cave-in" of borehole were extended utilizing power auger. The hand auger borings were performed by manually twisting and advancing a bucket auger into

the ground, typically in 4 to 6 inch increments. Representative samples were collected and returned to our laboratory to be evaluated and classified by a geotechnical engineer. The power auger borings were performed by advancing a rotating flight auger slowly into the ground in a “corkscrew” fashion, so as not to mix the soils. The flight auger was then retrieved and a representative samples were collected and returned to our laboratory for review and classification by a geotechnical engineer. The soil profiles of the borings performed are shown on the **Soil Profiles (Sheets 16 - 24)** in **Appendix A**.

The latitude, longitude and elevation of each boring were provided by the project surveyor. The roadway boring locations are shown on the **Boring Location Plan (Sheets 3 - 15)** in **Appendix A**.

LABORATORY TESTING

Representative soil samples collected from the borings were classified and stratified in general accordance with the American Association of State Highway and Transportation Officials (AASHTO) Soil Classification System. The classification was based on visual observations, using the results of laboratory testing as confirmation. These tests included grain-size analyses, Atterberg Limits, natural moisture content, organic content and environmental corrosion series.

Test Designation

The following list summarizes the laboratory tests performed and respective test methods utilized.

- i. Grain-Size Analyses - The grain-size analyses were conducted in general accordance with the AASHTO test designation T-088 (ASTM test designation D-422).
- ii. Atterberg Limits - The liquid limit and the plastic limit tests ("Atterberg Limits") were conducted in general accordance with the AASHTO test designations T-089 and T-090, respectively (ASTM test designation D-4318).
- iii. Natural Moisture Content - The moisture content tests were conducted in general accordance with the AASHTO test designation T-265 (ASTM test designation D-2216).
- iv. Organic Content – The organic content tests were conducted in general accordance with the ASSHTO test designation T-267 (ASTM test designation D-2974).
- v. Environmental Corrosion Series – The environmental corrosion tests were conducted in general accordance with the FDOT test designations FM 5-550, FM 5-551, FM 5-552 and FM 5-553.

A summary of the laboratory test results for each soil stratum is presented on the **Roadway Soils Survey (Sheet 2)** in **Appendix A**. This sheet includes ranges of laboratory test results for different soil strata. A detailed summary of the laboratory test results is presented in **Appendix C**.

In addition, eighteen (18) bulk samples were collected along the referenced alignment. The samples were delivered to the State Materials Office for Resilient Modulus testing. The Resilient Modulus testing results are shown in **Appendix C** of this Report.

RESULTS OF SUBSURFACE EXPLORATION

General Soil Conditions

The near surface soils along the project corridor have been grouped into seven (7) strata, based on borings and laboratory testing. Each stratum exhibits a range of engineering properties related to suitability for roadway construction as outlined by FDOT Standard Index 120-0010. The **Roadway Soils Survey (Sheet 2)** in **Appendix A** shows the general range of engineering properties measured in the laboratory for the various soil strata encountered during our exploration.

The detailed results of the soil borings performed within the project corridor are presented in **Appendix A** in the form of soil profiles, along with the profile legend and other pertinent information such as measured groundwater levels. Soil stratification is based on an examination of the recovered soil samples, the laboratory testing, and interpretation of field boring logs by a geotechnical engineer. The stratification lines represent the approximate boundaries between soil types of significantly different engineering properties. The actual transition may be gradual. In some cases, small variations in properties not considered pertinent to our engineering evaluation may have been abbreviated or omitted for clarity. The profiles represent the conditions at the boring locations only and variations may occur among and between the borings.

In general, the soil strata encountered in the soil borings performed along the project corridor are summarized in the following table:

Stratum Number	Typical Soil Description	AASHTO Classification
1	Light Gray to Very Dark Gray to Dark Yellowish-Brown to Very Pale Brown to Black SAND to SAND with SILT with occasional to some limerock or rock fragments	A-3/A-2-4
2	Light Gray to Very Dark Gray to Dark Yellowish-Brown to Very Pale Brown to Black SAND to SAND with SILT	A-3/A-2-4
3	Brownish-Yellow and Light Gray Mosaic to Light Brownish-Gray to Dark Gray to Yellowish-Brown to Brown Silty SAND	A-2-4
4	Brownish-Yellow and Light Gray Mosaic to Light Brownish-Gray to Dark Gray to Yellowish-Brown to Brown CLAY to Silty-Clayey SAND	A-7-6/A-6/A-4
5	Very Dark Brown to Black Muck	A-8
6	Very Dark Brown to Black SAND to Silty SAND with Organics to Trace Organics	A-3/A-2-4

Stratum Number	Typical Soil Description	AASHTO Classification
7	Weathered LIMESTONE	*

**AASHTO does not provide classification designation for Weathered Limestone.*

Some of the borings contained rootlets, clayey lenses or clay, decayed wood fragments and/or vegetative matter and cemented sand and/or limestone fragments. Where discernable amounts of these materials were encountered, the soil profiles are amended with an A, B, C, and D subscript, respectively.

Groundwater

The groundwater, when encountered, was measured in the borings at depths ranging from 1½ feet to 9½ feet below existing grade. Groundwater table depths at the time of the field exploration are presented graphically on the **Soil Profiles (Sheets 16 – 24) in Appendix A**. The groundwater table was mostly not encountered in borings B-78 through B-183 and was noted with a GNE on the **Soil Profiles (Sheets 16 – 24) and Seasonal High Groundwater Estimates Summary Table in Appendix B**.

Groundwater conditions will vary with environmental variations and seasonal conditions, such as the frequency and magnitude of rainfall patterns, as well as man-made influences (i.e. existing water management canals, swales, drainage ditch, underdrains, and areas of covered soils, such as paved parking lots and sidewalks).

Seasonal High Groundwater Estimates

The seasonal high groundwater table (SHGWT) is typically encountered during late summer following the rainy season. Several factors affect the seasonal high groundwater table including the amount of rainfall; the drainage characteristics of the soils; the land surface elevation; relief points such as lakes, river or swamps; and distance to relief points are some more important factors influencing the seasonal high groundwater table. The USDA soil survey provides the historical SHGWT based on the soil type. The reported SHGWT ranges from the natural ground surface to greater than 6 feet below natural ground, based on the soil type. However, portions of the alignment have been previously developed; therefore the USDA data may not reflect the current site conditions.

The estimated seasonal high groundwater table levels along the alignment ranged from 1 foot to greater than 6 feet below the existing ground surface. The estimated SHGWT could not be determined due to the in-situ disturbed soil conditions in borings B-35, B-36, B-47, B-72, B-73 and B-74. In boring B-63 the seasonal high groundwater table was determined considering the perched condition above clayey soil.

The SHGWT summary are presented adjacent to the soil profile on the **Soil Profile Sheets in Appendix A** and in a **Seasonal High Groundwater Estimates Summary Table in Appendix B**.

Resilient Modulus Testing

Bulk soil samples were retrieved for Resilient Modulus, M_r , testing at 18 locations along the project alignment. These samples were delivered in coordination with the FDOT to the State Materials Office in Gainesville. The results of these test are provided in **Appendix C** of this report along with FDOT's recommendations on the design M_r value.

LIMITATIONS

Our professional services have been performed in accordance with generally accepted geotechnical engineering principles and practices at the time of this report. This company is not responsible for the conclusions, opinions or recommendations made by others based on these data.

The scope of the exploration was intended to evaluate general soil conditions within the project corridor. This report presents the geotechnical conditions based on the data obtained from the soil borings performed at the locations indicated in this report and does not reflect any variations which may occur among these borings. If any variations become evident during the course of design and/or construction, a re-evaluation of the conditions contained in this report is the responsibility of the design team.

The data presented in this report is for informational purposes only. Project specific geotechnical evaluations should be completed by the design team for design and construction of this project. It should be noted that the design team will be responsible for interpretation of the data presented in this report.



The scope of services, included herein, did not include any environmental assessment for the presence or absence of hazardous or toxic materials in the soil, surface water, groundwater, air, on the site, below and around the site. Any statements in this report or on the boring logs regarding odors, colors, unusual or suspicious items and conditions are strictly for the information of our client.

APPENDIX A


USDA & USGS Vicinity Map (Sheet 1)
Roadway Soils Survey (Sheet 2)
Boring Location Plan (Sheets 3 - 15)
Soil Profiles (Sheets 16 - 24)

Reference: USDA Soil Survey of Pasco & Polk County, Florida

USDA NRCS SOIL MAP & USGS QUADRANGLE MAP



Reference: United States Geological Survey (USGS) - Pasco County, Florida



LEGEND	
	Soil Map Unit Lines
	Approximate Project Limits
	NAVD Elevation Contour
	North American Vertical Datum of 1988 (NAVD) Spot Elevation
2	Pomona Fine Sand
5	Myakka-Myakka, Wet, Fine Sands, 0 to 2 Percent Slopes
6	Tavares Sand, 0 to 5 Percent Slopes
7	Sparr Fine Sand, 0 to 5 Percent Slopes
7	Pomona Fine Sand (Polk County)
8	Sellers Mucky Loamy Fine Sand
13	Candler Fine Sand, 0 to 5 Percent Slopes
16	Zephyr Muck
32	Lake Fine Sand, 0 to 5 Percent Slopes
35	EauGallie Fine Sand
39	Chobee Soils, Frequently Flooded
43	Arredondo Fine Sand, 0 to 5 Percent Slopes
45	Kendrick Fine Sand, 0 to 5 Percent Slopes
72	Orlando Fine Sand, 0 to 5 Percent Slopes

TESTLAB INC.
 GEOTECHNICAL & MATERIALS
 ENGINEERING, TESTING & INSPECTION
 Tampa Office: 4112 W. Cabernie Ave. Phone (813) 872-7821 Fax (813) 872-1876
 Brooksville Office: 3317 Princeton Rd. Phone (352) 277-6998 Fax (813) 872-1876
 Certificate of Authorization No. 1450

Engineer of Record:
Igor (Igon) Kratser, P.E.
 License #73129

US 98 From Polk County Line to US 301
 Pasco County, Florida
 FPID No.: 443368-3

USDA NRCS Soil Map & USGS Quadrangle Map

Project #: GE-20-5131	Sheet: 1
Date: November 2020	
Scale: As Shown	

DATE OF SURVEY: AUGUST TO SEPTEMBER 2020
 SURVEY MADE BY: TEST LAB, INC.
 SUBMITTED BY: IGOR (IGON) KRATSER, P.E.

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION
MATERIALS AND RESEARCH

DISTRICT: 7
 ROAD NO.: US 98
 COUNTY: PASCO

PROJECT NAME: US 98 FROM POLK COUNTY LINE TO US 301

CROSS SECTION SOIL SURVEY FOR THE DESIGN OF ROADS

SURVEY BEGINS STA. : N/A SURVEY ENDS STA. : N/A

STRATUM NO.	ORGANIC CONTENT		MOISTURE CONTENT		SIEVE ANALYSIS RESULTS PERCENT PASS (%)					ATTERBERG LIMITS (%)			AASHTO GROUP	DESCRIPTION	CORROSION TEST RESULTS					
	NO. OF TESTS	% ORGANIC	NO. OF TESTS	MOISTURE CONTENT	NO. OF TESTS	10 MESH	40 MESH	60 MESH	100 MESH	200 MESH	NO. OF TESTS	LIQUID LIMIT			PLASTIC INDEX	NO. OF TESTS	RESISTIVITY ohm-cm	CHLORIDE ppm	SULFATES ppm	pH
1.	-	-	1	13	3	88 - 99	85 - 97	67 - 78	35 - 36	9 - 11	-	-	-	A-3/ A-2-4	LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS	1	12,000	50	≤ 2	7.4
2.	-	-	-	-	11	92 - 100	86 - 99	71 - 86	32 - 50	4 - 11	-	-	-	A-3/ A-2-4	LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT	4	17,000 - 32,000	48 - 59	≤ 2 - 6	7.8 - 8.2
3.	-	-	7	13 - 44	8	99 - 100	91 - 99	55 - 88	33 - 57	19 - 28	7	NP - 23	NP - 9	A-2-4	BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND	1	7,200	52	≤ 2	8.0
4.	-	-	7	15 - 21	7	98 - 100	92 - 98	80 - 86	49 - 63	35 - 44	7	20 - 43	6 - 23	A-7-6/A-6/ A-4	BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND	-	-	-	-	-
5.	1	16	1	43	1	100	97	83	46	23	-	-	-	A-8	VERY DARK BROWN TO BLACK MUCK	-	-	-	-	-
6.	7	2 - 5	7	12 - 32	7	99 - 100	92-98	74 - 84	36 - 47	9 - 31	-	-	-	A-3/ A-2-4	VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS	-	-	-	-	-
7.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WEATHERED LIMESTONE	-	-	-	-	-

NOTES:

- STRATA BOUNDARIES ARE APPROXIMATE AND REPRESENT SOIL STRATA AT EACH BORING LOCATION. SUBSURFACE VARIATIONS BETWEEN BORINGS SHOULD BE ANTICIPATED.
- THE MATERIAL FROM STRATUM 1 (A-3/A-2-4) APPEARS SATISFACTORY FOR USE IN THE EMBANKMENT WHEN UTILIZED IN ACCORDANCE WITH STANDARD PLANS, INDEX 120-001.
- THE MATERIAL FROM STRATUM 2 (A-3/A-2-4) APPEARS SATISFACTORY FOR USE IN THE EMBANKMENT WHEN UTILIZED IN ACCORDANCE WITH STANDARD PLANS, INDEX 120-001.
- THE MATERIAL FROM STRATUM 3 (A-2-4) APPEARS SATISFACTORY FOR USE IN EMBANKMENT WHEN UTILIZED IN ACCORDANCE WITH INDEX 120-001. HOWEVER, THIS MATERIAL IS LIKELY TO RETAIN EXCESS MOISTURE AND MAY BE DIFFICULT TO DRY AND COMPACT. IT SHOULD BE USED IN THE EMBANKMENT ABOVE THE WATER LEVEL EXISTING AT TIME OF CONSTRUCTION.

EMBANKMENT AND SUBGRADE MATERIAL

- THE SYMBOL "-" REPRESENTS AN UNMEASURED PARAMETER
 GNE GROUNDWATER TABLE NOT ENCOUNTERED
 ▽ GROUNDWATER LEVEL AT TIME OF DRILLING
 ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
 ▼⁺ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) GREATER THAN DESIGNATED DEPTH
 ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS
 A - WITH ROOTLETS
 B - WITH CLAY LENSES OR CLAY
 C - WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
 D - WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS


- THE MATERIAL FROM STRATUM 4 (A-7-6/A-6/A-2-6/A-4) IS PLASTIC MATERIAL AND SHALL BE REMOVED IN ACCORDANCE WITH INDEX 120-002 AND UTILIZED IN ACCORDANCE WITH INDEX 120-001.
- THE MATERIAL FROM STRATUM 5 (A-8) IS ORGANIC MATERIAL AND SHALL BE REMOVED IN ACCORDANCE WITH INDEX 120-002.
- THE MATERIAL FROM STRATUM 6 (A-3/A-2-4) APPEARS SATISFACTORY FOR USE IN THE EMBANKMENT WHEN UTILIZED IN ACCORDANCE WITH INDEX 120-001. HOWEVER, THIS MATERIAL MAY NOT BE USED IN THE SUBGRADE PORTION OF THE ROADBED DUE TO ITS ORGANIC CONTENT.
- THE MATERIAL FROM STRATUM 7 (WEATHERED LIMESTONE) IS ROCK-LIKE AND IS LOCATED IN SOME AREAS WITHIN THE PROJECT VICINITY. FOUNDATION, UTILITY, AND STORMWATER POND EXCAVATIONS IN THOSE AREAS MAY BE DIFFICULT. IN ADDITION, THE MATERIAL FROM STRATUM 7 MAY BE POROUS AND DIFFICULT TO DEWATER.

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO. 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 2
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	



LEGEND

⊕ LOCATION OF HAND AUGER BORING




REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			<i>TEST LOCATION PLAN (1)</i>	SHEET NO. 3
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




LEGEND

⊕ LOCATION OF HAND AUGER BORING





REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			<i>TEST LOCATION PLAN (2)</i>	SHEET NO. 4
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

 LOCATION OF HAND AUGER BORING





REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			<i>TEST LOCATION PLAN (3)</i>	SHEET NO. 5
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

 LOCATION OF HAND AUGER BORING





REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			TEST LOCATION PLAN (4)	SHEET NO. 6
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

 LOCATION OF HAND AUGER BORING



REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			TEST LOCATION PLAN (5)	SHEET NO. 7
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

⊕ LOCATION OF HAND AUGER BORING

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

IGOR (IGON) KRATSER, P.E.
P.E. NO.: 73129
TEST LAB, INC.
4112 WEST OSBORNE AVENUE
TAMPA, FL 33614

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3

TEST LOCATION PLAN (6)

SHEET NO.
8

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

⊕ LOCATION OF HAND AUGER BORING

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			<i>TEST LOCATION PLAN (7)</i>	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		9
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

⊕ LOCATION OF HAND AUGER BORING

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

IGOR (IGON) KRATSER, P.E.
P.E. NO.: 73129
TEST LAB, INC.
4112 WEST OSBORNE AVENUE
TAMPA, FL 33614

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3

TEST LOCATION PLAN (8)

SHEET NO.
10

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

⊕ LOCATION OF HAND AUGER BORING

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION

IGOR (IGON) KRATSER, P.E.
P.E. NO.: 73129
TEST LAB, INC.
4112 WEST OSBORNE AVENUE
TAMPA, FL 33614

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3

TEST LOCATION PLAN (9)

SHEET NO.
11

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

⊕ LOCATION OF HAND AUGER BORING

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			<i>TEST LOCATION PLAN (10)</i>	SHEET NO. 12
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

⊕ LOCATION OF HAND AUGER BORING


REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			TEST LOCATION PLAN (11)	SHEET NO. 13
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

⊕ LOCATION OF HAND AUGER BORING



REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			<i>TEST LOCATION PLAN (12)</i>	SHEET NO. 14
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION


IGOR (IGON) KRATSER, P.E.
P.E. NO.: 73129
TEST LAB, INC.
4112 WEST OSBORNE AVENUE
TAMPA, FL 33614

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3


TEST LOCATION PLAN (13)

SHEET NO.
15


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



BOR # B-1 DATE 9/2/2020 LAT. 28.25917259° LONG. -82.07579947°
 BOR # B-2 DATE 8/24/2020 LAT. 28.25977906° LONG. -82.07641805°
 BOR # B-3 DATE 9/2/2020 LAT. 28.25998461° LONG. -82.07719524°
 BOR # B-4 DATE 8/25/2020 LAT. 28.26048412° LONG. -82.0772758°
 BOR # B-5 DATE 9/2/2020 LAT. 28.26071941° LONG. -82.07848134°
 BOR # B-6 DATE 8/25/2020 LAT. 28.26122044° LONG. -82.07909238°
 BOR # B-7 DATE 9/2/2020 LAT. 28.26142562° LONG. -82.07975918°



BOR # B-8 DATE 8/25/2020 LAT. 28.26195630° LONG. -82.08041893°
 BOR # B-9 DATE 9/2/2020 LAT. 28.26214511° LONG. -82.08103509°
 BOR # B-10 DATE 8/25/2020 LAT. 28.26267284° LONG. -82.08170237°
 BOR # B-11 DATE 9/2/2020 LAT. 28.26290447° LONG. -82.08240213°
 BOR # B-12 DATE 8/25/2020 LAT. 28.26341048° LONG. -82.08302914°
 BOR # B-13 DATE 9/1/2020 LAT. 28.26363246° LONG. -82.08372480°
 BOR # B-14 DATE 8/25/2020 LAT. 28.26411801° LONG. -82.08429701°




BOR # B-15 DATE 9/1/2020 LAT. 28.26435949° LONG. -82.08502388°
 BOR # B-16 DATE 8/25/2020 LAT. 28.26488900° LONG. -82.08567355°
 BOR # B-17 DATE 9/1/2020 LAT. 28.26506893° LONG. -82.08628432°
 BOR # B-18 DATE 8/25/2020 LAT. 28.26565228° LONG. -82.08702857°
 BOR # B-19 DATE 9/1/2020 LAT. 28.26585899° LONG. -82.08769638°
 BOR # B-20 DATE 8/25/2020 LAT. 28.26635224° LONG. -82.08828403°
 BOR # B-21 DATE 9/1/2020 LAT. 28.26657667° LONG. -82.08897050°

LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMESTONE OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 16
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



- LEGEND**
- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
 - 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
 - 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
 - 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
 - 5 VERY DARK BROWN TO BLACK MUCK (A-8)
 - 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
 - 7 WEATHERED LIMESTONE
 - A WITH ROOTLETS
 - B WITH CLAY LENSES OR CLAY
 - C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
 - D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
 - A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
 - GNE GROUNDWATER TABLE NOT ENCOUNTERED
 - ▽ GROUNDWATER TABLE AT TIME OF DRILLING
 - ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
 - ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SOIL PROFILES (2)	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		17
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SOIL PROFILES (3)	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		18
					US 98	PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




IGOR (IGON) KRATSER, P.E.
P.E. NO.: 73129
TEST LAB, INC.
4112 WEST OSBORNE AVENUE
TAMPA, FL 33614

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION		
ROAD NO.	COUNTY	FINANCIAL PROJECT ID
US 98	PASCO	443368-3

SOIL PROFILES (4)

SHEET NO.
19

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.






LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 20
DATE	DESCRIPTION	DATE	ROAD NO.		COUNTY	FINANCIAL PROJECT ID		
			US 98		PASCO	443368-3		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 21
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 22
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 23
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




LAT. 28.32817633°
LONG. -82.17655495°


LAT. 28.32827034° LONG. -82.17734461°
 LAT. 28.32846990° LONG. -82.17813889°
 LAT. 28.32836571° LONG. -82.17883355°
 LAT. 28.32847466° LONG. -82.17968590°
 LAT. 28.32837074° LONG. -82.18031782°
 LAT. 28.32848254° LONG. -82.18123214°

LEGEND

- 1 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT WITH OCCASIONAL TO SOME LIMEROCK OR ROCK FRAGMENTS (A-3/A-2-4)
- 2 LIGHT GRAY TO VERY DARK GRAY TO DARK YELLOWISH-BROWN TO VERY PALE BROWN TO BLACK SAND TO SAND WITH SILT (A-3/A-2-4)
- 3 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN SILTY SAND (A-2-4)
- 4 BROWNISH-YELLOW AND LIGHT GRAY MOSAIC TO LIGHT BROWNISH-GRAY TO DARK GRAY TO YELLOWISH-BROWN TO BROWN CLAY TO SILTY-CLAYEY SAND (A-7-6/A-6/A-4)
- 5 VERY DARK BROWN TO BLACK MUCK (A-8)
- 6 VERY DARK BROWN TO BLACK SAND TO SILTY SAND WITH ORGANICS TO TRACE ORGANICS (A-3/A-2-4)
- 7 WEATHERED LIMESTONE
- A WITH ROOTLETS
- B WITH CLAY LENSES OR CLAY
- C WITH DECAYED WOOD FRAGMENTS AND/OR VEGETATIVE MATTER
- D WITH CEMENTED SAND AND/OR LIMESTONE FRAGMENTS
- A-3 AASHTO GROUP SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- GNE GROUNDWATER TABLE NOT ENCOUNTERED
- ▽ GROUNDWATER TABLE AT TIME OF DRILLING
- ▼ ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT)
- ▼^P ESTIMATED SEASONAL HIGH GROUNDWATER TABLE (SHGWT) WITH PERCHED CONDITIONS



LAT. 28.32837468° LONG. -82.18200637°
 LAT. 28.32849056° LONG. -82.18282459°
 LAT. 28.32834798° LONG. -82.18359309°
 LAT. 28.32851490° LONG. -82.18432056°
 LAT. 28.32827791° LONG. -82.18509988°
 LAT. 28.32857064° LONG. -82.18589046°
 LAT. 28.32825865° LONG. -82.18664857°



LAT. 28.32854922°
LONG. -82.18822595°

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 24
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

APPENDIX B

Summary of USDA Soil Survey-Polk County
Summary of USDA Soil Survey-Pasco County
Summary of Seasonal High Groundwater Table Estimates

SUMMARY OF USDA SOIL SURVEY
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPN: 443368-3
TEST LAB PROJECT NO: 20-5131

USDA Soil Name	Depth (in)	Soil Classification		Permeability (in/hr)	pH	Seasonal High Water Table	
		USCS	AASHTO			Depth (feet)	Months
(2) Pomona fine sand							
Pomona, non-hydric	0-6	SP, SP-SM	A-2-4, A-3	5.95 - 19.98	3.5-5.5	0.5-1.5	Jul-Sep
	6-22						
	22-36						
	36-52	SM, SP-SM					
	52-60	SC, SC-SM, SM	A-2-4, A-4, A-6	0.20 - 0.57			
	60-80	SM, SP-SM	A-2-4, A-3	5.95 - 19.98			
Pomona, hydric	0-6	SP, SP-SM	A-2-4, A-3	5.95 - 19.98	3.5-5.5	0.0-0.5	Feb-Oct
	6-22						
	22-36						
	36-52	SM, SP-SM					
	52-60	SC, SC-SM, SM	A-2-4, A-4, A-6	0.20 - 0.57			
	60-80	SM, SP-SM	A-2-4, A-3	5.95 - 19.98			
(5) Myakka-Myakka, wet, fine sands, 0 to 2 percent slopes							
Myakka	0-6	SM, SP-SM	A-3, A-2-4	5.95 - 19.98	3.5-6.5	0.5-1.5	Jun-Nov
	6-20			5.95 - 19.98			
	20-36						
	36-80						
Myakka, wet	0-6	SM, SP-SM	A-3, A-2-4	5.95 - 19.98	3.5-6.5	0.3-1.5	Jul-Oct
	6-20			5.95 - 19.98			
	20-36						
	36-80						
(6) Tavares sand, 0 to 5 percent slopes							
Tavares	0-7	SM, SP-SM	A-2-4, A-3	6.00 - 50.03	3.5-6.0	3.5-6.0	Jun-Dec
	7-80	SP-SM, SM					
(7) Sparr fine sand, 0 to 5 percent slopes							
Sparr	0-6	SM, SP-SM	A-2-4, A-3	5.95 - 19.98	4.5-6.5	1.5-3.5	Jul-Oct
	6-43	SP-SM					
	43-48	SC, SC-SM, SM	A-2	0.57 - 1.98	4.5-6.0		
	48-59	SC, SC-SM	A-2, A-4, A-6				
	59-80	SC, SC-SM, SM					
(8) Sellers mucky loamy fine sand							
Sellers	0-9	SM, SP-SM	A-2-4, A-3	5.95 - 19.98	6.5-5.5	0.0	Jun-Sep
	9-24						
	24-80						
(13) Candler fine sand, 0 to 5 percent slopes							
Candler	0-5	SM, SP, SP-SM	A-2-4, A-3	5.95 - 50.03	4.5-6.0	—	—
	5-74			5.95 - 19.98			
	74-80	SP-SM, SM, SP, SC-SM					

SUMMARY OF USDA SOIL SURVEY
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPN: 443368-3
TEST LAB PROJECT NO: 20-5131

USDA Soil Name	Depth (in)	Soil Classification		Permeability (in/hr)	pH	Seasonal High Water Table	
		USCS	AASHTO			Depth (feet)	Months
(16) Zephyr muck							
Zephyr	0-13	PT	A-8	5.95 - 19.98	3.5-5.5	0.0	Jun-Nov
	13-31	SP-SM, SM	A-2-4, A-3				
	31-61	SC-SM, SM	A-2-4, A-6	0.06 - 0.20			
	61-80	SM, SC-SM	A-2-4	0.57 - 5.95			
(32) Lake fine sand, 0 to 5 percent slopes							
Lake	0-9	SP-SM	A-2-4, A-3	6.00 - 50.03	4.5-5.5	—	Jan-Dec
	9-80						
(35) EauGallie fine sand							
Eaugallie, non-hydric	0-7	SP, SP-SM	A-3	5.95 - 19.98	4.5-6.5	0.5-1.5	Jun-Sep
	7-22			5.95 - 19.98			
	22-30	SM, SP-SM	A-2-4, A-3	0.57 - 5.95	5.1-6.5		
	30-51	SP, SP-SM		5.95 - 19.98			
	51-80	SC, SC-SM, SM	A-2-4, A-6	0.57 - 5.95	5.6-7.8		
(39) Chobee soils, frequently flooded							
Chobee	0-11	SM, SP-SM	A-2-4	1.98 - 5.95	6.1-7.3	0.0-0.5	Jan-Feb, Jun-Dec
	11-56	SC	A-2-6, A-2-7, A-6, A-7	0.00 - 0.20	7.4-9.0		
	56-80	SC, SC-SM, SM, SP-SM	A-2-4, A-2-6, A-6, A-7	0.20 - 5.95			
(43) Arredondo fine sand, 0 to 5 percent slopes							
Arredondo	0-8	SM, SP-SM	A-3, A-2-4	5.95 - 19.98	4.5-6.0	—	Jan-Dec
	8-62			1.98 - 5.95			
	62-69	SC-SM, SC	A-2-4, A-2-6	0.57 - 5.95			
	69-80	SC	A-6, A-7-6, A-2-4	0.57 - 5.95			
(45) Kendrick fine sand, 0 to 5 percent slopes							
Kendrick	0-7	SM, SP-SM	A-2-4, A-3	6.00 - 20.00	4.5-6.0	—	Jan-Dec
	7-28			0.60 - 6.00			
	28-73	SC	A-2-4, A-6, A-2-6	0.60 - 2.00			
	73-80		A-6, A-2-6, A-2-4				
(72) Orlando fine sand, 0 to 5 percent slopes							
Orlando	0-20	SP-SM, SM	A-2-4, A-3	5.95 - 19.98	5.1-6.0	—	Jan-Dec
	20-80	SP-SM, SM, SC-SM					

SUMMARY OF USDA NRCS SOIL SURVEY - POLK COUNTY
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPN: 443368-3
TEST LAB PROJECT NO: 20-5131

USDA Soil Name	Depth (in)	Soil Classification		Permeability (in/hr)	pH	Seasonal High Water Table	
		USCS	AASHTO			Depth (feet)	Months
(7) Pomona fine sand							
Pomona, non-hydric	0-6	SP, SP-SM	A-2-4, A-3	5.95 - 19.98	3.5-5.5	0.5-1.5	Jun-Oct
	6-21						
	21-26	SM, SP-SM		0.57 - 5.95			
	26-48	SP, SP-SM	1.98 - 19.98	3.5-6.0			
	48-73	SM, SC-SM, SC	A-2, A-4, A-6	0.20 - 1.98	3.5-5.5		
	73-80	SM, SP-SM	A-2-4, A-3	0.57 - 5.95			
Pomona, hydric	0-6	SP, SP-SM	A-2-4, A-3	5.95 - 19.98	3.5-5.5	0.0-1.0	Jun-Oct
	6-21						
	21-26	SM, SP-SM		0.57 - 5.95			
	26-48	SP, SP-SM	1.98 - 19.98	3.5-6.0			
	48-73	SM, SC-SM, SC	A-2, A-4, A-6	0.20 - 1.98	3.5-5.5		
	73-80	SM, SP-SM	A-2-4, A-3	0.57 - 5.95			

SUMMARY OF SEASONAL HIGH GROUNDWATER TABLE ESTIMATES
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPID NO.: 443368-3
TEST LAB PROJECT NO: 20-5131

Boring Name	Boring Location ⁽¹⁾		Boring Depth (feet)	Date Recorded	Ground Elevation ⁽²⁾ (feet, NAVD)	Measured Groundwater Table		USDA Soil Survey		Estimated SHGWT ⁽⁵⁾	
	Latitude	Longitude				Depth ⁽³⁾ (feet)	Elevation feet, NAVD	Map Symbol	Estimated SHGWT ⁽⁴⁾ Depth (feet)	Depth ⁽³⁾ (feet)	Elevation (feet, NAVD)
B-1	28.259173	-82.075799	10.0	9/2/2020	89.8	3.0	86.8	7	0.0-1.0	2.0	87.8
B-2	28.259779	-82.076418	10.0	8/24/2020	89.9	3.0	86.9	2	0.5-1.5	2.0	87.9
B-3	28.259985	-82.077195	10.0	9/2/2020	89.3	3.0	86.3	2	0.5-1.5	2.0	87.3
B-4	28.260484	-82.077728	10.0	8/25/2020	89.1	3.5	85.6	2	0.5-1.5	2.0	87.1
B-5	28.260719	-82.078481	10.0	9/2/2020	88.7	3.5	85.2	2	0.5-1.5	2.0	86.7
B-6	28.261220	-82.079092	10.0	8/25/2020	88.4	2.5	85.9	2	0.5-1.5	1.5	86.9
B-7	28.261426	-82.079759	10.0	9/2/2020	88.4	2.0	86.4	2	0.5-1.5	1.5	86.9
B-8	28.261956	-82.080419	10.0	8/25/2020	88.1	2.5	85.6	2	0.5-1.5	1.5	86.6
B-9	28.262145	-82.081035	10.0	9/2/2020	88.0	2.5	85.5	2	0.5-1.5	1.5	86.5
B-10	28.262673	-82.081702	10.0	8/25/2020	88.2	2.0	86.2	2	0.5-1.5	1.5	86.7
B-11	28.262904	-82.082402	10.0	9/2/2020	88.7	2.0	86.7	2	0.5-1.5	1.5	87.2
B-12	28.263410	-82.083029	10.0	8/25/2020	91.4	6.0	85.4	2	0.5-1.5	4.5	86.9
B-13	28.263632	-82.083725	10.0	9/1/2020	91.4	5.5	85.9	2	0.5-1.5	4.5	86.9
B-14	28.264118	-82.084297	10.0	8/25/2020	89.3	4.5	84.8	2	0.5-1.5	2.5	86.8
B-15	28.264359	-82.085024	10.0	9/1/2020	86.8	2.5	84.3	2	0.5-1.5	1.0	85.8
B-16	28.264889	-82.085674	10.0	8/25/2020	86.8	3.0	83.8	2	0.5-1.5	1.5	85.3
B-17	28.265069	-82.086284	10.0	9/1/2020	86.2	2.5	83.7	16	0.0	1.0	85.2
B-18	28.265652	-82.087029	10.0	8/25/2020	86.5	1.5	85.0	2	0.5-1.5	1.0	85.5
B-19	28.265859	-82.087696	10.0	9/1/2020	86.4	2.0	84.4	7	1.5-3.5	1.0	85.4
B-20	28.266352	-82.088284	10.0	8/25/2020	86.1	2.5	83.6	7	1.5-3.5	1.0	85.1
B-21	28.266577	-82.088971	10.0	9/1/2020	85.5	1.5	84.0	16	0.0	1.0	84.5
B-22	28.267083	-82.089594	10.0	9/9/2020	85.5	2.5	83.0	35	0.0-0.5	1.5	84.0
B-23	28.267330	-82.090321	10.0	9/1/2020	85.0	2.0	83.0	35	0.0-0.5	1.0	84.0
B-24	28.267718	-82.090729	10.0	8/25/2020	84.8	2.5	82.3	35	0.0-0.5	1.0	83.8
B-25	28.268072	-82.091657	10.0	9/1/2020	84.8	2.5	82.3	39	0.0-0.5	2.0	82.8
B-26	28.268534	-82.092200	10.0	8/25/2020	84.9	3.0	81.9	39	0.0-0.5	2.0	82.9
B-27	28.268827	-82.093006	10.0	9/1/2020	84.6	3.5	81.1	39	0.0-0.5	2.0	82.6
B-28	28.269283	-82.093542	10.0	8/25/2020	84.6	4.0	80.6	39	0.0-0.5	2.0	82.6
B-29	28.269523	-82.094251	10.0	9/1/2020	84.3	3.0	81.3	39	0.0-0.5	1.5	82.8
B-30	28.270006	-82.094844	10.0	8/25/2020	84.8	4.0	80.8	39	0.0-0.5	2.0	82.8
B-31	28.270288	-82.095620	10.0	9/1/2020	84.0	3.5	80.5	39	0.0-0.5	2.0	82.0
B-32	28.270601	-82.095923	10.0	8/25/2020	85.1	4.0	81.1	39	0.0-0.5	3.0	82.1
B-33	28.271025	-82.096943	10.0	9/1/2020	84.4	3.5	80.9	39	0.0-0.5	2.5	81.9
B-34	28.271523	-82.097531	10.0	8/25/2020	85.9	5.5	80.4	39	0.0-0.5	4.0	81.9
B-35	28.271873	-82.098511	10.0	9/1/2020	85.0	2.5	82.5	39	0.0-0.5	ND	ND
B-36	28.272232	-82.098809	10.0	8/24/2020	84.2	5.0	79.2	39	0.0-0.5	ND	ND
B-37	28.272469	-82.099506	10.0	9/1/2020	84.5	3.0	81.5	39	0.0-0.5	2.0	82.5
B-38	28.272949	-82.100096	10.0	8/25/2020	84.2	3.5	80.7	2	0.5-1.5	2.0	82.2
B-39	28.273194	-82.100819	10.0	9/1/2020	84.1	2.5	81.6	2	0.5-1.5	2.0	82.1
B-40	28.273712	-82.101460	10.0	8/26/2020	83.7	6.5	77.2	2	0.5-1.5	2.0	81.7
B-41	28.273942	-82.102159	10.0	9/1/2020	84.0	4.0	80.0	2	0.5-1.5	2.5	81.5
B-42	28.274426	-82.102744	10.0	8/26/2020	84.5	5.0	79.5	2	0.5-1.5	3.0	81.5
B-43	28.274694	-82.103500	10.0	9/1/2020	84.6	3.5	81.1	2	0.5-1.5	2.0	82.6
B-44	28.275162	-82.104066	10.0	8/26/2020	84.1	4.5	79.6	2	0.5-1.5	3.5	80.6
B-45	28.275423	-82.104814	10.0	8/31/2020	84.1	3.0	81.1	2	0.5-1.5	2.0	82.1
B-46	28.275894	-82.105386	10.0	8/26/2020	84.6	5.0	79.6	2	0.5-1.5	4.0	80.6
B-47	28.276152	-82.106128	10.0	8/31/2020	84.1	4.0	80.1	2	0.5-1.5	ND	ND
B-48	28.276630	-82.106707	10.0	8/26/2020	84.7	5.5	79.2	2	0.5-1.5	4.0	80.7
B-49	28.276915	-82.107485	10.0	8/31/2020	84.1	3.5	80.6	2	0.5-1.5	2.5	81.6
B-50	28.277349	-82.107986	10.0	8/26/2020	84.4	5.5	78.9	2	0.5-1.5	3.0	81.4
B-51	28.277620	-82.108749	10.0	8/31/2020	84.3	3.5	80.8	16	0.0	2.5	81.8

**SUMMARY OF SEASONAL HIGH GROUNDWATER TABLE ESTIMATES
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPID NO.: 443368-3
TEST LAB PROJECT NO: 20-5131**

Boring Name	Boring Location ⁽¹⁾		Boring Depth (feet)	Date Recorded	Ground Elevation ⁽²⁾ (feet, NAVD)	Measured Groundwater Table		USDA Soil Survey		Estimated SHGWT ⁽⁵⁾	
	Latitude	Longitude				Depth ⁽³⁾ (feet)	Elevation (feet, NAVD)	Map Symbol	Estimated SHGWT ⁽⁴⁾ Depth (feet)	Depth ⁽³⁾ (feet)	Elevation (feet, NAVD)
B-52	28.278074	-82.109303	10.0	8/26/2020	84.7	5.5	79.2	16	0.0	3.0	81.7
B-53	28.278388	-82.110124	10.0	8/31/2020	84.4	4.5	79.9	16	0.0	3.0	81.4
B-54	28.278818	-82.110638	10.0	8/26/2020	84.8	4.0	80.8	16	0.0	3.0	81.8
B-55	28.279107	-82.111420	10.0	8/31/2020	83.8	3.5	80.3	16	0.0	2.0	81.8
B-56	28.279554	-82.111909	10.0	8/26/2020	83.5	4.5	79.0	16	0.0	3.0	80.5
B-57	28.279832	-82.112709	10.0	8/31/2020	84.1	4.5	79.6	16	0.0	3.0	81.1
B-58	28.280291	-82.113255	10.0	8/26/2020	84.1	6.5	77.6	16	0.0	4.0	80.1
B-59	28.280561	-82.114036	10.0	8/31/2020	83.5	4.5	79.0	2	0.5-1.5	3.0	80.5
B-60	28.281018	-82.114561	10.0	8/27/2020	84.9	6.5	78.4	6	3.5-6.0	4.5	80.4
B-61	28.281282	-82.115320	10.0	8/31/2020	84.4	4.5	79.9	2	0.5-1.5	3.5	80.9
B-62	28.281774	-82.115910	10.0	8/27/2020	84.5	5.5	79.0	6	3.5-6.0	4.0	80.5
B-63	28.282011	-82.116617	10.0	8/31/2020	84.8	2.0P	82.8P	6	3.5-6.0	2.0P	82.8P
B-64	28.282503	-82.117221	10.0	8/27/2020	84.4	4.5	79.9	6	3.5-6.0	3.0	81.4
B-65	28.282726	-82.117907	10.0	8/31/2020	84.0	3.5	80.5	2	0.5-1.5	3.0	81.0
B-66	28.283227	-82.118502	10.0	8/27/2020	83.7	5.0	78.7	2	0.5-1.5	3.0	80.7
B-67	28.283463	-82.119216	10.0	8/31/2020	82.8	4.5	78.3	39	0.0-0.5	2.5	80.3
B-68	28.283973	-82.119851	10.0	8/27/2020	83.6	5.0	78.6	39	0.0-0.5	3.5	80.1
B-69	28.284210	-82.120546	10.0	8/31/2020	83.6	4.0	79.6	39	0.0-0.5	3.0	80.6
B-70	28.284690	-82.121138	10.0	8/27/2020	83.1	4.0	79.1	39	0.0-0.5	3.0	80.1
B-71	28.284933	-82.121839	10.0	8/31/2020	83.9	6.0	77.9	39	0.0-0.5	4.0	79.9
B-72	28.285455	-82.122497	10.0	8/27/2020	81.9	5.5	76.4	39	0.0-0.5	ND	ND
B-73	28.285735	-82.123281	10.0	8/31/2020	84.0	6.5	77.5	39	0.0-0.5	ND	ND
B-74	28.286190	-82.123834	10.0	8/24/2020	83.7	6.5	77.2	39	0.0-0.5	ND	ND
B-75	28.286446	-82.124559	10.0	8/28/2020	84.4	8.0	76.4	6	3.5-6.0	6.5	77.9
B-76	28.286852	-82.125027	10.0	8/24/2020	84.4	8.0	76.4	6	3.5-6.0	6.0	78.4
B-77	28.287200	-82.125927	10.0	8/28/2020	84.9	9.0	75.9	7	1.5-3.5	7.0	77.9
B-78	28.287647	-82.126431	10.0	8/27/2020	86.2	GNE	<76.2	7	1.5-3.5	>6.0	<80.2
B-79	28.287876	-82.127266	10.0	8/28/2020	81.6	GNE	<71.6	7	1.5-3.5	>6.0	<75.6
B-80	28.288388	-82.127777	10.0	8/27/2020	87.8	GNE	<77.8	7	1.5-3.5	>6.0	<81.8
B-81	28.288660	-82.128536	10.0	8/28/2020	85.7	GNE	<75.7	7	1.5-3.5	>6.0	<79.7
B-82	28.289135	-82.129110	10.0	8/27/2020	84.1	GNE	<74.1	7	1.5-3.5	>6.0	<78.1
B-83	28.289345	-82.129771	10.0	8/28/2020	84.0	GNE	<74.0	6	3.5-6.0	>6.0	<78.0
B-84	28.289882	-82.130451	10.0	8/27/2020	84.2	GNE	<74.2	6	3.5-6.0	>6.0	<78.2
B-85	28.290106	-82.131122	10.0	8/28/2020	84.4	GNE	<74.4	72	>6.0	>6.0	<78.4
B-86	28.290574	-82.131684	10.0	8/27/2020	84.6	GNE	<74.6	72	>6.0	>6.0	<78.6
B-87	28.290818	-82.132415	10.0	8/28/2020	87.4	GNE	<77.4	72	>6.0	>6.0	<81.4
B-88	28.291293	-82.132979	10.0	8/27/2020	91.5	GNE	<81.5	72	>6.0	>6.0	<85.5
B-89	28.291558	-82.133753	10.0	8/28/2020	97.1	GNE	<87.1	72	>6.0	>6.0	<91.1
B-90	28.292070	-82.134354	10.0	8/28/2020	102.0	GNE	<92.0	32	>6.0	>6.0	<96.0
B-91	28.292345	-82.135212	10.0	8/28/2020	107.2	GNE	<97.2	32	>6.0	>6.0	<101.2
B-92	28.292813	-82.135680	10.0	8/28/2020	109.9	GNE	<99.9	32	>6.0	>6.0	<103.9
B-93	28.293077	-82.136455	10.0	8/28/2020	111.3	GNE	<101.3	32	>6.0	>6.0	<105.3
B-94	28.293539	-82.136990	10.0	8/28/2020	109.5	GNE	<99.5	32	>6.0	>6.0	<103.5
B-95	28.293768	-82.137693	10.0	8/28/2020	111.8	GNE	<101.8	32	>6.0	>6.0	<105.8
B-96	28.294274	-82.138321	10.0	8/24/2020	117.7	GNE	<107.7	32	>6.0	>6.0	<111.7
B-97	28.294519	-82.139036	10.0	8/28/2020	124.8	GNE	<114.8	32	>6.0	>6.0	<118.8
B-98	28.294989	-82.139616	10.0	8/28/2020	131.6	GNE	<121.6	32	>6.0	>6.0	<125.6
B-99	28.295255	-82.140362	10.0	8/28/2020	136.9	GNE	<126.9	32	>6.0	>6.0	<130.9
B-100	28.295709	-82.140897	10.0	8/28/2020	139.4	GNE	<129.4	32	>6.0	>6.0	<133.4
B-101	28.295948	-82.141603	10.0	9/2/2020	139.9	GNE	<129.9	32	>6.0	>6.0	<133.9
B-102	28.296445	-82.142211	10.0	9/2/2020	138.2	GNE	<128.2	32	>6.0	>6.0	<132.2

**SUMMARY OF SEASONAL HIGH GROUNDWATER TABLE ESTIMATES
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPID NO.: 443368-3
TEST LAB PROJECT NO: 20-5131**

Boring Name	Boring Location ⁽¹⁾		Boring Depth (feet)	Date Recorded	Ground Elevation ⁽²⁾ (feet, NAVD)	Measured Groundwater Table		USDA Soil Survey		Estimated SHGWT ⁽⁵⁾	
	Latitude	Longitude				Depth ⁽³⁾ (feet)	Elevation (feet, NAVD)	Map Symbol	SHGWT ⁽⁴⁾ Depth (feet)	Depth ⁽³⁾ (feet)	Elevation (feet, NAVD)
B-103	28.296676	-82.142910	10.0	9/2/2020	134.4	GNE	<124.4	32	>6.0	>6.0	<128.4
B-104	28.297173	-82.143511	10.0	9/2/2020	127.0	GNE	<117.0	32	>6.0	>6.0	<121.0
B-105	28.297443	-82.144294	10.0	9/2/2020	118.9	9.5	109.4	32	>6.0	>6.0	<112.9
B-106	28.297888	-82.144816	10.0	9/2/2020	116.9	GNE	<106.9	32	>6.0	>6.0	<110.9
B-107	28.298174	-82.145627	10.0	9/3/2020	120.6	GNE	<110.6	32	>6.0	>6.0	<114.6
B-108	28.298673	-82.146188	10.0	9/2/2020	125.7	GNE	<115.7	32	>6.0	>6.0	<119.7
B-109	28.299415	-82.147514	10.0	9/3/2020	126.5	GNE	<116.5	32	>6.0	>6.0	<120.5
B-110	28.299618	-82.148304	10.0	9/4/2020	123.9	GNE	<113.9	32	>6.0	>6.0	<117.9
B-111	28.300140	-82.148783	10.0	9/3/2020	121.5	GNE	<111.5	32	>6.0	>6.0	<115.5
B-112	28.300409	-82.149604	10.0	9/4/2020	121.6	GNE	<111.6	32	>6.0	>6.0	<115.6
B-113	28.300876	-82.150131	10.0	9/3/2020	123.7	GNE	<113.7	32	>6.0	>6.0	<117.7
B-114	28.301101	-82.150867	10.0	9/9/2020	127.9	GNE	<117.9	32	>6.0	>6.0	<121.9
B-115	28.301603	-82.151468	10.0	9/3/2020	131.4	8.5	122.9	32	>6.0	>6.0	<125.4
B-116	28.301852	-82.152182	10.0	9/9/2020	130.4	GNE	<120.4	32	>6.0	>6.0	<124.4
B-117	28.302306	-82.152735	10.0	9/3/2020	128.5	GNE	<118.5	32	>6.0	>6.0	<122.5
B-118	28.302585	-82.153495	10.0	9/9/2020	126.1	GNE	<116.1	32	>6.0	>6.0	<120.1
B-119	28.303087	-82.154134	10.0	9/3/2020	122.4	GNE	<112.4	32	>6.0	>6.0	<116.4
B-120	28.303676	-82.155466	10.0	9/9/2020	118.5	GNE	<108.5	32	>6.0	>6.0	<112.5
B-121	28.304179	-82.156086	10.0	9/4/2020	119.4	GNE	<109.4	32	>6.0	>6.0	<113.4
B-122	28.304418	-82.156794	10.0	9/9/2020	121.0	GNE	<111.0	32	>6.0	>6.0	<115.0
B-123	28.304913	-82.157400	10.0	9/4/2020	125.5	GNE	<115.5	32	>6.0	>6.0	<119.5
B-124	28.305180	-82.158138	10.0	9/9/2020	129.5	GNE	<119.5	32	>6.0	>6.0	<123.5
B-125	28.305620	-82.158673	10.0	9/4/2020	131.6	GNE	<121.6	32	>6.0	>6.0	<125.6
B-126	28.305901	-82.159451	10.0	9/9/2020	131.8	GNE	<121.8	32	>6.0	>6.0	<125.8
B-127	28.306379	-82.159999	10.0	9/4/2020	129.8	GNE	<119.8	32	>6.0	>6.0	<123.8
B-128	28.306649	-82.160815	10.0	9/9/2020	128.5	GNE	<118.5	32	>6.0	>6.0	<122.5
B-129	28.307095	-82.161295	10.0	9/4/2020	128.3	GNE	<118.3	32	>6.0	>6.0	<122.3
B-130	28.307363	-82.162069	10.0	9/9/2020	128.6	GNE	<118.6	32	>6.0	>6.0	<122.6
B-131	28.307841	-82.162654	10.0	9/4/2020	129.3	GNE	<119.3	32	>6.0	>6.0	<123.3
B-132	28.308100	-82.163398	10.0	9/9/2020	131.5	GNE	<121.5	32	>6.0	>6.0	<125.5
B-133	28.308581	-82.163977	10.0	9/4/2020	133.4	GNE	<123.4	32	>6.0	>6.0	<127.4
B-134	28.308828	-82.164696	10.0	9/8/2020	135.8	GNE	<125.8	32	>6.0	>6.0	<129.8
B-135	28.309305	-82.165285	10.0	9/4/2020	139.3	GNE	<129.3	32	>6.0	>6.0	<133.3
B-136	28.309574	-82.166041	10.0	9/8/2020	143.7	GNE	<133.7	13	>6.0	>6.0	<137.7
B-137	28.310036	-82.166583	10.0	9/4/2020	147.8	GNE	<137.8	13	>6.0	>6.0	<141.8
B-138	28.310299	-82.167338	10.0	9/8/2020	152.0	GNE	<142.0	13	>6.0	>6.0	<146.0
B-139	28.310808	-82.167987	10.0	9/4/2020	153.3	GNE	<143.3	32	>6.0	>6.0	<147.3
B-140	28.310978	-82.168561	10.0	9/8/2020	152.9	GNE	<142.9	32	>6.0	>6.0	<146.9
B-141	28.311528	-82.169260	10.0	9/4/2020	150.1	GNE	<140.1	32	>6.0	>6.0	<144.1
B-142	28.311933	-82.169988	10.0	9/4/2020	144.7	GNE	<134.7	32	>6.0	>6.0	<138.7
B-143	28.312513	-82.170242	6.0	9/14/2020	141.1	GNE	<135.1	32	>6.0	>6.0	<135.1
B-144	28.313027	-82.170729	6.0	9/14/2020	137.7	GNE	<131.7	32	>6.0	>6.0	<131.7
B-145	28.313695	-82.171035	6.0	9/14/2020	142.2	GNE	<136.2	13	>6.0	>6.0	<136.2
B-146	28.314303	-82.171418	6.0	9/17/2020	148.8	GNE	<142.8	13	>6.0	>6.0	<142.8
B-147	28.314931	-82.171503	6.0	9/17/2020	152.0	GNE	<146.0	13	>6.0	>6.0	<146.0
B-148	28.315707	-82.171769	6.0	9/17/2020	153.3	GNE	<147.3	13	>6.0	>6.0	<147.3
B-149	28.316369	-82.171669	6.0	9/17/2020	152.9	GNE	<146.9	13	>6.0	>6.0	<146.9
B-150	28.317031	-82.171818	6.0	9/17/2020	151.4	GNE	<145.4	13	>6.0	>6.0	<145.4
B-151	28.317707	-82.171662	6.0	9/14/2020	150.6	GNE	<144.6	13	>6.0	>6.0	<144.6
B-152	28.318441	-82.171668	6.0	9/14/2020	145.5	GNE	<139.5	13	>6.0	>6.0	<139.5
B-153	28.319090	-82.171710	6.0	9/14/2020	137.8	GNE	<131.8	13	>6.0	>6.0	<131.8

**SUMMARY OF SEASONAL HIGH GROUNDWATER TABLE ESTIMATES
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPID NO.: 443368-3
TEST LAB PROJECT NO: 20-5131**

Boring Name	Boring Location ⁽¹⁾		Boring Depth (feet)	Date Recorded	Ground Elevation ⁽²⁾ (feet, NAVD)	Measured Groundwater Table		USDA Soil Survey		Estimated SHGWT ⁽⁵⁾	
	Latitude	Longitude				Depth ⁽³⁾ (feet)	Elevation (feet, NAVD)	Map Symbol	SHGWT ⁽⁴⁾ Depth (feet)	Depth ⁽³⁾ (feet)	Elevation (feet, NAVD)
B-154	28.319792	-82.171732	6.0	9/14/2020	130.8	GNE	<124.8	43	>6.0	>6.0	<124.8
B-155	28.320495	-82.171688	6.0	9/14/2020	125.5	GNE	<119.5	43	>6.0	>6.0	<119.5
B-156	28.321165	-82.171746	6.0	9/14/2020	121.1	GNE	<115.1	43	>6.0	>6.0	<115.1
B-157	28.321911	-82.171713	6.0	9/14/2020	119.7	GNE	<113.7	43	>6.0	>6.0	<113.7
B-158	28.322479	-82.171761	6.0	9/14/2020	119.8	GNE	<113.8	43	>6.0	>6.0	<113.8
B-159	28.323211	-82.171759	6.0	9/14/2020	110.5	GNE	<104.5	43	>6.0	>6.0	<104.5
B-160	28.323891	-82.171928	6.0	9/14/2020	100.3	GNE	<94.3	13	>6.0	>6.0	<94.3
B-161	28.32462697	-82.17211798	6.0	9/14/2020	91.8	GNE	<85.8	13	>6.0	>6.0	<85.8
B-162	28.325087	-82.172643	6.0	9/14/2020	91.1	GNE	<85.1	13	>6.0	>6.0	<85.1
B-163	28.325804	-82.172899	6.0	9/14/2020	84.4	GNE	<78.4	13	>6.0	>6.0	<78.4
B-164	28.326226	-82.173469	6.0	9/14/2020	84.7	GNE	<78.7	43	>6.0	>6.0	<78.7
B-165	28.326867	-82.173893	6.0	9/14/2020	91.3	GNE	<85.3	43	>6.0	>6.0	<85.3
B-166	28.327117	-82.174578	6.0	9/14/2020	96.4	GNE	<90.4	43	>6.0	>6.0	<90.4
B-167	28.327697	-82.175149	6.0	9/14/2020	103.1	GNE	<97.1	32	>6.0	>6.0	<97.1
B-168	28.327859	-82.175947	6.0	9/14/2020	91.1	GNE	<85.1	32	>6.0	>6.0	<85.1
B-169	28.32817633	-82.17655495	6.0	9/14/2020	93.1	GNE	<87.1	32	>6.0	>6.0	<87.1
B-170	28.328270	-82.177345	10.0	9/8/2020	95.2	GNE	<85.2	32	>6.0	>6.0	<89.2
B-171	28.328470	-82.178139	10.0	9/8/2020	105.1	GNE	<95.1	32	>6.0	>6.0	<99.1
B-172	28.328366	-82.178834	10.0	9/8/2020	110.2	GNE	<90.2	32	>6.0	>6.0	<104.2
B-173	28.328475	-82.179686	10.0	9/8/2020	117.0	GNE	<107.0	43	>6.0	>6.0	<111.0
B-174	28.328371	-82.180318	10.0	9/8/2020	124.4	GNE	<114.4	45	>6.0	>6.0	<118.4
B-175	28.328483	-82.181232	10.0	9/8/2020	135.0	GNE	<125.0	45	>6.0	>6.0	<129.0
B-176	28.328375	-82.182006	10.0	9/3/2020	142.1	GNE	<132.1	43	>6.0	>6.0	<136.1
B-177	28.328491	-82.182825	10.0	9/8/2020	146.7	GNE	<136.7	43	>6.0	>6.0	<140.7
B-178	28.328348	-82.183593	10.0	9/3/2020	148.7	GNE	<138.7	43	>6.0	>6.0	<142.7
B-179	28.328515	-82.184321	10.0	9/8/2020	146.4	9.0	137.4	43	>6.0	>6.0	<140.4
B-180	28.328278	-82.185100	10.0	9/3/2020	142.2	GNE	<132.2	43	>6.0	>6.0	<136.2
B-181	28.328571	-82.185890	10.0	9/2/2020	135.0	GNE	<125.0	43	>6.0	>6.0	<129.0
B-182	28.328259	-82.186649	10.0	9/4/2020	126.9	GNE	<116.9	32	>6.0	>6.0	<120.9
B-183	28.328549	-82.188226	10.0	9/2/2020	127.7	GNE	<117.7	32	>6.0	>6.0	<121.7

⁽¹⁾ Boring latitude & longitude provided by the project surveyor

⁽²⁾ Boring elevation provided by the project surveyor using the NAVD 1988 Datum

⁽³⁾ Depth below existing grades at time of field exploration

⁽⁴⁾ Seasonal high groundwater table depth presented in the Soil Surveys of Polk & Pasco County, Florida published by the USDA/NRCS

⁽⁵⁾ Seasonal high groundwater table depth estimated based on soil stratigraphy, measured groundwater levels from the borings, the Soil Surveys of Polk & Pasco County published information and past experience with similar soil conditions

⁽⁶⁾ GNE = Groundwater Not Encountered within the depth of the boring performed

⁽⁷⁾ ND = SHGWT could not be determined due to disturbed soil conditions

⁽⁸⁾ P= Indicates perched groundwater table condition above clayey soil

APPENDIX C

Summary of Corrosion Test Results
Summary of Laboratory Test Results
Summary of Resilient Modulus Testing Results

SUMMARY OF CORROSION TEST RESULTS
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPN NO: 443368-3
TEST LAB PROJECT NO: 20-5131

Sample Location Location		Boring Number/ Sample Type	Sample Depth (ft)	pH (FM 5-550)	Resistivity (ohm-cm) (FM 5-551)	Chlorides (ppm) (FM 5-552)	Sulfates (ppm) (FM 5-553)	Environmental Classification	
Lat:	Long:							Steel	Concrete
28.263548	-82.083456	Surface Water Sample (farm crossing)	N/A	6.5	13,000	41	≤ 2.0	Slightly Aggressive	Slightly Aggressive
28.263784	-82.083609	Soil Sample (farm crossing)	0-1.5	7.4	12,000	50	≤ 2.0	Slightly Aggressive	Slightly Aggressive
28.28787589	-82.12726581	Soil Sample (farm crossing)	0-1.5	8.0	7,200	52	≤ 2.0	Slightly Aggressive	Slightly Aggressive
28.25998461	-82.07719524	Soil Sample B-3	2.5-4.5	8.2	17,000	59	≤ 2.0	Slightly Aggressive	Slightly Aggressive
28.26928327	-82.09354181	Soil Sample B-28	1.5-5	7.8	32,000	53	≤ 2.0	Slightly Aggressive	Slightly Aggressive
28.27761969	-82.10874933	Soil Sample B-51	0.5-4	7.8	23,000	48	≤ 2.0	Slightly Aggressive	Slightly Aggressive
28.28988181	-82.13045072	Soil Sample B-84	2.5-6.5	7.8	26,000	50	6	Slightly Aggressive	Slightly Aggressive

SUMMARY OF LABORATORY TEST RESULTS
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPN: 443368-3
TEST LAB PROJECT NO: 20-5131

Boring Number	Sample Depth (ft)*	Stratum Number	AASHTO Symbol	Sieve Analysis					Atterberg Limits			Organic Content (%)	Natural Moisture Content (%)
				#10	#40	#60	#100	#200	Liquid Limit	Plastic Limit	Plasticity Index		
B-1	0.0-0.5	1	A-2-4	94.3	86.9	67.0	35.8	11.1	--	--	--	--	--
B-35	0.5-1.0	1	A-3	88.1	85.0	69.2	35.0	9.5	--	--	--	--	12.7
B-110	3.0-3.5	1	A-3	99.3	96.7	77.7	35.9	9.1	--	--	--	--	--
B-15	1.5-2.0	2	A-3	100.0	97.0	77.9	42.4	9.8	--	--	--	--	--
B-29	5.5-6.0	2	A-2-4	99.9	97.5	81.9	49.6	11.1	--	--	--	--	--
B-42	3.0-3.5	2	A-3	100.0	97.5	80.3	47.5	8.4	--	--	--	--	--
B-60	1.0-1.5	2	A-3	100.0	97.4	78.7	37.8	7.2	--	--	--	--	--
B-96	2.0-2.5	2	A-3	100.0	98.9	84.3	39.8	5.4	--	--	--	--	--
B-122	4.0-4.5	2	A-3	100.0	97.6	73.5	32.3	6.6	--	--	--	--	--
B-135	5.0-5.5	2	A-3	100.0	86.4	80.4	36.0	5.8	--	--	--	--	--
B-148	5.5-6.0	2	A-3	100.0	98.7	81.4	36.8	3.9	--	--	--	--	--
B-161	1.0-1.5	2	A-3	100.0	98.3	74.1	32.5	4.1	--	--	--	--	--
B-173	7.0-7.5	2	A-2-4	99.2	98.9	85.7	44.7	10.8	--	--	--	--	--
B-183	0.5-1.0	2	A-3	91.9	86.9	70.7	36.8	9.1	--	--	--	--	--
B-6	2.5-3.0	3	A-2-4	100.0	97.7	79.6	50.4	27.9	23	15	8	--	20.7
B-10	4.5-5.0	3	A-2-4	100.0	97.3	82.1	54.4	27.5	23	14	9	--	20.4
B-14	1.0-1.5	3	A-2-4	99.6	90.8	55.1	33.1	20.2	20	14	6	--	12.5
B-31	3.0-3.5	3	A-2-4	100.0	96.9	69.7	36.9	19.4	NP	NP	NP	--	18.1
B-62	6.5-7.0	3	A-2-4	100.0	97.2	80.4	45.1	22.1	--	--	--	--	--
B-72	1.0-1.5	3	A-2-4	99.9	97.8	83.0	45.0	22.0	NP	NP	NP	--	44.2
B-97	7.0-7.5	3	A-2-4	99.2	98.5	87.7	56.7	26.9	23	16	7	--	18.9
B-175	4.0-4.5	3	A-2-4	99.9	99.4	87.9	53.2	28.4	20	14	6	--	17.2
B-2	4.0-4.5	4	A-7-6	100.0	98.0	85.1	63.0	38.9	43	20	23	--	21.4
B-63	3.0-3.5	4	A-6	99.9	98.4	86.4	59.0	38.9	35	17	18	--	21.3
B-80	0.5-1.0	4	A-6	98.7	92.9	80.3	58.4	43.6	38	21	17	--	20.1
B-91	2.0-2.5	4	A-4	99.5	97.9	86.3	60.6	37.9	20	14	6	--	14.9
B-92	5.0-5.5	4	A-4	99.8	97.0	85.5	59.3	35.4	22	15	7	--	15.1
B-119	8.0-8.5	4	A-6	99.8	96.7	80.2	48.9	36.3	37	22	15	--	19.9
B-141	6.0-6.5	4	A-6	97.5	91.6	82.3	59.3	39.2	28	16	12	--	19.7
B-72	2.5-3.0	5	A-8	99.8	97.3	82.6	46.4	23.2	--	--	--	15.8	42.5
B-5	3.5-4.0	6	A-3	100.0	96.9	73.9	37.6	8.5	--	--	--	2.1	20.3
B-8	6.5-7.0	6	A-2-4	100.0	97.3	78.7	36.3	10.1	--	--	--	3.6	12.4
B-11	2.0-2.5	6	A-2-4	100.0	97.5	79.2	44.8	13.3	--	--	--	5.2	29.5
B-25	3.0-3.5	6	A-2-4	100.0	97.9	83.9	46.4	13.0	--	--	--	4.2	31.9
B-39	3.5-4.0	6	A-2-4	99.7	97.0	79.4	46.6	11.8	--	--	--	4.6	28.5
B-69	6.0-8.0	6	A-2-4	99.9	97.1	78.0	38.7	11.0	--	--	--	5.2	16.9
B-72	2.0-2.5	6	A-2-4	98.7	92.3	77.4	43.3	30.9	--	--	--	4.3	16.0



Florida Department of Transportation

RON DESANTIS
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

KEVIN J. THIBAUT
SECRETARY

MEMORANDUM

DATE: October 20, 2020

TO: Teresa Puckett, District Geotechnical Materials Engineer

FROM: David Horhota, State Geotechnical Materials Engineer

SUBJECT: Embankment Resilient Modulus Pavement Design
 District 7, Pasco County
 FPN 443368-3: US-98/SR-700 from S of Polk County Line to SR-35/39/700 (US-301/98)

Eighteen (18), 2-bag samples were received by the State Materials Office (SMO) for determination of an embankment (roadbed) resilient modulus for pavement design. After visual observation of the eighteen samples, it was determined that the material from each 2-bag sample looked visually similar and the material from each of the bags were combined to form one sample from each location. After combining materials from the bags, samples from each location were obtained for classification tests (Atterberg limits, particle size analysis, and organic content), Proctor density, and resilient modulus. The classification test results are reported in Tables 1 and 2. Information provided for this project by Testlab, Inc. indicated all samples were collected from between 1.0 and 2.0 feet in depth.

Table 1. Summary of Gradation Results

Sample ID	Passing 3/4" (%)	Passing 1/2" (%)	Passing 3/8" (%)	Passing No. 4 (%)	Passing No. 10 (%)	Passing No. 40 (%)	Passing No. 60 (%)	Passing No. 100 (%)	Passing No. 200 (%)
MR-1	100.0	100.0	99.5	98.7	94.4	88.7	73.5	43.6	17.9
MR-2	100.0	99.6	99.6	99.1	98.2	94.2	78.3	40.7	10.4
MR-3	100.0	99.3	97.9	96.3	91.8	87.4	73.7	42.5	13.0
MR-4	100.0	100.0	99.7	98.1	95.0	91.3	78.1	42.5	10.4
MR-5	100.0	100.0	99.9	99.5	99.1	95.3	78.8	41.5	10.5
MR-6	100.0	100.0	99.9	99.0	97.3	94.6	80.4	44.0	9.5
MR-7	100.0	100.0	100.0	99.7	99.1	95.5	78.7	37.0	9.8
MR-8	100.0	100.0	99.7	98.8	95.1	90.1	76.0	45.4	22.7
MR-9	100.0	99.1	98.7	98.3	97.7	94.5	78.5	37.9	11.4
MR-10	100.0	100.0	100.0	99.9	99.7	97.6	82.3	38.8	7.5
MR-11	100.0	99.8	99.7	99.2	97.0	92.4	73.1	31.1	8.9

MR-12	100.0	100.0	100.0	99.5	98.8	96.3	80.6	40.2	10.3
MR-13	100.0	100.0	99.9	99.6	98.5	96.1	81.5	15.5	10.5
MR-14	100.0	100.0	99.6	95.2	88.6	84.0	71.1	38.0	12.1
MR-15	100.0	100.0	100.0	100.0	99.9	98.5	81.4	37.2	4.3
MR-16	100.0	100.0	100.0	100.0	99.9	98.5	82.3	37.2	4.3
MR-17	100.0	100.0	100.0	99.8	99.7	97.8	81.3	37.2	6.0
MR-18	100.0	98.8	97.8	95.8	90.9	85.9	74.2	41.6	17.3

Table 2. Summary of Classification Results

Sample ID	Sample Location	Soil Class.	Organic Content (%)	LL/PI
MR-1	28.259427, -82.075694	A-2-4	0.6	N.P.
MR-2	28.263090, -82.082744	A-3	1.2	N.P.
MR-3	28.267035, -82.089513	A-2-4	2.1	N.P.
MR-4	28.270770, -82.096473	A-3	0.9	N.P.
MR-5	28.274723, -82.103304	A-2-4	2.3	N.P.
MR-6	28.278475, -82.110276	A-3	1.0	N.P.
MR-7	28.282436, -82.117138	A-3	1.3	N.P.
MR-8	28.286179, -82.124111	A-2-4	2.7	N.P.
MR-9	28.290166, -82.130975	A-2-4	2.2	N.P.
MR-10	28.293951, -82.138017	A-3	2.0	N.P.
MR-11	28.297931, -82.144886	A-3	1.3	N.P.
MR-12	28.301732, -82.151960	A-3	1.9	N.P.
MR-13	28.305679, -82.158765	A-3	1.9	N.P.
MR-14	28.309405, -82.165722	A-2-4	2.6	N.P.
MR-15	28.314343, -82.171289	A-3	0.6	N.P.
MR-16	28.321555, -82.171736	A-3	0.8	N.P.
MR-17	28.327696, -82.175182	A-3	1.2	N.P.
MR-18	28.328375, -82.138805	A-2-4	1.2	N.P.

In addition to the classification testing, the following test program was conducted:

- (1) Standard Proctor, AASHTO T 99
- (2) Resilient Modulus (M_R), AASHTO T 307.

A summary of laboratory test results is included in Table 3. The resilient modulus values listed in this table were obtained using the relationship developed from each individual test (resilient modulus versus bulk stress - with bulk stress, Θ , defined as $\Theta = \sigma_1 + \sigma_2 + \sigma_3$), and using a bulk stress of 11 psi, which is the recommendation from Dr. Ping's research work in modeling the embankment in-situ stresses for Florida pavement conditions. The resilient modulus samples were compacted to within 1 pound per cubic foot (pcf) of the maximum density and 0.5 percent of the optimum moisture content as determined by AASHTO T99.

Table 3. Summary of T-99 and M_R Test Results

Sample ID	Passing No. 200 (%)	Standard Proctor Density (pcf)	Optimum Moisture Content (%)	Resilient Modulus @ Θ=11psi (psi)
MR-1	18	121.0	9.9	15,127
MR-2	10	114.1	11.3	13,247
MR-3	13	114.6	11.7	13,756
MR-4	10	115.8	11.3	13,388
MR-5	11	112.8	11.5	12,400
MR-6	9	114.8	10.3	13,930
MR-7	10	112.8	11.5	14,064
MR-8	23	119.6	11.9	13,681
MR-9	11	113.0	11.9	12,238
MR-10	7	111.5	12.4	11,689
MR-11	9	114.0	11.2	14,140
MR-12	10	114.2	11.1	14,395
MR-13	10	112.6	11.6	12,607
MR-14	12	114.2	11.4	12,382
MR-15	4	106.7	12.9	15,001
MR-16	4	106.9	13.2	12,813
MR-17	6	111.3	12.2	13,143
MR-18	17	119.0	10.2	15,789

To obtain a design embankment resilient modulus, a 90 percent method was used as outlined in both the Flexible Pavement Design Manual and Soils and Foundations Handbook. The resilient modulus values were ranked in ascending order and the percentage of values which were greater than or equal to the individual value were determined. The results of this analysis are recorded in Table 4 and the corresponding graph of these results is included as Figure 1.

Table 4. Ranked M_R Test Results for 90 Percent Method

Rank	Sample ID	% ≥	M_R (psi)
1	MR-10	100	11,689
2	MR-9	94	12,238
3	MR-14	89	12,382
4	MR-5	83	12,400
5	MR-13	78	12,607
6	MR-16	72	12,813
7	MR-17	67	13,143
8	MR-2	61	13,247

9	MR-4	56	13,388
10	MR-8	50	13,681
11	MR-3	44	13,756
12	MR-6	39	13,930
13	MR-7	33	14,064
14	MR-11	28	14,140
15	MR-12	22	14,395
16	MR-15	17	15,001
17	MR-1	11	15,127
18	MR-18	6	15,789




Figure 1. Ranked MR Test Results for 90% Method

Based on the results shown in Table 4 and Figure 1, the resilient modulus corresponding to a 90th percentile is **12,400 psi**, which would represent the design embankment M_R value.

**GEOTECHNICAL EXPLORATION DATA REPORT - STRUCTURES
US 98 FROM POLK COUNTY LINE TO US 301**

FPID NO. 443368-3

TEST LAB PROJECT NO. GE-20-5131

Prepared for:

**FLORIDA DEPARTMENT OF TRANSPORTATION
FDOT DISTRICT 1/7 MATERIALS OFFICE
P.O. BOX 1249, 2730 STATE ROAD 60 WEST**

Prepared by:



**P.O. Box 15732
Tampa, Florida 33684
Florida Certificate of Authorization No. 1450**



July 15, 2021

Florida Department of Transportation
FDOT District 1/7 Materials Office
P.O. Box 1249, 2730 State Road 60 West

Attention: Ms. Teresa (Terry) Puckett, P.E.

Subject: **Geotechnical Exploration Data Report - Structures**
Contract No. C-9S21 – Task 44
US 98 from Polk County Line to US 301
US 98 over Hillsborough River
US 98 over Old Lakeland Highway
Pasco County, Florida
FPN No. 443368-3
Test Lab Project No. GE-20-5131

Dear Ms. Puckett:

Test Lab, Inc. (Test Lab) has performed a geotechnical exploration at US 98 over the Hillsborough River crossing and US 98 over Old Lakeland Highway crossing.

Test Lab appreciates the opportunity of providing our services to the Florida Department of Transportation (FDOT) on this project. If there are any questions concerning this exploration, or if we may be of any further assistance, please do not hesitate to contact us.

Respectfully submitted,

Test Lab, Inc.

4112 West Osborne Avenue, Tampa, Florida 33614
Florida Certificate of Authorization No. 1450

Connie Johnson-Gearhart, P.E.
Geotechnical Engineer
Florida License No. 69013

Igor Kratser
2021.07.16
10:51:40 -04'00'

Igor (Igon) Kratser, P.E.
Senior Geotechnical Engineer
Florida License No. 73129



This item has been digitally signed and sealed by Igor (Igon) Kratser, P.E. on the date adjacent to the seal.
Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Copies Submitted: (1) PDF

TABLE OF CONTENTS

Page 1 of 1

PROJECT INFORMATION 1
Project Description 1
General Site Conditions 1
PURPOSE AND SCOPE OF SERVICES 1
REVIEW OF AVAILABLE DATA 1
Regional Geology 1
USDA/NRCS Soil Survey 3
USGS Quadrangle Map 3
Existing Geotechnical Information 3
Potentiometric Surface Maps 3
SUBSURFACE EXPLORATION 4
Bridge Borings 4
LABORATORY TESTING 4
Test Designation 4
RESULTS OF SUBSURFACE EXPLORATION 5
General Soil Conditions 5
Groundwater 5
LIMITATIONS 6

APPENDIX A

USDA & USGS Vicinity Maps – US 98 over Hillsborough River (Sheet 1)
USDA & USGS Vicinity Maps – US 98 over Old Lakeland Highway (Sheet 2)
Report of Core Borings (Sheets 3 - 5)

APPENDIX B

Summary of USDA Soil Survey

APPENDIX C

Summary of Corrosion Test Results

APPENDIX D

Report of Core Borings - Provided by the Department

PROJECT INFORMATION

Project Description

This report focuses specifically on US 98 bridge crossings over Hillsborough River and Old Lakeland Highway, Bridge Nos. 140024 and 140025, respectively. The subsurface information obtained to date is provided herein.

General Site Conditions

The existing roadway section of US 98 along the referenced alignment consists of a rural, two-lane road supported by an embankment. The stormwater conveyance system within the project corridor consists of linear swales adjacent to the existing roadway. Land use generally consists of heavily wooded parcels, undeveloped grass covered parcels with isolated stands of trees and sporadic light residential and commercial development.

PURPOSE AND SCOPE OF SERVICES

The geotechnical exploration presented herein was performed to obtain subsurface information at the above referenced site. The following services were provided in order to achieve the preceding objective:

- i. Reviewed readily available published topographic and soils information. This information included Florida Quadrangle maps published by the United States Geological Survey (USGS) and the "Soil Survey of Pasco County, Florida" published by the United States Department of Agriculture (USDA) Natural Resource Conservation Services (NRCS), and the "Potentiometric Surface of the Upper Floridan Aquifer in the Southwest Florida Water Management District – September 2015" map produced by Southwest Florida Water Management District.
- ii. Completed a program of subsurface exploration consisting of five (5) Standard Penetration Test (SPT) borings advanced to depths of 65 to 155 feet.
- iii. Visually classified the recovered soil samples in the laboratory. Performed laboratory tests on selected representative samples to develop the soil legend for the project using the Unified Soil Classification System (USCS).
- iv. Prepared this Geotechnical Exploration Data Report for the project.

REVIEW OF AVAILABLE DATA

Regional Geology

Based on a review of the publications titled "A Geological Overview of Florida" prepared by the State of Florida Department of Natural Resources, 1992 and the Based on a review of the publication titled "A Geological Overview of Florida" prepared by the State of Florida Department of Natural Resources, 1992, and the USDA Soil Survey, the general project area lies within the area called the Brooksville Ridge, described as follows:

The Brooksville Ridge occupies most of Hernando County. It extends easterly from about U.S. Highway 19 to U.S. Highway 301. The Brooksville Ridge can be divided into two parts. The rolling, deep, sandy ridges on the western and eastern edges are dominated by deep, sandy soils with numerous depressions and sinks. Elevations range from about 75 to 100 feet in the western part and from about 50 to 100 feet in the eastern part. The central part of the Brooksville Ridge ranges in elevation from about 100 to more than 200 feet. These rolling areas consist of poorly drained to well drained, sandy to clayey soils.

Undifferentiated Pleistocene sand and clays exist from the surface to approximately 10 feet below grade. These soils are underlain by soils of the Miocene age Hawthorne Group that typically occur between 10 and 45 feet below grade. These soils are mostly clay with sand seams. Soils in this group frequently comprise the confining unit of the Floridan aquifer. Below this group is the Ocala Limestone formation of the Eocene period which extends to 1,000 feet or more below surface. USDA Soil Survey, the general project area lies within the areas of Brooksville Ridge and portions of Western Valley. These geomorphologic features are described as follows:

The Brooksville Ridge occupies most of the east portion of Pasco County. It extends from about U.S. Highway 41 to U.S. Highway 301. The Brooksville Ridge can be divided into two parts. The rolling, deep, sandy ridges on the western and eastern edges are dominated by deep, sandy soils with numerous depressions and sinks. Elevations range from about 75 to 100 feet in western part and from about 50 to 100 feet in the eastern part. The central part of the Brooksville Ridge ranges in elevation from about 100 to 200 feet. These rolling areas consist of poorly drained to well drained, sandy to clayey soils.

The Western Valley occupies several counties including the northeast portion of Hillsborough County, eastern Pasco County, northwest Polk County and Sumter County. The Western Valley includes the valley of the Withlacoochee River and the valley of the Hillsborough River. Elevations generally range from 50 to 100 feet.

Published information from the Florida Department of Environmental Protection shows the bridge over Hillsborough River as located within the geologic unit of Suwannee Limestone (Ts) and the bridge over Old Lakeland Highway as located within the geologic unit of Hawthorn Group, Undifferentiated (Th).

Suwannee Limestone consists of a white to cream, poorly to well indurated, fossiliferous, vuggy to moldic limestone. The dolomitized parts of the Suwannee Limestone are gray, tan, light brown to moderate brown, moderately to well indurated, finely to coarsely crystalline, dolostone with limited occurrences of fossiliferous beds. Silicified limestone is common in Suwannee Limestone. Fossils present in the Suwannee Limestone include mollusks, foraminifers, coals and echinoids.

The Hawthorn Group, Undifferentiated sediments are light olive gray and blue gray in unweathered sections to reddish brown in deeply weathered sections, poorly to moderately consolidated, clayey sands to silty clays and relatively pure clays. These sediments are part of the intermediate confining unit/aquifer system and provide an effective aquitard for the Florida Aquifer System, except where perforated by karst features.

USDA/NRCS Soil Survey

Based on a review of the Pasco County Soil Survey published by the USDA/NRCS, the soils present below the Hillsborough River Crossing consist of Chobee soils, frequently flooded (Unit 39) and the soil present below the crossing over Old Lakeland Highway consists of Lake fine sand, 0 to 5 percent slopes (Unit 32). A reproduction of the **USDA Vicinity Map (Sheets 1 & 2)** is illustrated in **Appendix A** and the soil mapping units are summarized in **Appendix B**.

Chobee soils has a landform of depressions on flood plains on marine terraces. The parent material is loamy alluvium. The soil profile generally consists of fine sandy loam (SM, SP-SM) to a depth of 11 inches followed by sandy clay loam (SC) to 56 inches and loamy sand, fine sand, sandy clay loam (SC, SC-SM, SM, SP-SM) to 80 inches. The natural drainage class is very poorly drained and water movement in the most restrictive layer is moderately low to low throughout. The seasonal high groundwater table is reported to range from 0 to ½ feet below natural grade.

Lake fine sand has a landform of ridges on marine terraces, hills on marine terraces. Lake has a parent material of eolian deposits or sandy marine deposits. The soil profile consists of fine sand (SP-SM) to a depth of 80 inches. The natural drainage class of excessively drained and water movement in the most restrictive layer is high to very high. The seasonal high groundwater table is greater than 6 feet below natural grade.

USGS Quadrangle Map

Based on a review of the Florida Quadrangle Map for Branchborough, Florida, and As-Built Roadway plans from 1993, it appears that the natural ground surface elevation around the banks of US 98 over Hillsborough River Crossing ranges from +75 to +85 feet North American Vertical Datum of 1988 (NAVD88) as illustrated on the **USGS Vicinity Map (Sheet 1)** in **Appendix A**. Based on a review of the Florida Quadrangle Map for Dade City, Florida, it appears that the natural ground surface elevation around the US 98 over Old Lakeland Highway Crossing ranges from +95 to +105 feet NAVD88 as illustrated on the **USGS Vicinity Map (Sheet 2)** in **Appendix A**. The existing ground surface elevations have been slightly altered due to road grading and embankment; however, based on survey information for the project, the current ground elevations are generally near or within the range provided on the Quadrangle Maps.

Existing Geotechnical Information

The geotechnical information from previous explorations consisting of Report of Core Borings sheets for bridge structures 140024 and 140025 has been provided by the Department and included in **Appendix D**.

Potentiometric Surface Maps

Based on a review of the “Potentiometric Surface of the Upper Floridan Aquifer” (published in September 2015) produced by Southwest Florida Water Management District, the potentiometric surface elevation of the upper Floridan Aquifer at the US 98 bridge over Hillsborough River is +80 to +90 feet, NGVD29 and at the US 98 bridge over Old Lakeland Highway, the potentiometric surface elevation is +70 to +80 feet, NGVD29. Artesian conditions were not encountered at the time of our field activities.

SUBSURFACE EXPLORATION

Bridge Borings

The subsurface conditions at the US 98 over Hillsborough River Crossing and US 98 over Old Lakeland Highway Crossing were explored utilizing Standard Penetration Test (SPT) borings advanced to approximately 65 to 155 feet below existing grade. The borings performed were located in the field by representatives of Test Lab using handheld Global Positioning System (GPS) devices and measuring distances from existing site features. The boring locations are illustrated on the **Report of Core Borings (Sheets 3 – 5) in Appendix A.**

The SPT borings were performed with the use of a drill rig using Bentonite Mud drilling procedures. The soil sampling was performed in general accordance with American Society for Testing and Materials (ASTM) test designation D-1586 titled "Penetration Test and Split-Barrel Sampling of Soils". The upper 6 feet of the borings were hand augered to verify utility clearance. SPT N-values were then taken continuously to a depth of 10 feet and at intervals of 2.5 feet thereafter. Representative portions of these soil samples were sealed in glass jars, labeled and transferred to our Tampa laboratory for classification and analysis.

LABORATORY TESTING

Representative soil samples collected from the borings performed within the project corridor were classified and stratified in general accordance with the Unified Soil Classification System (USCS). The classification was based on visual observations, using the results of laboratory testing as confirmation. These tests included grain-size analyses, Atterberg Limits, natural moisture content and environmental corrosion series.

Test Designation

The following list summarizes the laboratory tests performed and respective test methods utilized.

- i. Grain-Size Analysis – The grain-size analyses were conducted in general accordance with American Society for Testing and Materials (ASTM) test designation D-422.
- ii. Atterberg Limits - The liquid limit and the plastic limit tests ("Atterberg Limits") were conducted in general accordance with ASTM test designation D-4318.
- iii. Natural Moisture Content - The moisture content tests were conducted in general accordance with ASTM test designation D-2216.
- iv. Environmental Corrosion Series – The environmental corrosion tests were conducted in general accordance with the FDOT test designations FM 5-550, FM 5-551, FM 5-552 and FM 5-553.

The laboratory test results are presented on the **Report of Core Borings (Sheets 3 – 5) in Appendix A.** A detailed summary of the Environmental Corrosion Series test results is presented in **Appendix C.**

RESULTS OF SUBSURFACE EXPLORATION

General Soil Conditions

The subsurface conditions encountered are shown on the **Report of Core Borings (Sheets 3 – 5)** in **Appendix A**. The boring results are presented in the form of soil profiles, along with the profile legend and other pertinent information such as measured groundwater levels and laboratory test results. The soil stratification is based on a visual examination of the recovered soil samples, the laboratory testing, and interpretation of field boring logs by a geotechnical engineer. The soil types shown represent observations made at the boring locations and may not reflect variations among the borings and beyond the depths explored. The stratification lines represent the approximate boundaries between soil types of significantly different engineering properties. The actual transition may be gradual.

The following table presents a generalized subsurface soil profile as encountered in the SPT borings performed in the vicinity of the existing bridge structures.

Typical Soil Description	USCS Classification
Very Dark Brown to Pale Brown to Gray to Light Gray SAND to SAND with SILT	SP/SP-SM
Pale Brown to Brown to Gray to Dark Gray Silty SAND to Silty Clayey SAND to Clayey SAND	SM/SC-SM/SC
Weathered Limestone	*

*The USCS does not include a classification for limestone.

Groundwater

The groundwater was encountered at depths of 2½ and 7 feet below existing ground surface at the Hillsborough River Crossing. The groundwater level was not encountered at the Old Lakeland Highway Crossing and is noted as GNE on the **Report of Core Borings (Sheets 3 – 5)**. The groundwater level is presented on the **Report of Core Borings (Sheets 3 – 5)** in **Appendix A**.

Groundwater conditions will vary with environmental variations and seasonal conditions, such as the frequency and magnitude of rainfall patterns, as well as man-made influences (i.e. existing water management canals, swales, drainage ditch, underdrains and areas of covered soils, such as paved parking lots and sidewalks).

LIMITATIONS

Our professional services have been performed in accordance with generally accepted geotechnical engineering principles and practices at the time of this report. This company is not responsible for the conclusions, opinions or recommendations made by others based on these data.

The scope of the exploration was intended to evaluate soil conditions within the influence of the proposed improvements. This report presents the geotechnical conditions based on the data obtained from the soil borings performed at the locations indicated in this report and does not reflect any variations which may occur among these borings. If any variations become evident during the course of design and/or construction, a re-evaluation of the conditions contained in this report is the responsibility of the design team.

The data presented in this report is for informational purposes only. Project specific geotechnical evaluations should be completed by the design team for design and construction of this project. It should be noted that the design team will be responsible for interpretation of the data presented in this report.


The scope of services, included herein, did not include any environmental assessment for the presence or absence of hazardous or toxic materials in the soil, surface water, groundwater, air, on the site, below and around the site. Any statements in this report or on the boring logs regarding odors, colors, unusual or suspicious items and conditions are strictly for the information of our client.

APPENDIX A


USDA & USGS Vicinity Map – US 98 over Hillsborough River (Sheet 1)

USDA & USGS Vicinity Map – US 98 over Old Lakeland Highway (Sheet 2)


Report of Core Borings (Sheets 3 - 5)




REFERENCE: USDA/NRCS SOIL SURVEY OF PASCO COUNTY, FLORIDA



APPROXIMATE
BRIDGE
LOCATION



REFERENCE: "BRANCHBOROUGH, FLORIDA" USGS QUADRANGLE MAP



US 98 OVER HILLSBOROUGH RIVER

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			USDA & USGS VICINITY MAPS (1)	SHEET NO. 1
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
					US 98	PASCO	443368-3		


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




REFERENCE: USDA/NRCS SOIL SURVEY OF PASCO COUNTY, FLORIDA



APPROXIMATE
BRIDGE
LOCATION




REFERENCE: "DADE CITY, FLORIDA" USGS QUADRANGLE MAP



US 98 OVER OLD LAKELAND HIGHWAY

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 2
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	

BORING LOCATION PLAN



ENVIRONMENTAL CLASSIFICATION:

SUBSTRUCTURE CONCRETE: MODERATELY AGGRESSIVE
 SUBSTRUCTURE STEEL: MODERATELY AGGRESSIVE
 SUPERSTRUCTURE SLIGHTLY AGGRESSIVE

WATER TEST RESULTS:

RESISTIVITY 7,100 OHM-CM
 CHLORIDES 20 PPM
 SULFATES ≤ 2 PPM
 pH 6.8

SOIL TEST RESULTS:

RESISTIVITY 1,600 OHM-CM
 CHLORIDES 44 PPM
 SULFATES 48 PPM
 pH 6.3

AUTOMATIC HAMMER

GRANULAR MATERIALS-RELATIVE DENSITY	SPT N-VALUE (BLOWS/FT.)
VERY LOOSE	LESS THAN 3
LOOSE	3 to 8
MEDIUM DENSE	8 to 24
DENSE	24 to 40
VERY DENSE	GREATER THAN 40
SILTS AND CLAYS CONSISTENCY	SPT N-VALUE (BLOWS/FT.)
VERY SOFT	LESS THAN 1
SOFT	1 to 3
FIRM	3 to 6
STIFF	6 to 12
VERY STIFF	12 to 24
HARD	GREATER THAN 24

NOTES:


- BORING ELEVATION AND GPS COORDINATES WERE PROVIDED BY SURVEYORS.
- BASED ON REVIEW OF THE POTENTIOMETRIC SURFACE MAPS, THE POTENTIOMETRIC ELEVATION OF THE UPPER FLORIDAN AQUIFER IS REPORTED AT APPROXIMATELY +80 TO +90 NAVD 29.

LEGEND

- VERY DARK BROWN TO PALE BROWN TO GRAY TO LIGHT GRAY SAND TO SAND WITH SILT (SP/SP-SM) ELEV. 9.8
- PALE BROWN TO BROWN TO GRAY TO DARK GRAY SILTY SAND TO SILTY CLAYEY SAND TO CLAYEY SAND (SM/SC-SM/SC)
- WEATHERED LIMESTONE
- GROUND SURFACE ELEVATION (NAVD 88) AT TEST LOCATION
- NAVD 88 NORTH AMERICAN VERTICAL DATUM OF 1988
- GNA GROUNDWATER TABLE NOT APPARENT DUE TO USE OF DRILLING FLUID
- GROUNDWATER LEVEL AT TIME OF DRILLING
- FINES PASSING THE #200 STANDARD SIEVE (%)
- MOISTURE CONTENT (%)
- LIQUID LIMIT (%)
- PLASTIC LIMIT (%)
- PLASTICITY INDEX (%)
- NON-PLASTIC
- 3" STEEL CASING (USED TO STABILIZE BORE HOLE FOR SAMPLING)
- LOSS OF CIRCULATION OF DRILLING FLUID (%)
- APPROXIMATE STANDARD PENETRATION TEST BORING LOCATION

BORING: BB-1
 DATE: 9/16/2020
 DRILLER: M. HERNANDEZ
 HAMMER: AUTOMATIC
 RIG: BR 2500
 ELEVATION: 86.4

BORING: BB-2
 DATE: 9/18/2020
 DRILLER: M. HERNANDEZ
 HAMMER: AUTOMATIC
 RIG: BR 2500
 ELEVATION: 86.1




US 98 OVER HILLSBOROUGH RIVER

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 3
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	REPORT OF CORE BORINGS (1)

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

BORING LOCATION PLAN



ENVIRONMENTAL CLASSIFICATION:

SUBSTRUCTURE CONCRETE: SLIGHTLY AGGRESSIVE
 SUBSTRUCTURE STEEL: SLIGHTLY AGGRESSIVE
 SUPERSTRUCTURE SLIGHTLY AGGRESSIVE

SOIL COMPOSITE TEST RESULTS:

RESISTIVITY 7,600 OHM-CM
 CHLORIDES 51 PPM
 SULFATES ≤ 2 PPM
 pH 7.8

AUTOMATIC HAMMER	
GRANULAR MATERIALS-RELATIVE DENSITY	SPT N-VALUE (BLOWS/FT.)
VERY LOOSE	LESS THAN 3
LOOSE	3 to 8
MEDIUM DENSE	8 to 24
DENSE	24 to 40
VERY DENSE	GREATER THAN 40
SILTS AND CLAYS CONSISTENCY	SPT N-VALUE (BLOWS/FT.)
VERY SOFT	LESS THAN 1
SOFT	1 to 3
FIRM	3 to 6
STIFF	6 to 12
VERY STIFF	12 to 24
HARD	GREATER THAN 24

NOTES:


- BORING ELEVATION AND GPS COORDINATES WERE PROVIDED BY SURVEYORS.
- BASED ON REVIEW OF THE POTENTIOMETRIC SURFACE MAPS, THE POTENTIOMETRIC ELEVATION OF THE UPPER FLORIDAN AQUIFER IS REPORTED AT APPROXIMATELY +70 TO +80 NGVD 29.

LEGEND

- VERY DARK BROWN TO PALE BROWN TO GRAY TO LIGHT GRAY SAND TO SAND WITH SILT (SP/SP-SM) ELEV. 9.8 GROUND SURFACE ELEVATION (NAVD 88) AT TEST LOCATION
- PALE BROWN TO BROWN TO GRAY TO DARK GRAY SILTY SAND TO SILTY CLAYEY SAND TO CLAYEY SAND (SM/SC-SM/SC) NAVD 88 NORTH AMERICAN VERTICAL DATUM OF 1988
- WEATHERED LIMESTONE GNA GROUNDWATER TABLE NOT APPARENT DUE TO USE OF DRILLING FLUID
- GROUNDWATER LEVEL AT TIME OF DRILLING
- FINES PASSING THE #200 STANDARD SIEVE (%) -200
- MC MOISTURE CONTENT (%)
- LL LIQUID LIMIT (%)
- PL PLASTIC LIMIT (%)
- PI PLASTICITY INDEX (%)
- NP NON-PLASTIC
- 3" STEEL CASING (USED TO STABILIZE BORE HOLE FOR SAMPLING)
- LOSS OF CIRCULATION OF DRILLING FLUID (%)
- APPROXIMATE STANDARD PENETRATION TEST BORING LOCATION
- NR NO RECOVERY OF SAMPLE
- WR FELL UNDER WEIGHT OF ROD WITH DRILL BIT
- WH FELL UNDER WEIGHT OF HAMMER

BORING: BB-4
 DATE: 8/20/2020
 DRILLER: M. HERNANDEZ
 HAMMER: AUTOMATIC
 RIG: BR 2500
 ELEVATION: 98.1

BORING: BB-3
 DATE: 8/24/2020
 DRILLER: M. HERNANDEZ
 HAMMER: AUTOMATIC
 RIG: BR 2500
 ELEVATION: 97.7




US 98 OVER OLD LAKELAND HIGHWAY

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 4
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	

REPORT OF CORE BORINGS (2)

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

BORING LOCATION PLAN



ENVIRONMENTAL CLASSIFICATION:

SUBSTRUCTURE CONCRETE: SLIGHTLY AGGRESSIVE
 SUBSTRUCTURE STEEL: SLIGHTLY AGGRESSIVE
 SUPERSTRUCTURE SLIGHTLY AGGRESSIVE

SOIL COMPOSITE TEST RESULTS:


RESISTIVITY 7,600 OHM-CM
 CHLORIDES 51 PPM
 SULFATES ≤ 2 PPM
 pH 7.8

AUTOMATIC HAMMER	
GRANULAR MATERIALS-RELATIVE DENSITY	SPT N-VALUE (BLOWS/FT.)
VERY LOOSE	LESS THAN 3
LOOSE	3 to 8
MEDIUM DENSE	8 to 24
DENSE	24 to 40
VERY DENSE	GREATER THAN 40
SILTS AND CLAYS CONSISTENCY	SPT N-VALUE (BLOWS/FT.)
VERY SOFT	LESS THAN 1
SOFT	1 to 3
FIRM	3 to 6
STIFF	6 to 12
VERY STIFF	12 to 24
HARD	GREATER THAN 24

NOTES:

- BORING ELEVATION AND GPS COORDINATES WERE PROVIDED BY SURVEYORS.
- BASED ON REVIEW OF THE POTENTIOMETRIC SURFACE MAPS, THE POTENTIOMETRIC ELEVATION OF THE UPPER FLORIDAN AQUIFER IS REPORTED AT APPROXIMATELY +70 TO +80 NGVD 29.

BORING: BB-5
 DATE: 8/27/2020
 DRILLER: M. HERNANDEZ
 HAMMER: AUTOMATIC
 RIG: BR 2500
 ELEVATION: 97.8



LEGEND

- VERY DARK BROWN TO PALE BROWN TO GRAY TO LIGHT GRAY SAND TO SAND WITH SILT (SP/SP-SM)
- PALE BROWN TO BROWN TO GRAY TO DARK GRAY SILTY SAND TO SILTY CLAYEY SAND TO CLAYEY SAND (SM/SC-SM/SC)
- WEATHERED LIMESTONE
- SP UNIFIED SOIL CLASSIFICATION SYSTEM (ASTM D 2488) SYMBOL AS DETERMINED BY VISUAL REVIEW AND/OR LABORATORY TESTING
- NR NO RECOVERY OF SAMPLE
- WR FELL UNDER WEIGHT OF ROD WITH DRILL BIT
- WH FELL UNDER WEIGHT OF HAMMER
- ELEV. 9.8 GROUND SURFACE ELEVATION (NAVD 88) AT TEST LOCATION
- NAVD 88 NORTH AMERICAN VERTICAL DATUM OF 1988
- GNA GROUNDWATER TABLE NOT APPARENT DUE TO USE OF DRILLING FLUID
- ▽ GROUNDWATER LEVEL AT TIME OF DRILLING
- 200 FINES PASSING THE #200 STANDARD SIEVE (%)
- MC MOISTURE CONTENT (%)
- LL LIQUID LIMIT (%)
- PL PLASTIC LIMIT (%)
- PI PLASTICITY INDEX (%)
- NP NON-PLASTIC
- || 3" STEEL CASING (USED TO STABILIZE BORE HOLE FOR SAMPLING)
- 100 LOSS OF CIRCULATION OF DRILLING FLUID (%)
- APPROXIMATE STANDARD PENETRATION TEST BORING LOCATION

US 98 OVER OLD LAKELAND HIGHWAY

REVISIONS				IGOR (IGON) KRATSER, P.E. P.E. NO.: 73129 TEST LAB, INC. 4112 WEST OSBORNE AVENUE TAMPA, FL 33614	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO. 5
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
					US 98	PASCO	443368-3	

REPORT OF CORE BORINGS (3)

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

APPENDIX B

Summary of USDA Soil Survey

SUMMARY OF USDA SOIL SURVEY
US 98 FROM POLK COUNTY LINE TO US 301
PASCO COUNTY, FLORIDA
FPN:443368-3
TEST LAB PROJECT NO: 20-5131

USDA Soil Name	Depth (in)	Soil Classification		Permeability (in/hr)	pH	Seasonal High Water Table	
		USCS	AASHTO			Depth (feet)	Months
(32) Lake fine sand, 0 to 5 percent slopes							
Lake	0-9	SP-SM	A-2-4, A-3	6.00 - 50.03	4.5-5.5	>6.0	-
	9-80						
(39) Chobee soils, frequently flooded							
Chobee	0-11	SM, SP-SM	A-2-4	1.98 - 5.95	6.1-7.3	0.0-0.5	Jun-Feb
	11-56	SC	A-2-6, A-2-7, A-6, A-7	0.00 - 0.20	7.4-9.0		
	56-80	SC, SC-SM, SM, SP-SM	A-2-4, A-2-6, A-6, A-7	0.20 - 5.95			

APPENDIX C


Summary of Corrosion Test Results

SUMMARY OF CORROSION TEST RESULTS
US 98 FROM POLK CL TO US 301
PASCO COUNTY, FLORIDA
FPN NO: 443368-3
TEST LAB PROJECT NO: 20-5131

Boring Number / Location	Sample Type	Depth (ft)	pH (FM 5-550)	Resistivity (ohm-cm) (FM 5-551)	Chlorides (ppm) (FM 5-552)	Sulfates (ppm) (FM 5-553)	Environmental Classification	
							Steel	Concrete
(Hills. River)	Water	N/A	6.8	7,100	20	≤ 2	Moderately Aggressive	Slightly Aggressive
BB-1 & BB-2 (Hills. River)	Soil Composite	4.0-6.0	6.3	1,600	44	48	Moderately Aggressive	Moderately Aggressive
BB-3, BB-4 & B-5 (Lakeland Hwy.)	Soil Composite	0.0-8.0	7.8	7,600	51	≤ 2	Slightly Aggressive	Slightly Aggressive

APPENDIX D

Report of Core Borings - Provided by the Department



BRIDGE OVER HILLSBOROUGH RIVER

SCALE: N.T.S.

LOCATION	
TOWNSHIP:	25 S
RANGE:	22 E
SECTION:	34

- ### LEGEND
- (SP/SP-SM), SLIGHTLY SILTY FINE SAND
 - (SP/SP-SM), FINE SAND TO SLIGHTLY SILTY FINE SAND
 - (SP), SLIGHTLY CLAYEY FINE SAND
 - (CL/CH), SLIGHTLY SANDY CLAY TO CLAY
 - (SC), CLAYEY FINE SAND
 - (CL), SANDY CLAY
 - (SM), CALCAREOUS SILT
 - LIMESTONE AND WEATHERED LIMESTONE
 - (PT), ORGANIC FINE SAND
 - (SM), SANDY SILT TO SLIGHTLY SANDY SILT
- A WITH ROCK FRAGMENTS
 B WITH CEMENTATION
 C WITH TRACE ORGANICS

NOTES:

WATER TABLE

NUMBERS TO THE LEFT OF BORINGS INDICATE SPT VALUE FOR 12" PENETRATION. (UNLESS OTHERWISE NOTED.)

APPROXIMATE SPT BORING LOCATION, TYPE RIG = CME 550


ENVIRONMENTAL CLASSIFICATION

SUBSTRUCTURE: MODERATELY AGGRESSIVE, INLAND
 SUPERSTRUCTURE: SLIGHTLY AGGRESSIVE, INLAND


WATER

RESISTIVITY: 2,882-4,386 OHMS-CM
 CHLORIDES: 16.9-19.8 PPM
 SULFATES: 6.8-7.1 PPM
 pH: 6.72-6.86


BORING NO. B-14
 STATION NO. 1019+50
 OFFSET: 55' LT.
 ELEVATION: 77.5'
 DATE: 03/23/93






BORING NO. B-15
 STATION NO. 1019+00
 OFFSET: 55' LT.
 ELEVATION: 77.5'
 DATE: 03/18/93




BORING NO. B-16
 STATION NO. 1018+50
 OFFSET: 55' LT.
 ELEVATION: 77.5'
 DATE: 03/18/93



BORING NO. B-17
 STATION NO. 1017+50
 OFFSET: 55' LT.
 ELEVATION: 77.5'
 DATE: 03/24/93



GRANULAR MATERIALS-RELATIVE DENSITY	SPT (BLOWS/FT.)
VERY LOOSE	LESS THAN 4
LOOSE	4-10
MEDIUM OR COMPACT	10-30
DENSE	30-50
VERY DENSE	GREATER THAN 50
SILTS AND CLAYS CONSISTENCY	SPT (BLOWS/FT.)
VERY SOFT	LESS THAN 2
SOFT	2-4
FIRM	4-8
STIFF	8-15
VERY STIFF	15-30
HARD	GREATER THAN 30



BRIDGE OVER CSX RAILROAD


SCALE: N.T.S.

LOCATION	
TOWNSHIP:	25 S
RANGE:	22 E
SECTION:	19


- ### LEGEND
- (SP/SP-SM), SLIGHTLY SILTY FINE SAND
 - (SP/SP-SM), FINE SAND TO SLIGHTLY SILTY FINE SAND
 - (SP), SLIGHTLY CLAYEY FINE SAND
 - (CL/CH), SLIGHTLY SANDY CLAY TO CLAY
 - (SC), CLAYEY FINE SAND
 - (CL), SANDY CLAY
 - (SM), CALCAREOUS SILT
 - LIMESTONE AND WEATHERED LIMESTONE
 - (PT), ORGANIC FINE SAND
 - (SM), SANDY SILT TO SLIGHTLY SANDY SILT

- A WITH ROCK FRAGMENTS
 - B WITH CEMENTATION
 - C WITH TRACE ORGANICS
- NOTES:**
- WATER TABLE
 - NUMBERS TO THE LEFT OF BORINGS INDICATE SPT VALUE FOR 12" PENETRATION. (UNLESS OTHERWISE NOTED.)
 - APPROXIMATE SPT BORING LOCATION.
 - FELL UNDER WEIGHT OF ROD
 - FELL UNDER WEIGHT OF ROD AND HAMMER
 - TYPE RIG = CME 550
- ENVIRONMENTAL CLASSIFICATION**
- SUBSTRUCTURE: MODERATELY AGGRESSIVE, INLAND
 SUPERSTRUCTURE: SLIGHTLY AGGRESSIVE, INLAND
- WATER**
- RESISTIVITY: N/A
 CHLORIDES: N/A
 SULFATES: N/A
 pH: N/A


BORING NO. B-5
 STATION NO. 1202+49
 OFFSET 105' RT.
 ELEVATION 98.5'
 DATE 04/02/93




BORING NO. B-6
 STATION NO. 1202+83
 OFFSET 36' LT.
 ELEVATION 98.5'
 DATE 04/02/93






BORING NO. B-7
 STATION NO. 1203+29
 OFFSET 36' RT.
 ELEVATION 98.5'
 DATE 04/01/93



BORING NO. B-8
 STATION NO. 1203+79
 OFFSET 36' LT.
 ELEVATION 98.5'
 DATE 04/01/93



BORING NO. B-9
 STATION NO. 1204+65
 OFFSET 36' RT.
 ELEVATION 98.5'
 DATE 04/06/93




GRANULAR MATERIALS- RELATIVE DENSITY	SPT (BLOWS/FT.)
VERY LOOSE	LESS THAN 4
LOOSE	4-10
MEDIUM OR COMPACT	10-30
DENSE	30-50
VERY DENSE	GREATER THAN 50
SILTS AND CLAYS CONSISTENCY	SPT (BLOWS/FT.)
VERY SOFT	LESS THAN 2
SOFT	2-4
FIRM	4-8
STIFF	8-15
VERY STIFF	15-30
HARD	GREATER THAN 30

REVISIONS				DESIGNED BY: RAJ		DATE: 10/93		Professional Service Industries, Inc. Survey & Associates Office		FLORIDA DEPARTMENT OF TRANSPORTATION		SHEET TITLE: REPORT OF CORE BORINGS		DRAWING NO.		
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	ROAD NO.	COUNTY	PROJECT NO.	APPROVED BY:	PROJECT NAME:	INDEX NO.		
									S.R. 35	PASCO	14070-1513		U.S. 98 (S.R. 35)			
SUPERVISED BY: KERMIT SCHMIOT, P.E.									S.R. 35		PASCO		14070-1513		DATE:	

BENT No. 9 STATION 1206+09
 BENT No. 8 STATION 1205+73
 BENT No. 7 STATION 1205+15
 BENT No. 6 STATION 1204+86
 BENT No. 5 STATION 1204+50
 BENT No. 4 STATION 1203+99
 BENT No. 3 STATION 1203+48
 BENT No. 2 STATION 1202+97
 BENT No. 1 STATION 1202+47

FED. ROAD DIV. NO.	STATE	PROJECT NO.	FISCAL YEAR	SHEET NO.
				C-2B



BRIDGE OVER CSX RAILROAD
 SCALE: N.T.S.

LOCATION	
TOWNSHIP:	25 S
RANGE:	22 E
SECTION:	19







- ### LEGEND
- [Symbol] (SP/SP-SM), SLIGHTLY SILTY FINE SAND
 - [Symbol] (SP/SP-SM), FINE SAND TO SLIGHTLY SILTY FINE SAND
 - [Symbol] (SP), SLIGHTLY CLAYEY FINE SAND
 - [Symbol] (CL/CH), SLIGHTLY SANDY CLAY TO CLAY
 - [Symbol] (SC), CLAYEY FINE SAND
 - [Symbol] (CL), SANDY CLAY
 - [Symbol] (SM), CALCAREOUS SILT
 - [Symbol] LIMESTONE AND WEATHERED LIMESTONE
 - [Symbol] (PT), ORGANIC FINE SAND
 - [Symbol] (SM), SANDY SILT TO SLIGHTLY SANDY SILT
- A WITH ROCK FRAGMENTS
 B WITH CEMENTATION
 C WITH TRACE ORGANICS

BORING NO. B-10
 STATION NO. 1204+68
 OFFSET: 36' LT.
 ELEVATION 98.5'
 DATE: 04/9/93

BORING NO. B-11
 STATION NO. 1205+76
 OFFSET: 36' RT.
 ELEVATION 98.5'
 DATE: 04/8/93

BORING NO. B-12
 STATION NO. 1205+23
 OFFSET: 36' LT.
 ELEVATION 98.5'
 DATE: 04/8/93

BORING NO. B-13
 STATION NO. 1206+23
 OFFSET: 101' RT.
 ELEVATION 98.5'
 DATE: 04/8/93



NOTES:

- WATER TABLE
- NUMBERS TO THE LEFT OF BORINGS INDICATE SPT VALUE FOR 12" PENETRATION. (UNLESS OTHERWISE NOTED.)
- APPROXIMATE SPT BORING LOCATION, TYPE RIG = CME 550

ENVIRONMENTAL CLASSIFICATION

SUBSTRUCTURE: MODERATELY AGGRESSIVE, INLAND
 SUPERSTRUCTURE: SLIGHTLY AGGRESSIVE, INLAND

WATER



RESISTIVITY: N/A
 CHLORIDES: N/A
 SULFATES: N/A
 pH: N/A



GRANULAR MATERIALS- RELATIVE DENSITY	SPT (BLOWS/FT.)
VERY LOOSE	LESS THAN 4
LOOSE	4-10
MEDIUM OR COMPACT	10-30
DENSE	30-50
VERY DENSE	GREATER THAN 50
SILTS AND CLAYS CONSISTENCY	SPT (BLOWS/FT.)
VERY SOFT	LESS THAN 2
SOFT	2-4
FIRM	4-8
STIFF	8-15
VERY STIFF	15-30
HARD	GREATER THAN 30


DESIGNED BY: RAJ 10/93				DRAWN BY: RAJ 10/93				CHECKED BY: SS 10/93				SUPERVISED BY: KERMIT SCHMIDT, P.E.				FLORIDA DEPARTMENT OF TRANSPORTATION PROJECT NO. 14070-1513 COUNTY PASCO ROAD NO. S.R. 38 DATE:				SHEET TITLE: REPORT OF CORE BORINGS PROJECT NAME: U.S. 98 (S.R. 35) INDEX NO.			
------------------------	--	--	--	---------------------	--	--	--	----------------------	--	--	--	-------------------------------------	--	--	--	---	--	--	--	--	--	--	--

APPENDIX E


Straight Line Diagrams







APPROXIMATE
END OF PROJECT REALIGNMENT TO US 301
(CLINTON AVE AND US 301 INTERSECTION)



APPENDIX F

SWFWMD Pre-Application Minutes

THIS FORM IS INTENDED TO FACILITATE AND GUIDE THE DIALOGUE DURING A PRE-APPLICATION MEETING BY PROVIDING A PARTIAL "PROMPT LIST" OF DISCUSSION SUBJECTS. IT IS NOT A LIST OF REQUIREMENTS FOR SUBMITTAL BY THE APPLICANT.



**SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
RESOURCE REGULATION DIVISION
PRE-APPLICATION MEETING NOTES**

**FILE
NUMBER:

PA 407789**

Date:	07/29/2020		
Time:	10:00		
Project Name:	FDOT US 98 widening from SR 54 to SR 50		
District Engineer:	Scott VanOrsdale		
District ES:	Lauren Greenawalt		
Attendees:	Nate Johnson, Tech Wells, Christian Gyle, Walter Nemecek, Tony Celani, Craig Fox, Ashley Henzel, Todd Laine, Tori Kuba, Abdul Waris,		
County:	Pasco	Sec/Twp/Rge:	Multiple S/T/R
Total Land Acreage:	N/A	Project Acreage:	acres

Prior On-Site/Off-Site Permit Activity:

- Numerous ERP Permits located within or adjacent to the roadway, all impacted ERPs will need to be modified.

Project Overview:

- FDOT US 98 widening from SR 54 to SR 50 from 2 lanes to 4 lanes. Project will be submitted in segments; it is highly recommended that follow up pre-app meetings are held when more specific design concepts can be provided.
- High overview discussion for the widening on US 98 from SR 54 to SR 50.
- Discussed if there were any CFI or SWIM projects that roadway project can be party to. Contact Pasco County and the other local municipalities for information related to any upcoming or ongoing projects. For projects related to municipalities you can contact our Government Affairs Regional Manager Frank Gargano ext. 4759. For possible SWIM projects contact Will VanGelder ext. 2206.
- Unknown if there are any point source areas within the US 98 limits between SR 54 and SR 50.
- Floodplain limits should be determined utilizing best available information. In areas where a watershed study is not available, it may be required to establish the 100-year floodplain limits.
- Storage modeling or cup or cup compensation are both viable options for floodplain compensation. Impacts to a flood way may require modeling in addition to cup for cup compensation.
- Talked about impaired waterbodies in OFWs: The treatment required for an impaired waterbody that is also classified as an OFW will be the required net improvement treatment volumes depending on the treatment type(s) selected. However, this volume must not be less than the presumptive treatment volume plus 50% to meet the OFW Criteria.
- OFW treatment is required for all direct discharges into an OFW.
- Existing land uses for the net improvement analysis will be the historic land uses. Regional net improvement solutions can be considered to compensate for the lack of direct or inline solutions.
- Adding nutrient removal systems to existing drainage system is a viable option, as long as the existing systems are not adversely impacted.
- To consider the pre-development condition/ land use as agriculture pasture, the property would need to be in continuous use as an agriculture pasture for a long period of time. Typically, we consider a historic use as something that has been in operation for many years. I recent land use change of a short period of time, for example two years, would not be sufficient to consider the land use as agriculture.
- Discussed getting a land use change for removing cattle or agriculture practices off existing historical pastures. This may be possible using the BMPTrains and legal instruments to prohibit the land use from agriculture proposes. The post-development land use for properties effected by this change would be the appropriate undeveloped condition. Applicant must have legal control of the property.
- Discussed A/D soil classification; this soil can be classified as Group A when well drained, otherwise this soil type will be classified as group D.
- Also discussed if grass swales would be counted as DCIA. Per Section 4.5, A.H.V.II, grass swales would not be included in the DICA area. Only the new impervious area plus existing impervious area that directly connected would be used to determine the treatment volume.

Environmental Discussion: (Wetlands On-Site, Wetlands on Adjacent Properties, Delineation, T&E species, Easements, Drawdown Issues, Setbacks, Justification, Elimination/Reduction, Permanent/Temporary Impacts, Secondary and Cumulative Impacts, Mitigation Options, SHWL, Upland Habitats, Site Visit, etc.)

- Provide the limits of jurisdictional wetlands and surface waters. Roadside ditches or other water conveyances, including permitted and constructed water conveyance features, can be claimed as surface waters per Chapter 62-340 F.A.C. if they do not meet the definition of a swale as stated under Rule 403.803 (14) F.S.
- Provide appropriate mitigation using UMAM for impacts, if applicable.
- If the wetland mitigation is appropriate and the applicant is proposing to utilize mitigation bank credit as wetland mitigation, the following applies: Provide letter or credit availability or, if applicable, a letter of reservation from the wetland mitigation bank. The wetland mitigation bank service area and current ledgers can be found out the following link: <https://www.swfwmd.state.fl.us/business/epermitting/environmental-resource-permit>, Goto “ERP Mitigation Bank Wetland Credit Ledgers”
- Demonstrate elimination and reduction of wetland impacts.
- Maintain minimum 15 foot, average 25 foot wetland conservation area setback or address secondary impacts.
- Determine SHWL’s at pond locations, wetlands, and OSWs.
- Determine normal pool elevations of wetlands.
- Determine ‘pop-off’ locations and elevations of wetlands.
- As of October 1, 2017, the District will no longer send a copy of an application that does not qualify for a State Programmatic General Permit (SPGP) to the U.S. Army Corps of Engineers. If a project does not qualify for a SPGP, you will need to apply separately to the Corps using the appropriate federal application form for activities under federal jurisdiction. Please see the Corps’ Jacksonville District Regulatory Division Sourcebook for more information about federal permitting. Please call your local Corps office if you have questions about federal permitting. Link: <http://www.saj.usace.army.mil/Missions/Regulatory/Source-Book/>

Site Information Discussion: (SHW Levels, Floodplain, Tailwater Conditions, Adjacent Off-Site Contributing Sources, Receiving Waterbody, etc.)

- Existing roadway/intersections – US 98 from SR 54 to SR 50
- Watersheds – project will involve several watershed studies. Contact the watershed group for more information related to the watershed studies.
- WBIDs need to be independently verified by the consultant – Please review the following link to determine the impaired waterbodies, TMDLs or BMAPs associated with the project. [Water Quality Assessments, TMDLs, and BMAPs](#)
- Portions of the project will be discharging to impaired waters.
- Portions of the project may discharge to closed basins, applicant to determine.
- OFW – Withlacoochee River System
- Document/justify SHWE’s at pond locations, wetlands, and OSWs.
- Determine normal pool elevations of wetlands.
- Determine ‘pop-off’ locations and elevations of wetlands.
- Provide documentation to support tailwater conditions for quality and quantity design
- Proposed control structures in wetlands should be consistent with existing ‘pop-off’ elevations of wetlands; demonstrate no adverse impacts to wetland hydroperiod for up to 2.33yr mean annual storm.
- Minimum flows and levels of receiving waters shall not be disrupted.
- Contamination issues need to be resolved with the FDEP. Check FDEP MapDirect layer for possible contamination points within/adjacent to the project area. [FDEP MapDirect Link](#)
For known contamination within the site or within 500’ beyond the proposed stormwater management system:
 - after the application is submitted, please contact FDEP staff listed below and provide them with the ERP Application ID # along with a mounding analysis (groundwater elevation versus distance) of the proposed stormwater management system that shows the proposed groundwater mound will not adversely impact the contaminated area. FDEP will review the plans submitted to the District and mounding analysis to determine any adverse impacts. Provide documentation from FDEP that the proposed construction will not result in adverse impacts. This is required prior to the ERP Application being deemed complete.
 - If a SWMS is to be constructed within a contamination zone area, a groundwater sample collected from the first aquifer water bearing zone (i.e. zone of saturation or first zone that the water table is encountered) will most likely be required.
- For known offsite contamination between 500’ and 1500’ beyond the site:

- FDEP may also require a mounding analysis (groundwater elevation versus distance) for the proposed stormwater systems. SWFWMD will issue the permit when contamination sites are located outside the 500 ft radius prior to concurrence from DEP, however, it is the Permittee's responsibility to resolve contaminated site assessment concerns with the FDEP prior to beginning any construction activities. A permit condition will be used to reiterate this. You are advised to contact DEP as soon as possible, preferably during permit application period.

FDEP Contacts:

- For projects located within Citrus, Hernando, Pasco, Hillsborough, Pinellas, Manatee, Polk and Hardee Counties: Yanisa Angulo yanisa.angulo@floridadep.gov

- District owned lands adjacent to project area. Contact Steven Blaschka ext. 4459, if a work license or easement is required on District. You may also want to contact land management, Manger for that section is Chris Reed, ext 4466 or Carmen Sanders, ext 4477.
- Stormwater retention and detention systems are classified as moderate sanitary hazards with respect to public and private drinking water wells. Stormwater treatment facilities shall not be constructed within 100 feet of an existing public water supply well and shall not be constructed within 75 feet of an existing private drinking water well. Subsection 4.2, A.H.V.II.
- Any wells on site should be identified and their future use/abandonment must be designated.
- District data collection site may be impacted by proposed construction. Contact data.maps@watermatters.org to coordinate relocation of District data collection site.

Water Quantity Discussions: (Basin Description, Storm Event, Pre/Post Volume, Pre/Post Discharge, etc.)

- Demonstrate that post development peak discharges from proposed project area will not cause an adverse impact for a 25-year, 24-hour storm event.
- For projects or portions of projects that discharge to a closed basin, limit the post-development 100-year discharge volume to the pre-development 100-year, 24-hour volume.
- Demonstrate that site will not impede the conveyance of contributing off-site flows.
- Demonstrate that the project will not increase flood stages up- or down-stream of the project area(s).
- Provide equivalent compensating storage for all 100-year, 24-hour riverine floodplain impacts if applicable. Providing cup-for-cup storage in dedicated areas of excavation is the preferred method of compensation- if no impacts to flood conveyance are proposed and storage impacts and compensation occur within the same basin. In this case, tabulations should be provided at 0.5-foot increments to demonstrate encroachment and compensation occur at the same levels. Otherwise, storage modeling will be required to demonstrate no increase in flood stages will occur on off-site properties, using the mean annual, 10-year, 25-year, and 100-year storm events for the pre- and post-development conditions.
- Please be aware that if there is credible historical evidence of past flooding or the physical capacity of the downstream conveyance or receiving waters indicates that the conditions for issuance will not be met without consideration of storm events of different frequency or duration, applicants shall be required to provide additional analyses using storm events of different duration or frequency than the 25-year 24-hour storm event, or to adjust the volume, rate or timing of discharges. [Section 3.0 Applicant's Handbook Volume II]

Water Quality Discussions: (Type of Treatment, Technical Characteristics, Non-presumptive Alternatives, etc.)

- If the project discharges to an impaired water body, must provide a net environmental improvement.
- Applicant must demonstrate a net improvement for the parameters of concern by performing a pre/post pollutant loading analysis based on existing land use and the proposed land use.
- Also, replace treatment function of existing ditches to be filled.
- Presumptive Water Quality Treatment for Alterations to Existing Public Roadway Projects:
 - Refer to Section 4.5 A.H.V.II for Alterations to Existing Public Roadway Projects.
 - Refer to Sections 4.8, 4.8.1 and 4.8.2 A.H.V.II for Compensating Stormwater Treatment, Overtreatment, and Offsite Compensation.
 - All co-mingled existing & new impervious that is proposed to be connected to a treatment pond will require treatment for an area equal to the co-mingled existing & new impervious (times ½" for dry treatment or 1" for wet treatment). This applies whether or not equivalent treatment concepts are used.
 - However, if equivalent treatment concepts are used it is possible to strategically locate the pond(s) so that the minimum treatment requirement may be for an area equivalent to the new impervious area only. That is, co-mingled existing & new impervious that is not connected to a treatment pond may bypass treatment (as per Section 4.5(2), A.H.V.II); if the 'total impervious area' that is connected to the treatment pond(s) is at

least equivalent to the area of new impervious only. The 'total impervious area' that is connected to the pond(s) may be composed of co-mingled existing & new impervious.

-Offsite impervious not required to be treated; but may be useful to be treated when using equivalent treatment concepts.

-Existing treatment capacity displaced by any road project will require additional compensating volume. Refer to Subsection 4.5(c), A.H.V.II.

- Will acknowledge compensatory treatment to offset pollutant loads associated with portions of the project area that cannot be physically treated.
- Provide additional 50% treatment for any direct discharges to OFW. Refer to ERP Applicant's Handbook Vol. II Subsection 4.1(f).
- Please be advised that although use of isolated wetlands for ERP treatment purposes is permissible as per Section 4.1(a)(3), A.H.V.II, use of isolated wetlands for treatment purposes may not necessarily meet US Army Corps criteria.

Sovereign Lands Discussion: (Determining Location, Correct Form of Authorization, Content of Application, Assessment of Fees, Coordination with FDEP)

- The project may be located within state owned sovereign submerged lands (SSSL). Be advised that a title determination will be required from FDEP to verify the presence and/or location of SSSL.
- If use of SSSL is proposed, authorization will be required. Refer to Chapter 18-21, F.A.C. and Chapter 18-20, F.A.C. for guidance on projects that impact SSSL and Aquatic Preserves.
- Include discussion on the potential type of SSSL authorization that may be required. Refer to Chapter 18-21.005, F.A.C.
- Coordination with the Tampa Port Authority for projects located in Hillsborough County is recommended.

Operation and Maintenance/Legal Information: (Ownership or Perpetual Control, O&M Entity, O&M Instructions, Homeowner Association Documents, Coastal Zone requirements, etc.)

- The permit must be issued to entity that owns or controls the property.
- Provide evidence of ownership or control by deed, easement, contract for purchase, etc. Evidence of ownership or control must include a legal description. A Property Appraiser summary of the legal description is NOT acceptable.

Application Type and Fee Required:

- SWERP Individual Permit – Sections A, C, and E of the ERP Application. Roadway improvements will likely be submitted in segments. Some common fees for large roadway projects listed below.
- < 100 acres of project area and < 10 acre of wetland or surface water impacts - \$2,798.25 Online Submittal
- < 640 acres of project area and < 50 acre of wetland or surface water impacts - \$3,105.75
- Consult the [fee schedule](#) for different thresholds.

Other: (Future Pre-Application Meetings, Fast Track, Submittal Date, Construction Start Date, Required District Permits – WUP, WOD, Well Construction, etc.)

- An application for an individual permit to construct or alter a dam, impoundment, reservoir, or appurtenant work, requires that a notice of receipt of the application must be published in a newspaper within the affected area. Provide documentation that such noticing has been accomplished. Note that the published notices of receipt for an ERP can be in accordance with the language provided in Rule 40D-1.603(10), F.A.C.
- Provide a copy of the legal description (of all applicable parcels within the project area) in one of the following forms:
 - a. Deed with complete Legal Description attachment.
 - b. Plat.
 - c. Boundary survey of the property(ies) with a sketch.
- The plans and drainage report submitted electronically must include the appropriate information required under Rules 61G15-23.005 and 61G15-23.004 (Digital), F.A.C. The following text is required by the Florida Board of Professional Engineers (FBPE) to meet this requirement when a digitally created seal is not used and must appear where the signature would normally appear:

ELECTRONIC (Manifest): *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]
This item has been electronically signed and sealed by [NAME] on the date indicated here using a SHA authentication code. Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies*

DIGITAL: *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]; This item has been digitally signed and sealed by [NAME] on the date indicated here; Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.*

- Provide soil erosion and sediment control measures for use during construction. Refer to ERP Applicant's Handbook Vol. 1 Part IV Erosion and Sediment Control.
- Demonstrate that excavation of any stormwater ponds does not breach an aquitard (see Subsection 2.1.1, A.H.V.II) such that it would allow for lesser quality water to pass, either way, between the two systems. In those geographical areas of the District where there is not an aquitard present, the depth of the pond(s) shall not be excavated to within two (2) feet of the underlying limestone which is part of a drinking water aquifer. [Refer to Subsection 5.4.1(b), A.H.V.II]
- If lowering of SHWE is proposed, then burden is on Applicant to demonstrate no adverse onsite or offsite impacts as per Subsection 3.6, A.H.V.II. Groundwater drawdown 'radius of influence' computations may be required to demonstrate no adverse onsite or offsite impacts. Please note that new roadside swales or deepening of existing roadside swales may result in lowering of SHWE. Proposed ponds with control elevation less than SHWE may result in adverse lowering of onsite or offsite groundwater.

Disclaimer: The District ERP pre-application meeting process is a service made available to the public to assist interested parties in preparing for submittal of a permit application. Information shared at pre-application meetings is superseded by the actual permit application submittal. District permit decisions are based upon information submitted during the application process and Rules in effect at the time the application is complete.

THIS FORM IS INTENDED TO FACILITATE AND GUIDE THE DIALOGUE DURING A PRE-APPLICATION MEETING BY PROVIDING A PARTIAL "PROMPT LIST" OF DISCUSSION SUBJECTS. IT IS NOT A LIST OF REQUIREMENTS FOR SUBMITTAL BY THE APPLICANT.



**SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
RESOURCE REGULATION DIVISION
PRE-APPLICATION MEETING NOTES**

**FILE
NUMBER:

PA 407957**

Date:	10/1/2020		
Time:	10:00		
Project Name:	FDOT US 98 widening from SR 54 to SR 50		
District Engineer:	Monte Ritter		
District ES:	Kim Dymond		
Attendees:	Nate Johnson Nathan.Johnson@arcadis.com , Tech Wells, Walter Nemecek, Christian Gyle, Tony Celani		
County:	Pasco/Hernando	Sec/Twp/Rge:	11,13,14/25/21; 18-20,27-29,34,35/25/22 26,27,35/24/21; 11-14,22,23,26/23/21
Total Land Acreage:		Project Acreage:	acres

Prior On-Site/Off-Site Permit Activity:

- Previous Pre App 407789; Numerous ERP's within the project corridor.

Project Overview:

- Proposed road widening from two to four lanes along US 98 and 301 between CR 54 at the Pasco/Polk county line and SR 50 in Hernando County. Project will be completed in four segments: (1) US 98 from CR 54 to US 301, (2) The US 301 Dade City Bypass, (3) US 301 from US 98 to the Withlacoochee River, (4) US 301 from the Withlacoochee River to SR 50.
- Meeting focused on a high-level discussion of regional facilities for treatment and floodplain compensation. Regional treatment facilities may be feasible if treatment facility is placed upstream of project and is connected to the same waterbody which receives untreated runoff. BMPTRAINS will be used to show treatment removal efficiencies of regional systems will be equal to, or greater than presumptive criteria. Wetlands and wet ponds will not be included as part of the catchment areas in the BMPTRAINS analyses.

Environmental Discussion: (Wetlands On-Site, Wetlands on Adjacent Properties, Delineation, T&E species, Easements, Drawdown Issues, Setbacks, Justification, Elimination/Reduction, Permanent/Temporary Impacts, Secondary and Cumulative Impacts, Mitigation Options, SHWL, Upland Habitats, Site Visit, etc.)

- Not discussed.

Site Information Discussion: (SHW Levels, Floodplain, Tailwater Conditions, Adjacent Off-Site Contributing Sources, Receiving Waterbody, etc.)

- Watersheds – New River/Upper Hillsborough, East Pasco, Duck Lake, Dade City, Eastern Hernando. 100-year floodplain onsite per watershed studies. Contact Jessica Hendrix at Ext 4217 if copies of the watershed studies are needed. Section 3.4 of the ERP AHVII requires that flood elevation need to be determined from the most accurate information available.
- WBIDs – 1445, 1443A, 1329F, 1403B, 1424A, 1399, 1396, 1390. WBID 1443A is currently listed as impaired for Dissolved Oxygen. WBIDs need to be independently verified by the consultant
- Portions of project discharge to closed or volume sensitive basins
- OFW – Hillsborough River and Withlacoochee River System.
- Document/justify SHWE's at pond locations, wetlands, and OSWs.
- Provide documentation to support tailwater conditions for quality and quantity design. Can use data from watershed studies.
- Contamination issues need to be resolved with the FDEP. Check FDEP MapDirect layer for possible contamination points within/adjacent to the project area. [FDEP Map Direct](#)
For known contamination within the site or within 500' beyond the proposed stormwater management system:
- After the application is submitted, please contact FDEP staff listed below and provide them with the ERP Application ID # along with a mounding analysis (groundwater elevation versus distance) of the proposed stormwater management system that shows the proposed groundwater mound will not adversely impact the contaminated area. FDEP will review the plans submitted to the District and mounding analysis to

determine any adverse impacts. Provide documentation from FDEP that the proposed construction will not result in adverse impacts. This is required prior to the ERP Application being deemed complete.

- If a SWMS is to be constructed within a contamination zone area, a groundwater sample collected from the first aquifer water bearing zone (i.e. zone of saturation or first zone that the water table is encountered) will most likely be required.

For known offsite contamination between 1500' and 500' beyond the site: - FDEP may also require a mounding analysis (groundwater elevation versus distance) for the proposed stormwater systems. SWFWMD will issue the permit when contamination sites are located outside the 500 ft radius prior to concurrence from DEP, however, it is the Permittee's responsibility to resolve contaminated site assessment concerns with the FDEP prior to beginning any construction activities. A permit condition will be used to reiterate this. You are advised to contact DEP as soon as possible, preferably during permit application period.

- FDEP Contacts:

- For projects located within Citrus, Hernando, Pasco, Hillsborough, Pinellas, Manatee, Polk and Hardee Counties: Yanisa Angulo Yanisa.angulo@floridadep.gov

- Any wells on site should be identified and their future use/abandonment must be designated.
- Stormwater retention and detention systems are classified as moderate sanitary hazards with respect to public and private drinking water wells. Stormwater treatment facilities shall not be constructed within 100 feet of an existing public water supply well and shall not be constructed within 75 feet of an existing private drinking water well. Subsection 4.2, A.H.V.II.
- District data collection sites (Site ID's 17716, 17717, 17718, and 17719) at southern end of project between SR 54 and Stanton Hall Drive may be impacted by proposed construction. Contact the District's Data Steward at Data.Maps@watermatters.org under the subject line "PRIORITY ERP Data Evaluation" to coordinate protection or relocation of the data collection sites.

Water Quantity Discussions: (Basin Description, Storm Event, Pre/Post Volume, Pre/Post Discharge, etc.)

- Demonstrate that post development peak discharges from proposed project area will not cause an adverse impact for a 25-year, 24-hour storm event.
- For projects or portions of projects that discharge to a closed or volume sensitive basin, limit the post-development 100-year, 24-hour discharge volume to the pre-development 100-year, 24-hour volume.
- Demonstrate that site will not impede the conveyance of contributing off-site flows.
- Demonstrate that the project will not increase flood stages up- or down-stream of the project area(s).
- Provide equivalent compensating storage for all 100-year, 24-hour floodplain impacts if applicable. Providing cup-for-cup storage in dedicated areas of excavation is the preferred method of compensation, if no impacts to flood conveyance are proposed and storage impacts and compensation occur within the same basin. In this case, tabulations should be provided at 0.5-foot increments to demonstrate encroachment and compensation occur at the same levels. Otherwise, storage modeling will be required to demonstrate no increase in flood stages will occur on off-site properties, using the mean annual, 10-year, 25-year, and 100-year storm events for the pre- and post-development conditions.

Water Quality Discussions: (Type of Treatment, Technical Characteristics, Non-presumptive Alternatives, etc.)

- Presumptive Water Quality Treatment for Alterations to Existing Public Roadway Projects:
 - Refer to Section 4.5 A.H.V.II for Alterations to Existing Public Roadway Projects.
 - Refer to Sections 4.8, 4.8.1 and 4.8.2 A.H.V.II for Compensating Stormwater Treatment, Overtreatment, and Offsite Compensation.
 - All co-mingled existing & new impervious that is proposed to be connected to a treatment pond will require treatment for an area equal to the co-mingled existing & new impervious (times ½" for dry treatment or 1" for wet treatment). This applies whether or not equivalent treatment concepts are used.
 - However, if equivalent treatment concepts are used it is possible to strategically locate the pond(s) so that the minimum treatment requirement may be for an area equivalent to the new impervious area only. That is, co-mingled existing & new impervious that is not connected to a treatment pond may bypass treatment (as per Section 4.5(2), A.H.V.II); if the 'total impervious area' that is connected to the treatment pond(s) is at least equivalent to the area of new impervious only. The 'total impervious area' that is connected to the pond(s) may be composed of co-mingled existing & new impervious.
 - Offsite impervious not required to be treated; but may be useful to be treated when using equivalent treatment concepts.
 - Existing treatment capacity displaced by any road project will require additional compensating volume. Refer to Subsection 4.5(c), A.H.V.II.

-Regional treatment systems can be used if they are strategically placed and benefit the same waters which receive untreated runoff from the project.

- Net improvement

-Refer to rule 62-330.301(2), F.A.C.

-Please verify accuracy of WBID boundaries and status of impairment.

-The application must demonstrate a net improvement for nutrients for discharges into WBID 1443A.

Applicant may demonstrate a net improvement for the parameters of concern by performing a pre/post pollutant loading analysis based on existing land use and the proposed land use. Refer to ERP Applicant's Handbook Vol. II Subsection 4.1(g).

-Effluent filtration is known to be ineffective for treating nutrient related impairments, unless special nutrient adsorption media provided. However, please note special nutrient adsorption media has extremely low conductivity values compared to typical sand type effluent filtration filter media. Note: if treatment volume required for net improvement is less than the treatment volume required for 'presumptive' treatment, then use of effluent filtration is ok.

Sovereign Lands Discussion: (Determining Location, Correct Form of Authorization, Content of Application, Assessment of Fees, Coordination with FDEP)

- The project may be located within state owned sovereign submerged lands (SSSL). Be advised that a title determination will be required from FDEP to verify the presence and/or location of SSSL.
- If use of SSSL is proposed, authorization will be required. Refer to Chapter 18-21, F.A.C. and Chapter 18-20, F.A.C. for guidance on projects that impact SSSL and Aquatic Preserves.
- Include discussion on the potential type of SSSL authorization that may be required. Refer to Chapter 18-21.005, F.A.C.

Operation and Maintenance/Legal Information: (Ownership or Perpetual Control, O&M Entity, O&M Instructions, Homeowner Association Documents, Coastal Zone requirements, etc.)

- The permit must be issued to entity that owns or controls the property. FDOT will be the permittee.
- Provide evidence of ownership or control by deed, easement, contract for purchase, etc.

Application Type and Fee Required:

- SWERP Individual – Sections A, C, and E of the ERP Application. Fee will be dependent upon project size and amount of wetland or surface water impacts.
- Consult the [fee schedule](#) for different thresholds.

Other: (Future Pre-Application Meetings, Fast Track, Submittal Date, Construction Start Date, Required District Permits – WUP, WOD, Well Construction, etc.)

- An application for an individual permit to construct or alter a dam, impoundment, reservoir, or appurtenant work, requires that a notice of receipt of the application must be published in a newspaper within the affected area. Provide documentation that such noticing has been accomplished. Note that the published notices of receipt for an ERP can be in accordance with the language provided in Rule 40D-1.603(10), F.A.C.
- The plans and drainage report submitted electronically must include the appropriate information required under Rules 61G15-23.005 and 61G15-23.004 (Digital), F.A.C. The following text is required by the Florida Board of Professional Engineers (FBPE) to meet this requirement when a digitally created seal is not used and must appear where the signature would normally appear:

ELECTRONIC (Manifest): *[NAME] State of Florida, Professional Engineer, License No. [NUMBER] This item has been electronically signed and sealed by [NAME] on the date indicated here using a SHA authentication code. Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies*

DIGITAL: *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]; This item has been digitally signed and sealed by [NAME] on the date indicated here; Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.*

- Provide soil erosion and sediment control measures for use during construction. Refer to ERP Applicant's Handbook Vol. 1 Part IV Erosion and Sediment Control.
- Demonstrate that excavation of any stormwater ponds does not breach an aquitard (see Subsection 2.1.1, A.H.V.II) such that it would allow for lesser quality water to pass, either way, between the two systems. In those geographical areas of the District where there is not an aquitard present, the depth of the pond(s) shall

not be excavated to within two (2) feet of the underlying limestone which is part of a drinking water aquifer.
[Refer to Subsection 5.4.1(b), A.H.V.II]

- If lowering of SHWE is proposed, then burden is on Applicant to demonstrate no adverse onsite or offsite impacts as per Subsection 3.6, A.H.V.II. Groundwater drawdown 'radius of influence' computations may be required to demonstrate no adverse onsite or offsite impacts. Please note that new roadside swales or deepening of existing roadside swales may result in lowering of SHWE. Proposed ponds with control elevation less than SHWE may result in adverse lowering of onsite or offsite groundwater.

Disclaimer: The District ERP pre-application meeting process is a service made available to the public to assist interested parties in preparing for submittal of a permit application. Information shared at pre-application meetings is superseded by the actual permit application submittal. District permit decisions are based upon information submitted during the application process and Rules in effect at the time the application is complete.

THIS FORM IS INTENDED TO FACILITATE AND GUIDE THE DIALOGUE DURING A PRE-APPLICATION MEETING BY PROVIDING A PARTIAL "PROMPT LIST" OF DISCUSSION SUBJECTS. IT IS NOT A LIST OF REQUIREMENTS FOR SUBMITTAL BY THE APPLICANT.



**SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
RESOURCE REGULATION DIVISION
PRE-APPLICATION MEETING NOTES**

**FILE
NUMBER:

PA 408716**

Date:	07/29/2021		
Time:	11:00 am		
Project Name:	FDOT US 98 Widening from SR 54 to US 301		
District Engineer:	Beth Geurink		
District ES:	Al Gagne		
Attendees:	Abdul Waris, Tony Celani, Gregg Hamm, Tech Wells		
County:	Pasco County	Sec/Twp/Rge:	11-14,18-20,27-29,34-35/25/21; 2/26/22
Total Land Acreage:		Project Acreage:	Not quantified

Prior On-Site/Off-Site Permit Activity:

- Within corridor - none; adjacent - numerous

Project Overview:

- Proposed widening along US 98 from the intersection of US 98 and SR 54 to the intersection of US 301 and Clinton Ave

Environmental Discussion: (Wetlands On-Site, Wetlands on Adjacent Properties, Delineation, T&E species, Easements, Drawdown Issues, Setbacks, Justification, Elimination/Reduction, Permanent/Temporary Impacts, Secondary and Cumulative Impacts, Mitigation Options, SHWL, Upland Habitats, Site Visit, etc.)

- Environmental issues were not discussed.
- Please note, the Florida Department of Environmental Protection (FDEP) has assumed the Federal dredge and fill permitting program under section 404 of the Federal Clean Water Act within certain waters. State 404 Program streamlining intentions direct Agency staff to coordinate joint site visits for overall consistency between the two State programs. As such, District staff and the FDEP will need to conduct a joint site visit for evaluation of the wetland/surface water systems proposed for impact. District staff will coordinate with FDEP staff on determining dates/times of joint Agency availability. Upon determination of joint availability, staff will provide the applicant's representative with site visit scheduling options.

Site Information Discussion: (SHW Levels, Floodplain, Tailwater Conditions, Adjacent Off-Site Contributing Sources, Receiving Waterbody, etc.)

- Upper Hillsborough River/New River Watersheds
- WBIDs need to be independently verified by the consultant - WBIDs discussed in previous PreApp 407957 10/2/2020; PreApp 407789 7/29/2020
- Possibly discharging to impaired waters. See [FDEP Map Direct_NAS_BMAP](#)
- May discharge to closed or volume sensitive basins for some segments
- Bridge widening over OFWs (Hillsborough River and Withlacoochee River system)
- Provide documentation to support tailwater conditions for quality and quantity design
- Contamination issues may need to be resolved with the FDEP. Refer to earlier Pre App meeting – not discussed again. Check FDEP MapDirect layer for possible contamination points within/adjacent to the project area. [FDEP MapDirect Link](#)

FDEP Contacts:

- For projects located within Citrus, Hernando, Pasco, Hillsborough, Pinellas, Manatee, Polk and Hardee Counties: Yanisa Angulo yanisa.angulo@floridadep.gov
- District data collection site near proposed bridge widening location SID 17717 Withlacoochee-Hillsborough Overflow (USGS gage 02311000) may be impacted by proposed construction. Contact data.maps@watermatters.org to coordinate relocation/protection of District/USGS data collection site.

Water Quantity Discussions: (Basin Description, Storm Event, Pre/Post Volume, Pre/Post Discharge, etc.)

- Discussion focused on appropriate interpretation of floodplain elevation data with respect to encroachment/compensation calculations at the Hillsborough River crossing, where a 2-foot drop in FEMA elevation occurs across the bridge (elevation 84 to 82). Simplest and adequately conservative approach would be to use the upstream flood elevation to derive encroachment and compensation quantities within the right-of-way on either side of the roadway in this area.

- Alternatively, a site-specific model for flood stage could be developed using available regression equations for flow determination based on contributing area and/or informed by gage data.
- Demonstrate that the project will not increase flood stages up- or down-stream of the project area(s).
- Watershed Model information may be available for download using the following link: <https://watermatters.sharefile.com/d-s8c9019e00fd243908654e733a6b2016c> but it appears that the regional model is using set boundary conditions at this location.
- Provide equivalent compensating storage for all 100-year, 24-hour riverine floodplain impacts if applicable. Providing cup-for-cup storage in dedicated areas of excavation is the preferred method of compensation- if no impacts to flood conveyance are proposed and storage impacts and compensation occur within the same basin. In this case, tabulations should be provided at 0.5-foot increments to demonstrate encroachment and compensation occur at the same levels. Otherwise, storage modeling will be required to demonstrate no increase in flood stages will occur on off-site properties, using the mean annual, 10-year, 25-year, and 100-year storm events for the pre- and post-development conditions.

Water Quality Discussions: (Type of Treatment, Technical Characteristics, Non-presumptive Alternatives, etc.)

- Provide water quality treatment for directly-connected impervious areas, consistent with the Applicant's Handbook Vol. II for alterations to existing public roadway projects (Section 4.5).
- In addition, if the project discharges to an impaired water body, must provide a net environmental improvement.
- Applicant must demonstrate a net improvement for the parameters of concern by performing a pre/post pollutant loading analysis based on existing land use and the proposed land use.
- Refer to Sections 4.8, 4.8.1 and 4.8.2 A.H.V.II for Compensating Stormwater Treatment, Overtreatment, and Offsite Compensation.
- Will acknowledge compensatory treatment to offset pollutant loads associated with portions of the project area that cannot be physically treated.
- Provide additional 50% treatment (over presumptive) for any direct discharges to OFW. Refer to ERP Applicant's Handbook Vol. II Subsection 4.1(f). Where OFW and Net Improvement both apply, provide the greater volume of the two.
-Effluent filtration is known to be ineffective for treating nutrient related impairments, unless special nutrient adsorption media provided. However, please note special nutrient adsorption media has extremely low conductivity values compared to typical sand type effluent filtration filter media. Note: if treatment volume required for net improvement is less than the treatment volume required for 'presumptive' treatment, then use of effluent filtration is ok.

Sovereign Lands Discussion: (Determining Location, Correct Form of Authorization, Content of Application, Assessment of Fees, Coordination with FDEP)

- Not discussed.

Operation and Maintenance/Legal Information: (Ownership or Perpetual Control, O&M Entity, O&M Instructions, Homeowner Association Documents, Coastal Zone requirements, etc.)

- The permit must be issued to entity that owns or controls the property.

Application Type and Fee Required:

- SWERP – Sections A, C, and E of the ERP Application.
- Consult the [fee schedule](#) for different thresholds.

Other: (Future Pre-Application Meetings, Fast Track, Submittal Date, Construction Start Date, Required District Permits – WUP, WOD, Well Construction, etc.)

- An application for an individual permit to construct or alter a dam, impoundment, reservoir, or appurtenant work, requires that a notice of receipt of the application must be published in a newspaper within the affected area. Provide documentation that such noticing has been accomplished. Note that the published notices of receipt for an ERP can be in accordance with the language provided in Rule 40D-1.603(10), F.A.C.
- Provide a copy of the legal description (of all applicable parcels within the project area) in one of the following forms:
 - a. Deed with complete Legal Description attachment.
 - b. Plat.

c. Boundary survey of the property(ies) with a sketch.

- The plans and drainage report submitted electronically must include the appropriate information required under Rules 61G15-23.005 and 61G15-23.004 (Digital), F.A.C. The following text is required by the Florida Board of Professional Engineers (FBPE) to meet this requirement when a digitally created seal is not used and must appear where the signature would normally appear:

ELECTRONIC (Manifest): *[NAME] State of Florida, Professional Engineer, License No. [NUMBER] This item has been electronically signed and sealed by [NAME] on the date indicated here using a SHA authentication code. Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies*

DIGITAL: *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]; This item has been digitally signed and sealed by [NAME] on the date indicated here; Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.*

- Provide soil erosion and sediment control measures for use during construction. Refer to ERP Applicant's Handbook Vol. 1 Part IV Erosion and Sediment Control. FDOT projects may submit the full plan during the construction phase by special permit condition. Recommend basic erosion control measures on the submitted plans with the application.
- Demonstrate that excavation of any stormwater ponds does not breach an aquitard (see Subsection 2.1.1, A.H.V.II) such that it would allow for lesser quality water to pass, either way, between the two systems. In those geographical areas of the District where there is not an aquitard present, the depth of the pond(s) shall not be excavated to within two (2) feet of the underlying limestone which is part of a drinking water aquifer. [Refer to Subsection 5.4.1(b), A.H.V.II]
- If lowering of SHWE is proposed, then burden is on Applicant to demonstrate no adverse onsite or offsite impacts as per Subsection 3.6, A.H.V.II. Groundwater drawdown 'radius of influence' computations may be required to demonstrate no adverse onsite or offsite impacts. Please note that new roadside swales or deepening of existing roadside swales may result in lowering of SHWE. Proposed ponds with control elevation less than SHWE may result in adverse lowering of onsite or offsite groundwater.
- On December 17, 2020, the Environmental Protection Agency (EPA) formally transferred permitting authority under CWA Section 404 from the U.S. Army Corps of Engineers (Corps) to the State of Florida for a broad range of water resources within the State. The primary State 404 Program rules are adopted by the Florida Department of Environmental Protection (FDEP) as Chapter 62-331 of the Florida Administrative Code (F.A.C.). While the State 404 Program is a separate permitting program from the Environmental Resource Permitting program (ERP) under Chapter 62-330, F.A.C., and agency action for State 404 Program verifications, notices, or permits shall be taken independently from ERP agency action, the FDEP and the Southwest Florida Water Management District (SWFWMD) will be participating in a Joint application Process. Upon submittal of an ERP application that proposes dredge/fill activities in wetlands or surface waters within state assumed waters, the SWFWMD will forward a copy of your application to the FDEP for activities under State 404 jurisdiction. The applicant may choose to have the State 404 Program and ERP agency actions issued concurrently to help ensure consistency and reduce the need for project modifications that may occur when the agency actions are issued at different times. Additional information on the FDEP's 404 delegation can be found at: <https://floridadep.gov/water/submerged-lands-environmental-resources-coordination/content/state-404-program>

Additionally, for those projects located in areas where the Corps retains jurisdiction, the applicant is advised that the District will not send a copy of an application that does not qualify for a State Programmatic General Permit (SPGP) to the U.S. Army Corps of Engineers. If a project does not qualify for a SPGP, you will need to apply separately to the Corps using the appropriate federal application form for activities under federal jurisdiction. Please see the Corps' Jacksonville District Regulatory Division Sourcebook for more information about federal permitting. Please call your local Corps office if you have questions about federal permitting. Link: <http://www.saj.usace.army.mil/Missions/Regulatory/Source-Book/>

Disclaimer: The District ERP pre-application meeting process is a service made available to the public to assist interested parties in preparing for submittal of a permit application. Information shared at pre-application meetings is superseded by the actual permit application submittal. District permit decisions are based upon information submitted during the application process and Rules in effect at the time the application is complete.

APPENDIX G

ELA Evaluation

**US 98 FROM S OF POLK COUNTY LINE
TO US 301 POLK COUNTY
Environmental Look Around Evaluation
Pasco & Polk County, Florida**

DRAINAGE MEMORANDUM

Financial Project No: 443368-3

Prepared for:



**FLORIDA DEPARTMENT OF TRANSPORTATION
DISTRICT SEVEN**

11201 N. Malcolm McKinley Drive
Tampa, Florida 33612

Prepared by:

Arcadis U.S., INC.

1301 Riverplace Boulevard, Suite 700
Jacksonville, FL 32207

February 2021

EXECUTIVE SUMMARY

The purpose of this Environmental Look Around (ELA) Evaluation is to locate potential sites that provide permitting opportunities for the future US 98 Widening Project. The focus of this report is on Segment 1, which is a 10.2-mile long section of US 98 that begins 1.4 miles South of the Pasco-Polk County Line and continues North up to US 301. The Segment 1 alignment crosses through four different WBID's (1445, 1443A, 1329F, and 1403B) within the Hillsborough River and Upper Withlacoochee watersheds. Of the four WBID's, 1403B is the only basin that does not discharge directly to Outstanding Florida Waters (OFWs). None of the receiving waterbodies are considered impaired for nutrients or have state adopted Total Maximum Daily Loads (TMDLs) for nutrients. The project consists of widening US 98 from a 2-lane roadway to a 4-lane divided roadway. Preferred ELA Sites were determined from a long list containing 18 potential options. Each site was evaluated based on a list of criteria including:

1. Opportunity to provide presumptive treatment and attenuation for new impervious area
2. Nutrient removal to demonstrate net improvement of annual discharges
3. Floodplain compensation volume
4. Wetland creation for mitigation
5. Cost and ownership, including whether the site is currently for sale or not for sale
6. Infrastructure needed to route runoff to the sites
7. Potential to provide treatment in multiple basins
8. Contamination

Based on these criteria, 6 preferred sites were selected within Segment 1 to be considered for use in permitting, which are shown in Table 0-1. These preferred sites were selected out of a long list based on a ranking matrix that used weighted averages for the above criteria. The long list decision matrix and criteria ranking key used to select the preferred sites are shown in Tables 3-2 and 3-3.

The first two of the preferred sites are located adjacent to US 98 within the Polk County section of Segment 1 and include the Mary Coker parcel (ELA S1-4) and the Antenna LLC parcel (ELA S1-5) and are both located in WBID 1445. Within WBID 1443A, the Robert Hughes parcel was selected (ELA S1-6) due to the ability for the site to directly treat and attenuate runoff from US 98. The Biston Clyde parcel was selected in WBID 1329F (ELA S1-9), and similar to the previous sites, was chosen for its ability to provide direct treatment and attenuation of US 98 and will also provide compensatory treatment for basins within this WBID which are untreated. The final site is located on the Dune FL Land parcel (ELA S1-15) within WBID 1403B. This 200-acre site is proposed due to its ability to provide a reduction in post-development nutrient loading by converting the land use away from pasture and agriculture. Sites were also chosen within the remnant parcels to provide direct treatment and attenuation of the new roadway alignment north to Clinton Ave. Using data from the Florida Department of Environmental Protection (FDEP), it was determined that no contamination was in proximity to any ELA Sites within Segment 1.

SWFWMD permitting suggests water quality impacts be treated within the same WBID; however, flexibility for linear transportation projects has allowed on a case-by-case basis, to determine nutrient reduction. Several regional solutions have been prepared such as the Old Tampa Bay Project ERP 43000920.017. This memorandum proposes treatment based on WBIDs for organization purposes.

Table 0-1: Summary of ELA Sites

Segment	WBID	ELA Name (Property Owner)	Parcel ID	Size (Acres)	Conv. Treatment	Nutrient Removal	Attenuation	Floodplain Comp.	Wetland Creation	Rank
1	1449B	ELA S1-WC (Tree Farm) (3 owners)	23-26-15-0000-0004-2010, 23-26-15-0000-0002-4010, 23-26-15-0000-0002-2010	159	No	Yes	No	Yes	Yes	1
	1445	ELA S1 - 1 (Tomkow Brothers Inc)	23-26-16-0000-0001-1010, 23-26-21-0000-0001-1010	400	Yes	Yes	Yes	Yes	Yes	3
		ELA S1 - 2 (Borrow Pit 1 - Fattoria LLC)	23-26-07-0000-0001-3010	6	Yes	Yes	Yes	No	No	5
		ELA S1 - 3 (Borrow Pit 2 - Crescasa LLC)	22-26-01-0000-0002-1010	18	Yes	Yes	Yes	No	No	4
		ELA S1 - 4 (Mary Coker)	22-26-01-0000-1000-0290	11	Yes	Yes	Yes	Yes	Yes	1
		ELA S1 - 5 (Antenna LLC)	22-26-02-0000-0001-2010, 22-26-02-0000-0001-1030	21	Yes	Yes	Yes	Yes	Yes	2
	1443A	ELA S1 - 6 (Robert Hughes)	34-25-22-0000-00200-0000	15	Yes	Yes	Yes	Yes	Yes	1
		ELA S1 - 7 (SWFWMD)	22-26-03-0000-0003-3010	38	Yes	Yes	Yes	Yes	Yes	2
	1329F	ELA S1 - 8 (25 25 22 Trust)	25-25-22-0000-00100-0000	326	No	Yes	No	Yes	Yes	3
		ELA S1 - 9 (Biston Clyde)	29-25-22-0000-00100-0010	50	Yes	Yes	Yes	Yes	Yes	1
		ELA S1 - 10 (Branham)	31-25-22-0000-01200-0000	74	No	Yes	No	No	Yes	3
		ELA S1 - 11 (Pasco County Management)	05-25-22-0000-00200-0000	40	No	Yes	No	Yes	Yes	2
	1403B	ELA S1 - 12 (BMI LLC)	18-25-22-0000-00500-0040	5	Yes	Yes	No	No	No	6
		ELA S1 - 13 (Valerie Gabriel)	18-25-22-0010-01800-0010	21	No	Yes	No	No	No	6
		ELA S1 - 14 (Harmony Heights)	11-25-21-0000-01400-0000	30.2	Yes	No	Yes	No	No	3
		ELA S1 - 15 (Dune FL Land)	02-25-21-0000-00400-0020, 02-25-21-0000-01200-0000, 11-25-21-0000-00100-0000, 11-25-21-0000-00200-0000	200	Yes	Yes	Yes	Yes	Yes	1
		ELA S1 - 16 (Wagenvoord)	03-25-21-0040-01100-0020	7.3	Yes	Yes	No	Yes	Yes	2
		ELA S1 - 17 (First Community Bank)	02-25-21-0000-00700-0020	4.3	Yes	Yes	No	Yes	Yes	5
ELA S1 - 18 (Perfection Partners LLC)		03-25-21-0000-00100-0040	13	Yes	Yes	No	Yes	Yes	4	

TABLE OF CONTENTS

Executive Summary.....	i
Table of Contents.....	iii
List of Tables	iv
List of Figures	iv
1 Introduction	1
1.1 Project Overview.....	1
1.2 Project Location	1
1.3 ELA Procedure	2
1.4 Datum.....	2
1.5 Soils	2
2 Approach.....	4
2.1 WBID 1449B – Withlacoochee River.....	4
2.2 WBIDs 1445 and 1443A – Hillsborough River	6
2.3 WBID 1329F – Withlacoochee River	11
2.4 WBID 1403B – Clear Lake Outlet.....	13
3 Recommendation.....	15
3.1 ELA CRITERIA RANKING KEY	17
Appendix A: Site Photography	18
Appendix B: Exhibits.....	22
Appendix C: DRAINAGE MAPS	30
Appendix D: BMP Trains Calculations.....	34
Appendix E: SWFWMD Pre-Application Meeting Minutes	38

LIST OF TABLES

Table 0-1: Summary of ELA Sites.....	ii
Table 2-1: BMPTrains Net Improvement Summary WBID 1449B.....	4
Table 2-2: Basin Summary (WBID 1445)	6
Table 2-3: Basin Summary (WBID 1443A).....	9
Table 2-4: Basin Summary (WBID 1329F)	11
Table 2-5: Basin Summary (WBID 1403B).....	13
Table 3-1: Summary of Preferred ELA Sites	15
Table 3-2: ELA Decision Matrix (Green is the preferred ELA, Yellow and Red are Alternatives.).....	16
Table 3-3: ELA Matrix Ranking Criteria	17

LIST OF FIGURES

Figure 1: Project Site Map.....	3
Figure 2: ELA S1 - WC.....	5
Figure 3: ELA S1 - 4.....	7
Figure 4: ELA S1 - 5.....	8
Figure 5: ELA S1 - 6.....	10
Figure 6: ELA S1 – 9.....	12
Figure 7: ELA S1 - 15.....	14
Figure A8: View of ELA Site 4 from the North East	19
Figure A9: Looking towards ELA Site 5 from the East on Old Dade City Rd.....	20
Figure A10: View of driveway next to ELA site 6 from the North East	20
Figure A11: Looking towards ELA Site 9 from the North East.....	21
Figure A12: Southern end of ELA Site 15	21
Figure B13: SR 700 Typical Section	23
Figure B14: National Wetland Inventory Map.....	24
Figure B15: FEMA Map	25
Figure B16: Land Use Map	26
Figure B17: Hydrologic Soil Group Map.....	27
Figure B18: Outstanding Florida Water Map.....	28
Figure B19: Conservation Easement Map.....	29
Figure B20: Drainage Map 1.....	31
Figure B21: Drainage Map 2.....	32
Figure B22: Drainage Map 3.....	33

1 INTRODUCTION

1.1 PROJECT OVERVIEW

The Florida Department of Transportation (FDOT), District 7 is conducting a pond siting evaluation for the potential widening of 4 segments of US 98 from 2 lanes to 4 lanes. This memorandum evaluates Segment 1 for alternative regional pond sites using the ELA process.

Segment 1 of the planned US 98 four-lane widening falls within the Upper Withlacoochee and Hillsborough River watersheds and four Waterbody Ids (WBIDs). Multiple ELA sites were evaluated in each of these WBIDs to determine their viability to provide treatment to permit the proposed US 98 improvements. Parameters used to rank the different sites include the following –

- Opportunity to provide presumptive treatment and attenuation for new impervious area
- Nutrient removal to demonstrate net improvement of annual discharge
- Floodplain compensation volume
- Wetland creation for mitigation
- Cost and ownership, including whether the site is currently for sale or not for sale
- Infrastructure needed to route runoff to the sites
- Potential to provide treatment in multiple basins
- Contamination

Due to Segment 1 mostly discharging to the Withlacoochee and Hillsborough Rivers, which are considered Outstanding Florida Waters (OFW), sites were chosen that could provide an additional 50% treatment volume while also providing compensatory treatment for basins that could not be treated due to hydraulic constraints. Although parts of Segment 1 discharge to OFW's, none of the receiving waterbodies have an adopted or pending Basin Management Action Plan (BMAP), nor are they impaired for nutrients.

1.2 PROJECT LOCATION

This project is located in Pasco and Polk County, Florida from 16.350 to 17.750 in Polk County and 0.000 MP to 6.750 MP in Pasco County see project link and map below (Figure 1: Project Site Map).

Link to ArcGIS Online Map viewer:

<https://arcadis.maps.arcgis.com/apps/webappviewer/index.html?id=8cde64911357460294a0025dfba611d0>

1.3 ELA PROCEDURE

In accordance with the FDOT Drainage Manual, alternatives to conventional treatment facilities were evaluated as part of the Environmental Look Around (ELA) process. The Drainage Manual describes the process for evaluating watershed wide alternative permitting approaches and recommends the evaluation of the following opportunities for their application -

1. Water Management District (WMD)/Department of Environmental Protection (DEP) issues: wetland rehydration, water supply needs, minimum flows and levels, flooding, total maximum daily load (TMDL) needs, acquisition of fill from WMD/DEP lands, etc.
2. City/County issues: stormwater re-use, flooding, discharge to golf courses or parks, National Pollution Discharge Elimination System (NPDES) needs, and water supply needs.
3. FDOT project permitting regional treatment, stormwater re-use, joint use facilities.

In addition, potential ELA opportunities should be coordinated with the appropriate personnel prior to right-of-way acquisition in the PD&E phase. Appropriate personnel include WMD and DEP, FDOT, along with City and County engineers and/or the Public Works Director.

In addition to the evaluation of ELA sites, a conventional pond siting report will be submitted to the Department at a later date and will include the recommendations of this report in addition to conventional pond siting locations within each drainage basin. The ELA sites presented in this report satisfy treatment requirements within each impacted WBID.


1.4 DATUM

The horizontal datum for this project is NAD83 Florida State Plane, West Zone. The vertical datum used for this ELA evaluation is NAVD88.

1.5 SOILS

Soils were identified using the United States Department of Agriculture (USDA) National Resource Conservation Service (NRCS) Web Soil Survey. The soil types within the limits of Segment 1 consist primarily of Hydrologic Soil Group (HSG) Type A soils for the northwest portion of the alignment, and Hydraulic Soil Group (HSG) A/D soils for the remainder of the alignment and east of Green Swamp. See appendix B for project soil maps (Figure B17: Hydrologic Soil Group Map).

Figure 1: Project Site Map



2 APPROACH

The ELA sites that were selected in WBIDs 1445, 1443A and 1329F were chosen due to the ability to provide compensatory treatment for areas of the alignment that discharge untreated, while also meeting OFW criteria which requires an additional 50% treatment volume. These sites were also selected due to their potential to offer opportunities for wetland creation and floodplain compensation by overlaying National Wetland Inventory (NWI) lines (Figure B14) along with the Federal Emergency Management Agency (FEMA) floodplain shapes (Figure B15), with the proposed ELA sites.

WBID 1403B does not discharge to Outstanding Florida Waters (Figure B18), therefore the site selected within this WBID was chosen due to its ability to provide net improvement for nutrient loading. BMPTrains was used to determine the nutrient loading in the pre-development and post-development conditions and ascertain the sites viability to provide a reduction in nitrogen and phosphorous.

Impervious in the proposed condition was calculated using a four-lane roadway section, with 12' lanes and 5' outside shoulders. In addition to the standard typical section, assumptions were made for additional impervious related to turn lanes, median openings, and turnouts. It was assumed that the proposed typical section will fit within the existing US 98 right-of-way. Where the Segment 1 alignment heads north to Clinton Avenue, a 250' right-of-way was assumed based on the PD&E preferred alignment. The typical sections for the realignment up to Clinton Avenue are still under development; however, it is assumed the typical section will transition to a high-speed urban from the current US 98 alignment before becoming a 4-lane divided, urban section with a 45-mph speed limit within the Clinton Avenue right-of-way. Typical sections for the rural section of Segment 1 are provided in Appendix B.


2.1 WBID 1449B – WITHLACOOCHEE RIVER

While there are no proposed improvements to US 98 within WBID 1449B, regional pond options were explored upstream of the US 98 improvements to offset nutrient loading associated with the widening of US 98. During the second SWFWMD pre-application meeting (Appendix E, 10/1/2020), SWFWMD staff appeared open to the Tree Farm ELA site, since it will help the basin upstream of the impacts and can be shown to benefit the same waters which receive untreated runoff from the project. As part of the ELA process, sites that have a high potential currently residing outside of directly impacted WBIDs were evaluated to determine their capability to provide opportunities for wetland creation, floodplain compensation, and nutrient reduction. Southeast of Segment 1, a 159-acre tree farm made up of three parcels with the same owner, was evaluated and determined to be an optimal location for the creation of wetlands to offset impacts as a result of the US 98 widening. The reduction in nutrient loading with a land use change to wetlands would also offset the increased nutrient loading within the Withlacoochee River WBID's associated with the US 98 widening. This site could also provide floodplain compensation on a cup-for-cup approach, if it were determined that there is connectivity with the impacted floodplain.

Table 2-1: BMPTrains Net Improvement Summary WBID 1449B

Area (Acres)	PRE-DEVELOPMENT	POST-DEVELOPMENT	Change in Nitrogen Loading (KG/YR)	Change in Phosphorus Loading (KG/YR)
158	Ornamental Tree Farm	Wetland Creation (No Nutrient Loading)	- 285.613	- 49.676

Figure 2: ELA S1 - WC



2.2 WBIDs 1445 AND 1443A – HILLSBOROUGH RIVER

The south end of Segment 1 located in WBID 1445, begins at SR 471 and continues northwest for approximately 2.8 miles. Five sites were evaluated in WBID 1445 to provide treatment for 12.3-acres of added impervious associated with the four-lane typical section. The sites chosen, primarily for their proximity to US 98 and the ability to provide direct treatment, attenuation of project runoff, and compensatory treatment for untreated basins, include a 10.5-acre site that is currently for sale (ELA S1 - 4) and a vacant 21-acre site that is owned by Antenna LLC (ELA S1 - 5). These two sites, along with a third (ELA S1 - 6) located about 0.5 miles east of the Hillsborough River bridge and within adjacent WBID 1443A, treat and attenuate runoff from US 98. Due to the Hillsborough River being the receiving water body for these two WBID's and is considered an Outstanding Florida Water (OFW), these sites have all been sized to meet the 50% additional treatment volume required by SWFWMD.

There are four drainage basins within WBID 1445, with one basin being untreated. To account for this untreated basin (300U), the other three basins (100, 200 and 400) will provide additional treatment over the required 1-inch of runoff over added impervious. The amount of added impervious within WBID 1445 is 12.3-acres but the selected ELA sites will provide treatment of approximately 20.9-acres.

Table 2-2: Basin Summary (WBID 1445)

BASIN SUMMARY (WBID 1445)									
Drainage Basin	PRE-DEVELOPMENT			POST-DEVELOPMENT					
	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Total Area (AC)	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Pond Site Area (AC)	Total Area (AC)	Added Impervious (AC)	Treated Impervious (AC)
100	3.73	27.13	30.86	6.15	17.82	6.89	30.86	2.42	6.15
200	3.26	42.49	45.75	6.31	29.87	9.57	45.75	3.05	6.31
300-U	3.64	9.29	12.93	5.16	7.77	0.00	12.93	1.52	0.00
400	3.13	36.03	39.16	8.46	26.25	9.26	39.16	5.33	8.46
								12.32	20.92

Figure 3: ELA S1 - 4





Figure 4: ELA S1 - 5




There are two drainage basins within WBID 1443A, with one basin untreated (500U) and the other basin (400) providing additional treatment similar to the sites in WBID 1445. The amount of added impervious within WBID 1443A is 1.5-acres while the amount treated is 1.8-acres. The ELA S1-6 site will provide treatment for WBID 1443A in addition to treating runoff from WBID 1445.

Table 2-3: Basin Summary (WBID 1443A)

BASIN SUMMARY (WBID 1443A)									
Drainage Basin	PRE-DEVELOPMENT			POST-DEVELOPMENT					
	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Total Area (AC)	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Pond Site Area (AC)	Total Area (AC)	Added Impervious (AC)	Treated Impervious (AC)
400	1.05	3.76	4.81	1.78	3.03	0.00	4.81	0.73	1.78
500-U	1.04	5.23	6.27	1.78	4.49	0.00	6.27	0.74	0.00
								1.47	1.78

Figure 5: ELA S1 - 6



2.3 WBID 1329F – WITHLACOOCHEE RIVER


About 3.5 miles of the Segment 1 US 98 Widening limits fall within WBID 1329F. Four sites were evaluated in this WBID to provide treatment for 13.6-acres of added impervious associated with the four-lane typical section. The preferred ELA is a 50-acre site (ELA S1 – 9), located adjacent to the US 98 right-of-way. Due to the Withlacoochee River being the receiving water body which is considered an Outstanding Florida Water (OFW), this site has been sized to meet the 50% additional treatment volume required by SWFWMD.

There are three drainage basins within WBID 1445, with two of the basins being untreated. To account for the untreated basins (500U and 800U), the third basin (600) will provide additional treatment over the required 1-inch of runoff over added impervious. The amount of added impervious within WBID 1329F is 13.6-acres but the selected ELA sites will provide treatment of approximately 17.2-acres.

Table 2-4: Basin Summary (WBID 1329F)

BASIN SUMMARY (WBID 1329F)									
Drainage Basin	PRE-DEVELOPMENT			POST-DEVELOPMENT					
	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Total Area (AC)	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Pond Site Area (AC)	Total Area (AC)	Added Impervious (AC)	Treated Impervious (AC)
500-U	2.80	11.67	14.47	5.96	8.51	0.00	14.47	3.16	0.00
600	9.01	197.21	206.22	17.16	152.61	36.45	206.22	8.15	17.16
800-U	2.32	72.22	74.54	4.57	69.97	0.00	74.54	2.25	0.00
								13.56	17.16

Figure 6: ELA S1 - 9



2.4 WBID 1403B – CLEAR LAKE OUTLET


The remaining limits of Segment 1, including the proposed northern re-alignment of US 98 up to and including the realignment within the Clinton Ave right-of-way, fall within the WBID 1403B. The proposed right-of-way width for the realigned segment of US 98 is 250' including where the limits fall within the Clinton Ave right-of-way. Since the new alignment will result in property acquisition needed to secure the 250' of right-of-way, there are several parcels with uneconomical remainders based on the preferred PD&E alignment. These parcel remainders were then used to locate pond sites that could treat segments of the new alignment and/or provide attenuation for the new impervious.

An ELA site was also chosen within this WBID (ELA S1 - 15) based on its size and ability to provide a reduction in nutrient loading in the post-development condition by purchasing and taking the 200-acre site of cropland agriculture land use off-line. It was determined that the amount of nitrogen and phosphorus loading removed would provide a net improvement when accounting for the nutrient loading produced by the proposed roadway widening and taking into account the land use conversions where US 98 is realigned up to Clinton Avenue.

Table 2-5: Basin Summary (WBID 1403B)

BASIN SUMMARY (WBID 1403B)								
Drainage Basin	PRE-DEVELOPMENT			POST-DEVELOPMENT				
	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Total Area (AC)	Roadway Impervious Area (AC)	Roadway Pervious Area (AC)	Total Area (AC)	Change in Nitrogen Loading (KG/YR)	Change in Phosphorus Loading (KG/YR)
700-U	5.06	66.44	71.50	7.31	64.19	71.50	7.250	0.785
900-U	3.18	21.36	24.54	5.35	19.19	24.54		
1000	0.57	18.68	19.25	3.82	12.46	19.25		
1100	1.39	48.07	49.46	9.43	29.49	49.46		
1200-U	2.28	1.27	3.55	2.03	1.52	3.55		
ELA	N/A	N/A	200.00	N/A	N/A	200.00	- 13.683	- 3.068
Change in Nutrient Loading							- 6.43	- 2.28

Figure 7: ELA S1 - 15



3 RECOMMENDATION

Based on the ranking criteria in Table 3-3: ELA Matrix Ranking Criteria, 6 preferred ELA Sites were selected from the long list of 18 potential options. As previously mentioned, criteria used to evaluate the preferred ELA sites include - opportunity to provide treatment and attenuation, efficiency at nutrient removal, floodplain compensation volume, and wetland creation opportunities, cost and ownership, required infrastructure, multi-basin potential, and contamination. As seen below, Table 3-2 shows the decision matrix used to rank each ELA site based on these criteria.

The first site to receive Rank 1, was ELA S1-WC (Tree Farm) this resulted primarily from its opportunity to provide a large reduction in nutrient loading by a land use change from tree farm to wetland. This site also has multi-basin potential, wetland compensation, and low cost. ELA Site S1-4 (Mary Coker) was selected as a preferred site due to its ability to provide treatment and attenuation as well as its floodplain compensation and wetland creation. The next site, ELA S1-5 (Antenna LLC) received a high score in the same categories as the previous site, while also being lower cost. ELA Site S1-6 (Robert Hughes) received a Rank 1 due to its ability to directly treat and attenuate runoff from US 98. ELA S1 - 9 (Biston Clyde) was also selected for its direct treatment and attenuation of US 98, but also its compensatory treatment for other untreated basins within WBID 1328F. The final site, ELA S1- 15 (Dune FL Land) received it's rank of 1 due to the size of the land (200-acres) allowing for significant reduction in post-development nutrient loading by converting the land use from agriculture.

Table 3-1: Summary of Preferred ELA Sites

Preferred ELA Sites			
WBID	ELA Name (Property Owner)	Parcel ID	Rank
1449B	ELA S1-WC (Tree Farm) (3 owners)	23-26-15-0000-0004-2010 23-26-15-0000-0002-4010 23-26-15-0000-0002-2010	1
1445	ELA S1 - 4 (Mary Coker)	22-26-01-0000-1000-0290	1
	ELA S1 - 5 (Antenna LLC)	22-26-02-0000-0001-2010 22-26-02-0000-0001-1030	2
1443A	ELA S1 - 6 (Robert Hughes)	34-25-22-0000-00200-0000	1
1329F	ELA S1 - 9 (Biston Clyde)	29-25-22-0000-00100-0010	1
1403B	ELA S1 - 15 (Dune FL Land)	02-25-21-0000-00400-0020 02-25-21-0000-01200-0000 11-25-21-0000-00100-0000 11-25-21-0000-00200-0000	1

Table 3-2: ELA Decision Matrix (Green is the preferred ELA, Yellow and Red are Alternatives.)

Segment	WBID	ELA Name (Property Owner)	Parcel ID	Size (Acres)	Conv. Treatment	Nutrient Removal	Attenuation	Floodplain Comp.	Wetland Creation	Owner (FS = For Sale)	Cost (left=total, right=per acre)	Added Infrastructure	Multi-Basin Potential	Contamination	Evaluation Score	Rank											
Weighted Factor					16%	4	8%	2	16%	4	4%	1	4%	1	20%	5	Total	12%	3	4%	1	12%	3	4%	1	100 MAX	
1	1449B	ELA S1-WC (Tree Farm) (3 owners)	23-26-15-0000-0004-2010 23-26-15-0000-0002-4010 23-26-15-0000-0002-2010	159	No	0	Yes	3	No	0	Yes	3	Yes	3	Private, FS	2	\$780K	\$4,906		Minimal	3	Yes	1	No Records	3	41	1
	1445	ELA S1 - 1 (Tomkow Brothers Inc)	23-26-16-0000-0001-1010 23-26-21-0000-0001-1010	400	Yes	1	Yes	3	Yes	1	Yes	1	Yes	1	Private, FS	2	\$1900K	\$4,750	2	Minimal	3	Yes	1	No Records	3	55	3
		ELA S1 - 2 (Borrow Pit 1 - Fattoria LLC)	23-26-07-0000-0001-3010	6	Yes	2	Yes	1	Yes	2	No	0	No	0	Private, NFS	1	\$14K	\$2,350	3	Moderate	2	No	0	No Records	3	49	5
		ELA S1 - 3 (Borrow Pit 2 - Crescasa LLC)	22-26-01-0000-0002-1010	18	Yes	2	Yes	2	Yes	2	No	0	No	0	Private, NFS	1	\$51K	\$2,845	3	Moderate	2	No	0	No Records	3	52	4
		ELA S1 - 4 (Mary Coker)	22-26-01-0000-1000-0290	11	Yes	3	Yes	2	Yes	3	Yes	2	Yes	1	Private, FS	2	\$440K	\$40,000	1	Moderate	2	No	0	No Records	3	65	1
		ELA S1 - 5 (Antenna LLC)	22-26-02-0000-0001-2010 22-26-02-0000-0001-1030	21	Yes	3	Yes	2	Yes	3	Yes	1	Yes	1	Private, NFS	1	\$102K	\$4,835	2	Moderate	2	No	0	No Records	3	61	2
	1443A	ELA S1 - 6 (Robert Hughes)	34-25-22-0000-00200-0000	15	Yes	3	Yes	3	Yes	3	Yes	3	Yes	3	Private, NFS	1	\$112k	\$7,466	2	Moderate	2	Yes	2	No Records	3	77	1
		ELA S1 - 7 (SWFWMD)	22-26-03-0000-0003-3010	38	Yes	2	Yes	2	Yes	1	Yes	3	Yes	3	SWFWMD	3	\$97K	\$2,552	3	Moderate	2	Yes	2	No Records	3	76	2
	1329F	ELA S1 - 8 (25 25 22 Trust)	25-25-22-0000-00100-0000	326	No	0	Yes	1	No	0	Yes	3	Yes	2	Private, NFS	1	\$675K	\$2,070	3	Minimal	3	No	0	No Records	3	36	3
		ELA S1 - 9 (Biston Clyde)	29-25-22-0000-00100-0010	50	Yes	3	Yes	2	Yes	3	Yes	3	Yes	3	Private, NFS	1	\$360K	\$7,200	2	Minimal	3	No	0	No Records	3	68	1
		ELA S1 - 10 (Branham)	31-25-22-0000-01200-0000	74	No	0	Yes	2	No	0	No	0	Yes	1	Private, FS	2	\$550K	\$7,432	2	Minimal	3	No	0	No Records	3	36	3
		ELA S1 - 11 (Pasco County Management)	05-25-22-0000-00200-0000	40	No	0	Yes	3	No	0	Yes	3	Yes	2	Pasco Co	3	\$332K	\$8,300	2	Minimal	3	Yes	1	No Records	3	55	2
	1403B	ELA S1 - 12 (BMI LLC)	18-25-22-0000-00500-0040	5	Yes	1	Yes	2	No	0	No	0	No	0	Private, FS	2	\$175K	\$35,000	1	Minimal	3	No	0	No Records	3	36	6
		ELA S1 - 13 (Valerie Gabriel)	18-25-22-0010-01800-0010	21	No	1	Yes	2	No	0	No	0	No	0	Private, FS	2	\$3000K	\$142,860	1	Minimal	3	No	0	No Records	3	36	6
		ELA S1 - 14 (Harmony Heights)	11-25-21-0000-01400-0000	30.2	Yes	2	No	0	Yes	2	No	0	No	0	Private, NFS	1	\$212K	\$7,100	2	Minimal	3	No	0	No Records	3	44	3
		ELA S1 - 15 (Dune FL Land)	02-25-21-0000-00400-0020 02-25-21-0000-01200-0000 11-25-21-0000-00100-0000 11-25-21-0000-00200-0000	200	Yes	3	Yes	3	Yes	3	Yes	2	Yes	1	Private, FS	2	\$675K	\$3,375	3	Minimal	3	No	0	No Records	3	77	1
		ELA S1 - 16 (Wagenvoord)	03-25-21-0040-01100-0020	7.3	Yes	2	Yes	2	No	0	Yes	2	Yes	1	Private, FS	2	\$1300K	\$178,100	1	Minimal	3	No	0	No Records	3	45	2
		ELA S1 - 17 (First Community Bank)	02-25-21-0000-00700-0020	4.3	Yes	2	Yes	1	No	0	Yes	2	Yes	1	Private, FS	2	\$695K	\$161,630	1	Minimal	3	No	0	No Records	3	43	5
		ELA S1 - 18 (Perfection Partners LLC)	03-25-21-0000-00100-0040	13	Yes	2	Yes	2	No	0	Yes	2	Yes	2	Private, NFS	1	\$1320K	\$101,540	1	Minimal	3	Yes	1	No Records	3	44	4

3.1 ELA CRITERIA RANKING KEY

Table 3-3: ELA Matrix Ranking Criteria

CRITERIA RANKING KEY											
Rank	Conv. Treatment	Nutrient Removal	Attenuation	Floodplain Comp.	Wetland Creation	Owner	Cost (left=total, right=per acre)		Added Infrastructure	Mult-Basin Potential	Contamination
0	No	N/A	N/A	No	No	N/A	Total	per acre	N/A	N/A	N/A
1	Yes, low-moderate	No	No	Yes, low-moderate	Yes, low-moderate	Private, NOT FOR SALE	>	>\$40k	No	No	Records Found
2	Yes, moderate - high	Partial	Partial	Yes, moderate - high	Yes, moderate - high	Private, FOR SALE	>	>\$10k	Moderate	To be determined	Found record but inconclusive
3	Yes	Yes	Yes	Yes	Yes	Public, FOR SALE	>\$0	>\$0	Minimal	Yes	No Records

Appendix A: Site Photography

Figure A8: View of ELA Site 4 from the North East



Figure A9: Looking towards ELA Site 5 from the East on Old Dade City Rd.



Figure A10: View of driveway next to ELA site 6 from the North East



Figure A11: Looking towards ELA Site 9 from the North East.




Figure A12: Southern end of ELA Site 15




Appendix B: Exhibits

Figure B13: SR 700 Typical Section



FDM - 60mph



160-FT CONSTRAINED

REVISIONS				STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SR 700 (US 98) POLK COUNTY TO US 301	SHEET NO. TS-1
DATE	DESCRIPTION	DATE	DESCRIPTION	ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
				SR 700	PASCO	XXXXXX-X-52-01		

\$USERS\$ \$DATES\$ \$TIMES\$ \$MODELNAME\$ \$FILES\$

Figure B14: National Wetland Inventory Map




Figure B15: FEMA Map




Figure B16: Land Use Map




Figure B17: Hydrologic Soil Group Map




Figure B18: Outstanding Florida Water Map





Figure B19: Conservation Easement Map



Appendix C: DRAINAGE MAPS

Figure B20: Drainage Map 1




Figure B21: Drainage Map 2




Exhibit 14 - Drainage Map 2

Exhibit 14 of 15
FPID #: 44368-3

US 98 FROM S OF POLK COUNTY LINE
TO US 301

Pasco & Polk Counties



0 0.2 0.4 0.8 Miles

Legend

- Segment 1 - US 98 FROM S OF POLK COUNTY LINE TO US 301
- - - Basin 400
- - - Basin 500
- - - Basin 600
- - - Basin 700
- █ ELA Site
- ▭ Parcel Boundary
- ▭ Waterbody IDs (WBIDs)

Appendix D: BMP Trains Calculations

Project: US 98 Segment 1 - 1403B

Date: 10/02/2020

Catchment Information

Analysis: BMP Analysis

Catchment Name	1403B
Rainfall Zone	Florida Zone 4
Annual Mean Rainfall (in)	51.00

Pre-Condition Landuse Information

Pre-Condition Land use	User Defined Values
Pre-Condition Area (acres)	168.30
Pre-Rational Coefficient (0-1)	0.01
Pre-Non DCIA Curve Number	43.60
Pre-DCIA Percent (0-100)	0.00
Pre-Nitrogen EMC (mg/l)	1.580
Pre-Phosphorus EMC (mg/l)	0.221
Pre-Runoff Volume (ac-ft/yr)	10.443
Pre-Nitrogen Loading (kg/yr)	20.344
Pre-Phosphorus Loading (kg/yr)	2.846

Post-Condition Land Use Information

Post-Condition Land use	User Defined Values
Post-Condition Area (acres)	168.30
Post-Rational Coefficient (0-1)	0.02
Post-Non DCIA Curve Number	48.82
Post-DCIA Percent (0-100)	0.00
Post-Nitrogen EMC (mg/l)	1.520
Post-Phosphorus EMC (mg/l)	0.200
Post-Runoff Volume (ac-ft/yr)	14.723
Post-Nitrogen Loading (kg/yr)	27.594
Post-Phosphorus Loading (kg/yr)	3.631

Project: US 98 Segment 1 - 1403B

Date: 10/02/2020

Catchment Information

Analysis: BMP Analysis

Catchment Name	1403B
Rainfall Zone	Florida Zone 4
Annual Mean Rainfall (in)	51.00

Pre-Condition Land use Information

Pre-Condition Land use	Agricultural - General: TN=2.800 TP=0.487
Pre-Condition Area (acres)	200.00
Pre-Rational Coefficient (0-1)	0.01
Pre-Non DCIA Curve Number	39.00
Pre-DCIA Percent (0-100)	0.00
Pre-Nitrogen EMC (mg/l)	2.800
Pre-Phosphorus EMC (mg/l)	0.487
Pre-Runoff Volume (ac-ft/yr)	8.670
Pre-Nitrogen Loading (kg/yr)	29.932
Pre-Phosphorus Loading (kg/yr)	5.206

Post-Condition Land Use Information

Post-Condition Land use	Highway: TN=1.520 TP=0.200
Post-Condition Area (acres)	200.00
Post-Rational Coefficient (0-1)	0.01
Post-Non DCIA Curve Number	39.00
Post-DCIA Percent (0-100)	0.00
Post-Nitrogen EMC (mg/l)	1.520
Post-Phosphorus EMC (mg/l)	0.200
Post-Runoff Volume (ac-ft/yr)	8.670
Post-Nitrogen Loading (kg/yr)	16.249
Post-Phosphorus Loading (kg/yr)	2.138

Project: Tree Farm Segment 1 - 1449B

Date: 10/02/2020

Catchment Information

Analysis: BMP Analysis

Catchment Name	1449B Tree Farm
Rainfall Zone	Florida Zone 4
Annual Mean Rainfall (in)	51.00

Pre-Condition Land use Information

Pre-Condition Land use	Agricultural - General: TN=2.800 TP=0.487
Pre-Condition Area (acres)	158.00
Pre-Rational Coefficient (0-1)	0.12
Pre-Non DCIA Curve Number	79.00
Pre-DCIA Percent (0-100)	0.00
Pre-Nitrogen EMC (mg/l)	2.800
Pre-Phosphorus EMC (mg/l)	0.487
Pre-Runoff Volume (ac-ft/yr)	82.729
Pre-Nitrogen Loading (kg/yr)	285.613
Pre-Phosphorus Loading (kg/yr)	49.676

Post-Condition Land Use Information

Post-Condition Land use	User Defined Values
Post-Condition Area (acres)	158.00
Post-Rational Coefficient (0-1)	0.93
Post-Non DCIA Curve Number	100.00
Post DCIA Percent (0-100)	0.00
Post-Nitrogen EMC (mg/l)	0.000
Post-Phosphorus EMC (mg/l)	0.000
Post-Runoff Volume (ac-ft/yr)	622.928
Post-Nitrogen Loading (kg/yr)	0.000
Post-Phosphorus Loading (kg/yr)	0.000

Appendix E: SWFWMD Pre-Application Meeting Minutes

THIS FORM IS INTENDED TO FACILITATE AND GUIDE THE DIALOGUE DURING A PRE-APPLICATION MEETING BY PROVIDING A PARTIAL "PROMPT LIST" OF DISCUSSION SUBJECTS. IT IS NOT A LIST OF REQUIREMENTS FOR SUBMITTAL BY THE APPLICANT.



**SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
RESOURCE REGULATION DIVISION
PRE-APPLICATION MEETING NOTES**

**FILE
NUMBER:

PA 407789**

Date:	07/29/2020		
Time:	10:00		
Project Name:	FDOT US 98 widening from SR 54 to SR 50		
District Engineer:	Scott VanOrsdale		
District ES:	Lauren Greenawalt		
Attendees:	Nate Johnson, Tech Wells, Christian Gyle, Walter Nemecek, Tony Celani, Craig Fox, Ashley Henzel, Todd Laine, Tori Kuba, Abdul Waris,		
County:	Pasco	Sec/Twp/Rge:	Multiple S/T/R
Total Land Acreage:	N/A	Project Acreage:	acres

Prior On-Site/Off-Site Permit Activity:

- Numerous ERP Permits located within or adjacent to the roadway, all impacted ERPs will need to be modified.

Project Overview:

- FDOT US 98 widening from SR 54 to SR 50 from 2 lanes to 4 lanes. Project will be submitted in segments; it is highly recommended that follow up pre-app meetings are held when more specific design concepts can be provided.
- High overview discussion for the widening on US 98 from SR 54 to SR 50.
- Discussed if there were any CFI or SWIM projects that roadway project can be party to. Contact Pasco County and the other local municipalities for information related to any upcoming or ongoing projects. For projects related to municipalities you can contact our Government Affairs Regional Manager Frank Gargano ext. 4759. For possible SWIM projects contact Will VanGelder ext. 2206.
- Unknown if there are any point source areas within the US 98 limits between SR 54 and SR 50.
- Floodplain limits should be determined utilizing best available information. In areas where a watershed study is not available, it may be required to establish the 100-year floodplain limits.
- Storage modeling or cup or cup compensation are both viable options for floodplain compensation. Impacts to a flood way may require modeling in addition to cup for cup compensation.
- Talked about impaired waterbodies in OFWs: The treatment required for an impaired waterbody that is also classified as an OFW will be the required net improvement treatment volumes depending on the treatment type(s) selected. However, this volume must not be less than the presumptive treatment volume plus 50% to meet the OFW Criteria.
- OFW treatment is required for all direct discharges into an OFW.
- Existing land uses for the net improvement analysis will be the historic land uses. Regional net improvement solutions can be considered to compensate for the lack of direct or inline solutions.
- Adding nutrient removal systems to existing drainage system is a viable option, as long as the existing systems are not adversely impacted.
- To consider the pre-development condition/ land use as agriculture pasture, the property would need to be in continuous use as an agriculture pasture for a long period of time. Typically, we consider a historic use as something that has been in operation for many years. I recent land use change of a short period of time, for example two years, would not be sufficient to consider the land use as agriculture.
- Discussed getting a land use change for removing cattle or agriculture practices off existing historical pastures. This may be possible using the BMPTrains and legal instruments to prohibit the land use from agriculture proposes. The post-development land use for properties effected by this change would be the appropriate undeveloped condition. Applicant must have legal control of the property.
- Discussed A/D soil classification; this soil can be classified as Group A when well drained, otherwise this soil type will be classified as group D.
- Also discussed if grass swales would be counted as DCIA. Per Section 4.5, A.H.V.II, grass swales would not be included in the DICA area. Only the new impervious area plus existing impervious area that directly connected would be used to determine the treatment volume.

Environmental Discussion: (Wetlands On-Site, Wetlands on Adjacent Properties, Delineation, T&E species, Easements, Drawdown Issues, Setbacks, Justification, Elimination/Reduction, Permanent/Temporary Impacts, Secondary and Cumulative Impacts, Mitigation Options, SHWL, Upland Habitats, Site Visit, etc.)

- Provide the limits of jurisdictional wetlands and surface waters. Roadside ditches or other water conveyances, including permitted and constructed water conveyance features, can be claimed as surface waters per Chapter 62-340 F.A.C. if they do not meet the definition of a swale as stated under Rule 403.803 (14) F.S.
- Provide appropriate mitigation using UMAM for impacts, if applicable.
- If the wetland mitigation is appropriate and the applicant is proposing to utilize mitigation bank credit as wetland mitigation, the following applies: Provide letter or credit availability or, if applicable, a letter of reservation from the wetland mitigation bank. The wetland mitigation bank service area and current ledgers can be found out the following link: <https://www.swfwmd.state.fl.us/business/epermitting/environmental-resource-permit>, Goto “ERP Mitigation Bank Wetland Credit Ledgers”
- Demonstrate elimination and reduction of wetland impacts.
- Maintain minimum 15 foot, average 25 foot wetland conservation area setback or address secondary impacts.
- Determine SHWL’s at pond locations, wetlands, and OSWs.
- Determine normal pool elevations of wetlands.
- Determine ‘pop-off’ locations and elevations of wetlands.
- As of October 1, 2017, the District will no longer send a copy of an application that does not qualify for a State Programmatic General Permit (SPGP) to the U.S. Army Corps of Engineers. If a project does not qualify for a SPGP, you will need to apply separately to the Corps using the appropriate federal application form for activities under federal jurisdiction. Please see the Corps’ Jacksonville District Regulatory Division Sourcebook for more information about federal permitting. Please call your local Corps office if you have questions about federal permitting. Link: <http://www.saj.usace.army.mil/Missions/Regulatory/Source-Book/>

Site Information Discussion: (SHW Levels, Floodplain, Tailwater Conditions, Adjacent Off-Site Contributing Sources, Receiving Waterbody, etc.)

- Existing roadway/intersections – US 98 from SR 54 to SR 50
- Watersheds – project will involve several watershed studies. Contact the watershed group for more information related to the watershed studies.
- WBIDs need to be independently verified by the consultant – Please review the following link to determine the impaired waterbodies, TMDLs or BMAPs associated with the project. [Water Quality Assessments, TMDLs, and BMAPs](#)
- Portions of the project will be discharging to impaired waters.
- Portions of the project may discharge to closed basins, applicant to determine.
- OFW – Withlacoochee River System
- Document/justify SHWE’s at pond locations, wetlands, and OSWs.
- Determine normal pool elevations of wetlands.
- Determine ‘pop-off’ locations and elevations of wetlands.
- Provide documentation to support tailwater conditions for quality and quantity design
- Proposed control structures in wetlands should be consistent with existing ‘pop-off’ elevations of wetlands; demonstrate no adverse impacts to wetland hydroperiod for up to 2.33yr mean annual storm.
- Minimum flows and levels of receiving waters shall not be disrupted.
- Contamination issues need to be resolved with the FDEP. Check FDEP MapDirect layer for possible contamination points within/adjacent to the project area. [FDEP MapDirect Link](#)
For known contamination within the site or within 500’ beyond the proposed stormwater management system:
 - after the application is submitted, please contact FDEP staff listed below and provide them with the ERP Application ID # along with a mounding analysis (groundwater elevation versus distance) of the proposed stormwater management system that shows the proposed groundwater mound will not adversely impact the contaminated area. FDEP will review the plans submitted to the District and mounding analysis to determine any adverse impacts. Provide documentation from FDEP that the proposed construction will not result in adverse impacts. This is required prior to the ERP Application being deemed complete.
 - If a SWMS is to be constructed within a contamination zone area, a groundwater sample collected from the first aquifer water bearing zone (i.e. zone of saturation or first zone that the water table is encountered) will most likely be required.
- For known offsite contamination between 500’ and 1500’ beyond the site:

- FDEP may also require a mounding analysis (groundwater elevation versus distance) for the proposed stormwater systems. SWFWMD will issue the permit when contamination sites are located outside the 500 ft radius prior to concurrence from DEP, however, it is the Permittee's responsibility to resolve contaminated site assessment concerns with the FDEP prior to beginning any construction activities. A permit condition will be used to reiterate this. You are advised to contact DEP as soon as possible, preferably during permit application period.

FDEP Contacts:

- For projects located within Citrus, Hernando, Pasco, Hillsborough, Pinellas, Manatee, Polk and Hardee Counties: Yanisa Angulo yanisa.angulo@floridadep.gov

- District owned lands adjacent to project area. Contact Steven Blaschka ext. 4459, if a work license or easement is required on District. You may also want to contact land management, Manger for that section is Chris Reed, ext 4466 or Carmen Sanders, ext 4477.
- Stormwater retention and detention systems are classified as moderate sanitary hazards with respect to public and private drinking water wells. Stormwater treatment facilities shall not be constructed within 100 feet of an existing public water supply well and shall not be constructed within 75 feet of an existing private drinking water well. Subsection 4.2, A.H.V.II.
- Any wells on site should be identified and their future use/abandonment must be designated.
- District data collection site may be impacted by proposed construction. Contact data.maps@watermatters.org to coordinate relocation of District data collection site.

Water Quantity Discussions: (Basin Description, Storm Event, Pre/Post Volume, Pre/Post Discharge, etc.)

- Demonstrate that post development peak discharges from proposed project area will not cause an adverse impact for a 25-year, 24-hour storm event.
- For projects or portions of projects that discharge to a closed basin, limit the post-development 100-year discharge volume to the pre-development 100-year, 24-hour volume.
- Demonstrate that site will not impede the conveyance of contributing off-site flows.
- Demonstrate that the project will not increase flood stages up- or down-stream of the project area(s).
- Provide equivalent compensating storage for all 100-year, 24-hour riverine floodplain impacts if applicable. Providing cup-for-cup storage in dedicated areas of excavation is the preferred method of compensation- if no impacts to flood conveyance are proposed and storage impacts and compensation occur within the same basin. In this case, tabulations should be provided at 0.5-foot increments to demonstrate encroachment and compensation occur at the same levels. Otherwise, storage modeling will be required to demonstrate no increase in flood stages will occur on off-site properties, using the mean annual, 10-year, 25-year, and 100-year storm events for the pre- and post-development conditions.
- Please be aware that if there is credible historical evidence of past flooding or the physical capacity of the downstream conveyance or receiving waters indicates that the conditions for issuance will not be met without consideration of storm events of different frequency or duration, applicants shall be required to provide additional analyses using storm events of different duration or frequency than the 25-year 24-hour storm event, or to adjust the volume, rate or timing of discharges. [Section 3.0 Applicant's Handbook Volume II]

Water Quality Discussions: (Type of Treatment, Technical Characteristics, Non-presumptive Alternatives, etc.)

- If the project discharges to an impaired water body, must provide a net environmental improvement.
- Applicant must demonstrate a net improvement for the parameters of concern by performing a pre/post pollutant loading analysis based on existing land use and the proposed land use.
- Also, replace treatment function of existing ditches to be filled.
- Presumptive Water Quality Treatment for Alterations to Existing Public Roadway Projects:
 - Refer to Section 4.5 A.H.V.II for Alterations to Existing Public Roadway Projects.
 - Refer to Sections 4.8, 4.8.1 and 4.8.2 A.H.V.II for Compensating Stormwater Treatment, Overtreatment, and Offsite Compensation.
 - All co-mingled existing & new impervious that is proposed to be connected to a treatment pond will require treatment for an area equal to the co-mingled existing & new impervious (times ½" for dry treatment or 1" for wet treatment). This applies whether or not equivalent treatment concepts are used.
 - However, if equivalent treatment concepts are used it is possible to strategically locate the pond(s) so that the minimum treatment requirement may be for an area equivalent to the new impervious area only. That is, co-mingled existing & new impervious that is not connected to a treatment pond may bypass treatment (as per Section 4.5(2), A.H.V.II); if the 'total impervious area' that is connected to the treatment pond(s) is at

least equivalent to the area of new impervious only. The 'total impervious area' that is connected to the pond(s) may be composed of co-mingled existing & new impervious.

-Offsite impervious not required to be treated; but may be useful to be treated when using equivalent treatment concepts.

-Existing treatment capacity displaced by any road project will require additional compensating volume. Refer to Subsection 4.5(c), A.H.V.II.

- Will acknowledge compensatory treatment to offset pollutant loads associated with portions of the project area that cannot be physically treated.
- Provide additional 50% treatment for any direct discharges to OFW. Refer to ERP Applicant's Handbook Vol. II Subsection 4.1(f).
- Please be advised that although use of isolated wetlands for ERP treatment purposes is permissible as per Section 4.1(a)(3), A.H.V.II, use of isolated wetlands for treatment purposes may not necessarily meet US Army Corps criteria.

Sovereign Lands Discussion: (Determining Location, Correct Form of Authorization, Content of Application, Assessment of Fees, Coordination with FDEP)

- The project may be located within state owned sovereign submerged lands (SSSL). Be advised that a title determination will be required from FDEP to verify the presence and/or location of SSSL.
- If use of SSSL is proposed, authorization will be required. Refer to Chapter 18-21, F.A.C. and Chapter 18-20, F.A.C. for guidance on projects that impact SSSL and Aquatic Preserves.
- Include discussion on the potential type of SSSL authorization that may be required. Refer to Chapter 18-21.005, F.A.C.
- Coordination with the Tampa Port Authority for projects located in Hillsborough County is recommended.

Operation and Maintenance/Legal Information: (Ownership or Perpetual Control, O&M Entity, O&M Instructions, Homeowner Association Documents, Coastal Zone requirements, etc.)

- The permit must be issued to entity that owns or controls the property.
- Provide evidence of ownership or control by deed, easement, contract for purchase, etc. Evidence of ownership or control must include a legal description. A Property Appraiser summary of the legal description is NOT acceptable.

Application Type and Fee Required:

- SWERP Individual Permit – Sections A, C, and E of the ERP Application. Roadway improvements will likely be submitted in segments. Some common fees for large roadway projects listed below.
- < 100 acres of project area and < 10 acre of wetland or surface water impacts - \$2,798.25 Online Submittal
- < 640 acres of project area and < 50 acre of wetland or surface water impacts - \$3,105.75
- Consult the [fee schedule](#) for different thresholds.

Other: (Future Pre-Application Meetings, Fast Track, Submittal Date, Construction Start Date, Required District Permits – WUP, WOD, Well Construction, etc.)

- An application for an individual permit to construct or alter a dam, impoundment, reservoir, or appurtenant work, requires that a notice of receipt of the application must be published in a newspaper within the affected area. Provide documentation that such noticing has been accomplished. Note that the published notices of receipt for an ERP can be in accordance with the language provided in Rule 40D-1.603(10), F.A.C.
- Provide a copy of the legal description (of all applicable parcels within the project area) in one of the following forms:
 - a. Deed with complete Legal Description attachment.
 - b. Plat.
 - c. Boundary survey of the property(ies) with a sketch.
- The plans and drainage report submitted electronically must include the appropriate information required under Rules 61G15-23.005 and 61G15-23.004 (Digital), F.A.C. The following text is required by the Florida Board of Professional Engineers (FBPE) to meet this requirement when a digitally created seal is not used and must appear where the signature would normally appear:

ELECTRONIC (Manifest): *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]
This item has been electronically signed and sealed by [NAME] on the date indicated here using a SHA authentication code. Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies*

DIGITAL: *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]; This item has been digitally signed and sealed by [NAME] on the date indicated here; Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.*

- Provide soil erosion and sediment control measures for use during construction. Refer to ERP Applicant's Handbook Vol. 1 Part IV Erosion and Sediment Control.
- Demonstrate that excavation of any stormwater ponds does not breach an aquitard (see Subsection 2.1.1, A.H.V.II) such that it would allow for lesser quality water to pass, either way, between the two systems. In those geographical areas of the District where there is not an aquitard present, the depth of the pond(s) shall not be excavated to within two (2) feet of the underlying limestone which is part of a drinking water aquifer. [Refer to Subsection 5.4.1(b), A.H.V.II]
- If lowering of SHWE is proposed, then burden is on Applicant to demonstrate no adverse onsite or offsite impacts as per Subsection 3.6, A.H.V.II. Groundwater drawdown 'radius of influence' computations may be required to demonstrate no adverse onsite or offsite impacts. Please note that new roadside swales or deepening of existing roadside swales may result in lowering of SHWE. Proposed ponds with control elevation less than SHWE may result in adverse lowering of onsite or offsite groundwater.

Disclaimer: The District ERP pre-application meeting process is a service made available to the public to assist interested parties in preparing for submittal of a permit application. Information shared at pre-application meetings is superseded by the actual permit application submittal. District permit decisions are based upon information submitted during the application process and Rules in effect at the time the application is complete.

THIS FORM IS INTENDED TO FACILITATE AND GUIDE THE DIALOGUE DURING A PRE-APPLICATION MEETING BY PROVIDING A PARTIAL "PROMPT LIST" OF DISCUSSION SUBJECTS. IT IS NOT A LIST OF REQUIREMENTS FOR SUBMITTAL BY THE APPLICANT.



**SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
RESOURCE REGULATION DIVISION
PRE-APPLICATION MEETING NOTES**

**FILE
NUMBER:

PA 407957**

Date:	10/1/2020
Time:	10:00
Project Name:	FDOT US 98 widening from SR 54 to SR 50
District Engineer:	Monte Ritter
District ES:	Kim Dymond
Attendees:	Nate Johnson Nathan.Johnson@arcadis.com , Tech Wells, Walter Nemecek, Christian Gyle, Tony Celani

County:	Pasco/Hernando	Sec/Twp/Rge:	11,13,14/25/21; 18-20,27-29,34,35/25/22 26,27,35/24/21; 11-14,22,23,26/23/21
Total Land Acreage:		Project Acreage:	acres

Prior On-Site/Off-Site Permit Activity:

- Previous Pre App 407789; Numerous ERP's within the project corridor.

Project Overview:

- Proposed road widening from two to four lanes along US 98 and 301 between CR 54 at the Pasco/Polk county line and SR 50 in Hernando County. Project will be completed in four segments: (1) US 98 from CR 54 to US 301, (2) The US 301 Dade City Bypass, (3) US 301 from US 98 to the Withlacoochee River, (4) US 301 from the Withlacoochee River to SR 50.
- Meeting focused on a high-level discussion of regional facilities for treatment and floodplain compensation. Regional treatment facilities may be feasible if treatment facility is placed upstream of project and is connected to the same waterbody which receives untreated runoff. BMPTRAINS will be used to show treatment removal efficiencies of regional systems will be equal to, or greater than presumptive criteria. Wetlands and wet ponds will not be included as part of the catchment areas in the BMPTRAINS analyses.

Environmental Discussion: (Wetlands On-Site, Wetlands on Adjacent Properties, Delineation, T&E species, Easements, Drawdown Issues, Setbacks, Justification, Elimination/Reduction, Permanent/Temporary Impacts, Secondary and Cumulative Impacts, Mitigation Options, SHWL, Upland Habitats, Site Visit, etc.)

- Not discussed.

Site Information Discussion: (SHW Levels, Floodplain, Tailwater Conditions, Adjacent Off-Site Contributing Sources, Receiving Waterbody, etc.)

- Watersheds – New River/Upper Hillsborough, East Pasco, Duck Lake, Dade City, Eastern Hernando. 100-year floodplain onsite per watershed studies. Contact Jessica Hendrix at Ext 4217 if copies of the watershed studies are needed. Section 3.4 of the ERP AHVII requires that flood elevation need to be determined from the most accurate information available.
- WBIDs – 1445, 1443A, 1329F, 1403B, 1424A, 1399, 1396, 1390. WBID 1443A is currently listed as impaired for Dissolved Oxygen. WBIDs need to be independently verified by the consultant
- Portions of project discharge to closed or volume sensitive basins
- OFW – Hillsborough River and Withlacoochee River System.
- Document/justify SHWE's at pond locations, wetlands, and OSWs.
- Provide documentation to support tailwater conditions for quality and quantity design. Can use data from watershed studies.
- Contamination issues need to be resolved with the FDEP. Check FDEP MapDirect layer for possible contamination points within/adjacent to the project area. [FDEP Map Direct](#)
For known contamination within the site or within 500' beyond the proposed stormwater management system:
- After the application is submitted, please contact FDEP staff listed below and provide them with the ERP Application ID # along with a mounding analysis (groundwater elevation versus distance) of the proposed stormwater management system that shows the proposed groundwater mound will not adversely impact the contaminated area. FDEP will review the plans submitted to the District and mounding analysis to

determine any adverse impacts. Provide documentation from FDEP that the proposed construction will not result in adverse impacts. This is required prior to the ERP Application being deemed complete.

- If a SWMS is to be constructed within a contamination zone area, a groundwater sample collected from the first aquifer water bearing zone (i.e. zone of saturation or first zone that the water table is encountered) will most likely be required.

For known offsite contamination between 1500' and 500' beyond the site: - FDEP may also require a mounding analysis (groundwater elevation versus distance) for the proposed stormwater systems. SWFWMD will issue the permit when contamination sites are located outside the 500 ft radius prior to concurrence from DEP, however, it is the Permittee's responsibility to resolve contaminated site assessment concerns with the FDEP prior to beginning any construction activities. A permit condition will be used to reiterate this. You are advised to contact DEP as soon as possible, preferably during permit application period.

- FDEP Contacts:

- For projects located within Citrus, Hernando, Pasco, Hillsborough, Pinellas, Manatee, Polk and Hardee Counties: Yanisa Angulo Yanisa.angulo@floridadep.gov

- Any wells on site should be identified and their future use/abandonment must be designated.
- Stormwater retention and detention systems are classified as moderate sanitary hazards with respect to public and private drinking water wells. Stormwater treatment facilities shall not be constructed within 100 feet of an existing public water supply well and shall not be constructed within 75 feet of an existing private drinking water well. Subsection 4.2, A.H.V.II.
- District data collection sites (Site ID's 17716, 17717, 17718, and 17719) at southern end of project between SR 54 and Stanton Hall Drive may be impacted by proposed construction. Contact the District's Data Steward at Data.Maps@watermatters.org under the subject line "PRIORITY ERP Data Evaluation" to coordinate protection or relocation of the data collection sites.

Water Quantity Discussions: (Basin Description, Storm Event, Pre/Post Volume, Pre/Post Discharge, etc.)

- Demonstrate that post development peak discharges from proposed project area will not cause an adverse impact for a 25-year, 24-hour storm event.
- For projects or portions of projects that discharge to a closed or volume sensitive basin, limit the post-development 100-year, 24-hour discharge volume to the pre-development 100-year, 24-hour volume.
- Demonstrate that site will not impede the conveyance of contributing off-site flows.
- Demonstrate that the project will not increase flood stages up- or down-stream of the project area(s).
- Provide equivalent compensating storage for all 100-year, 24-hour floodplain impacts if applicable. Providing cup-for-cup storage in dedicated areas of excavation is the preferred method of compensation, if no impacts to flood conveyance are proposed and storage impacts and compensation occur within the same basin. In this case, tabulations should be provided at 0.5-foot increments to demonstrate encroachment and compensation occur at the same levels. Otherwise, storage modeling will be required to demonstrate no increase in flood stages will occur on off-site properties, using the mean annual, 10-year, 25-year, and 100-year storm events for the pre- and post-development conditions.

Water Quality Discussions: (Type of Treatment, Technical Characteristics, Non-presumptive Alternatives, etc.)

- Presumptive Water Quality Treatment for Alterations to Existing Public Roadway Projects:
 - Refer to Section 4.5 A.H.V.II for Alterations to Existing Public Roadway Projects.
 - Refer to Sections 4.8, 4.8.1 and 4.8.2 A.H.V.II for Compensating Stormwater Treatment, Overtreatment, and Offsite Compensation.
 - All co-mingled existing & new impervious that is proposed to be connected to a treatment pond will require treatment for an area equal to the co-mingled existing & new impervious (times ½" for dry treatment or 1" for wet treatment). This applies whether or not equivalent treatment concepts are used.
 - However, if equivalent treatment concepts are used it is possible to strategically locate the pond(s) so that the minimum treatment requirement may be for an area equivalent to the new impervious area only. That is, co-mingled existing & new impervious that is not connected to a treatment pond may bypass treatment (as per Section 4.5(2), A.H.V.II); if the 'total impervious area' that is connected to the treatment pond(s) is at least equivalent to the area of new impervious only. The 'total impervious area' that is connected to the pond(s) may be composed of co-mingled existing & new impervious.
 - Offsite impervious not required to be treated; but may be useful to be treated when using equivalent treatment concepts.
 - Existing treatment capacity displaced by any road project will require additional compensating volume. Refer to Subsection 4.5(c), A.H.V.II.

-Regional treatment systems can be used if they are strategically placed and benefit the same waters which receive untreated runoff from the project.

- Net improvement

-Refer to rule 62-330.301(2), F.A.C.

-Please verify accuracy of WBID boundaries and status of impairment.

-The application must demonstrate a net improvement for nutrients for discharges into WBID 1443A.

Applicant may demonstrate a net improvement for the parameters of concern by performing a pre/post pollutant loading analysis based on existing land use and the proposed land use. Refer to ERP Applicant's Handbook Vol. II Subsection 4.1(g).

-Effluent filtration is known to be ineffective for treating nutrient related impairments, unless special nutrient adsorption media provided. However, please note special nutrient adsorption media has extremely low conductivity values compared to typical sand type effluent filtration filter media. Note: if treatment volume required for net improvement is less than the treatment volume required for 'presumptive' treatment, then use of effluent filtration is ok.

Sovereign Lands Discussion: (Determining Location, Correct Form of Authorization, Content of Application, Assessment of Fees, Coordination with FDEP)

- The project may be located within state owned sovereign submerged lands (SSSL). Be advised that a title determination will be required from FDEP to verify the presence and/or location of SSSL.
- If use of SSSL is proposed, authorization will be required. Refer to Chapter 18-21, F.A.C. and Chapter 18-20, F.A.C. for guidance on projects that impact SSSL and Aquatic Preserves.
- Include discussion on the potential type of SSSL authorization that may be required. Refer to Chapter 18-21.005, F.A.C.

Operation and Maintenance/Legal Information: (Ownership or Perpetual Control, O&M Entity, O&M Instructions, Homeowner Association Documents, Coastal Zone requirements, etc.)

- The permit must be issued to entity that owns or controls the property. FDOT will be the permittee.
- Provide evidence of ownership or control by deed, easement, contract for purchase, etc.

Application Type and Fee Required:

- SWERP Individual – Sections A, C, and E of the ERP Application. Fee will be dependent upon project size and amount of wetland or surface water impacts.
- Consult the [fee schedule](#) for different thresholds.

Other: (Future Pre-Application Meetings, Fast Track, Submittal Date, Construction Start Date, Required District Permits – WUP, WOD, Well Construction, etc.)

- An application for an individual permit to construct or alter a dam, impoundment, reservoir, or appurtenant work, requires that a notice of receipt of the application must be published in a newspaper within the affected area. Provide documentation that such noticing has been accomplished. Note that the published notices of receipt for an ERP can be in accordance with the language provided in Rule 40D-1.603(10), F.A.C.
- The plans and drainage report submitted electronically must include the appropriate information required under Rules 61G15-23.005 and 61G15-23.004 (Digital), F.A.C. The following text is required by the Florida Board of Professional Engineers (FBPE) to meet this requirement when a digitally created seal is not used and must appear where the signature would normally appear:

ELECTRONIC (Manifest): *[NAME] State of Florida, Professional Engineer, License No. [NUMBER] This item has been electronically signed and sealed by [NAME] on the date indicated here using a SHA authentication code. Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies*

DIGITAL: *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]; This item has been digitally signed and sealed by [NAME] on the date indicated here; Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.*

- Provide soil erosion and sediment control measures for use during construction. Refer to ERP Applicant's Handbook Vol. 1 Part IV Erosion and Sediment Control.
- Demonstrate that excavation of any stormwater ponds does not breach an aquitard (see Subsection 2.1.1, A.H.V.II) such that it would allow for lesser quality water to pass, either way, between the two systems. In those geographical areas of the District where there is not an aquitard present, the depth of the pond(s) shall

not be excavated to within two (2) feet of the underlying limestone which is part of a drinking water aquifer.
[Refer to Subsection 5.4.1(b), A.H.V.II]

- If lowering of SHWE is proposed, then burden is on Applicant to demonstrate no adverse onsite or offsite impacts as per Subsection 3.6, A.H.V.II. Groundwater drawdown 'radius of influence' computations may be required to demonstrate no adverse onsite or offsite impacts. Please note that new roadside swales or deepening of existing roadside swales may result in lowering of SHWE. Proposed ponds with control elevation less than SHWE may result in adverse lowering of onsite or offsite groundwater.

Disclaimer: The District ERP pre-application meeting process is a service made available to the public to assist interested parties in preparing for submittal of a permit application. Information shared at pre-application meetings is superseded by the actual permit application submittal. District permit decisions are based upon information submitted during the application process and Rules in effect at the time the application is complete.

APPENDIX H

Flooding Investigations

FLOOD INVESTIGATION INVENTORY SHEET

Flood Investigation # 1410162018139

Entry Date: 10/16/2018 1:09:56 PM**Revised Date:****Completed By:** Trevor Silva, FDOT Intern**SECTION I: LOCATION****County -** Pasco**State Road -** null**Road Section Number -****Mile Post -****Road Description -** 2 lane(s), Local Road, Roadside Ditches**Roadway Separation -** Undivided**Direction of Travel -** Two-Way**Functional System of Road -** Urban**Specific Classification of Road -** Local Road**Roadway Drainage -** Roadside Ditches**Flooding Condition -** Off-System**Local Road Subject to Flooding -** US 98**Upcoming Projects -****Business Name:****Business/Private Property Address Subject to Flooding -**

8933 US-98

Dade City , FL 33525

Location:**Latitude:** 28.288665**Longitude:** -82.128418**Section/Township/Range -** 020 / 25S / 22E**FPID -****Project is Active -** Yes**SECTION II: PROBLEM DESCRIPTION****Date of Original Complaint -****Complainant Name -** Al Biston**Problem Description -****Details of the Problem -** Two feet of water is ponding up in the entrance of the driveway, there is FDOT box convent that is not having water run through it, the water is being diverted onto the property

Frequency of Flooding - Unknown

Source for Frequency Data - null

Historic High Water - A historic high water of located at Unknown was documented by null.

Flooding Event High Water - The original complaint was made by Al Biston, Cross Environmental Services on . An event high water of was recorded by null on unknown date.

History of Problem -

Nearest wetland, lake or pond -


SECTION III: PROBLEM ANALYSIS

Attachments

Attachment	Attachment Type	Attachment Description
Pasco-county-storm-sys.pdf	Other Data	Pasco County Storm system
map_green-swamp.PNG	Other Data	Google maps location

Damages or Harm Result -

SECTION IV: CONCLUSIONS AND RECOMMENDATIONS



FLOOD INVESTIGATION INVENTORY SHEET

Flood Investigation # 1401032018820

Entry Date: 1/3/2018 1:46:54 PM**Revised Date:****Completed By:** Adam Mitchum, HDR**SECTION I: LOCATION****County -** Pasco**State Road -** SR 35, SR 700**Road Section Number -****Mile Post -****Road Description -** 2 lane(s), null, Roadside Ditches**Roadway Separation -** Undivided**Direction of Travel -** Two-Way**Functional System of Road -** Rural**Specific Classification of Road -** null**Roadway Drainage -** Roadside Ditches**Flooding Condition -** Off-System**Local Road Subject to Flooding -** US 98**Upcoming Projects -****Business Name:****Business/Private Property Address Subject to Flooding -**

8933 US 98

Dade City , FL 33525

Location:**Latitude:** 28.28674**Longitude:** -82.125569**Section/Township/Range -** 29 / 25S / 22E**FPID -****Project is Active -** No**SECTION II: PROBLEM DESCRIPTION****Date of Original Complaint -** 9/19/2017**Complainant Name -** Clyde Biston**Problem Description -****Details of the Problem -**

Aflooded property owned by Clyde Biston that is adjacent to 8933 Highway 98 in Dade City. The flooding was reported to occur during the week of September 10, 2017 and lasted for multiple days. Mr. Biston stated that the home at that address had two feet of water at the driveway entry making the home inaccessible. According to Mr. Biston, there

is an FDOT box culvert (CBC) with no water going through it, with the water being diverted somehow onto his property. Of note, Mr. Biston formally owned the large house and sold it to the current property owner; however, he owns the property fronting US 98 and there is an easement in favor of the homeowner across his property.

Frequency of Flooding - Unknown

Source for Frequency Data - null

Historic High Water - A historic high water of located at Unknown was documented by null.

Flooding Event High Water - The original complaint was made by Clyde Biston, on 9/19/2017. An event high water of 81 ft. - NAVD88 was recorded by null on unknown date.

History of Problem - No reported history on file at the reported driveway. However, the surrounding area is adjacent to the low lying Green Swamp, which experiences frequent flooding.

Nearest wetland, lake or pond -

Persons Interviewed

Site Visit Date - 9/29/2017

Site Inspection By - Bart Rohrer,

Interviewee(s) - Clyde Biston,

Site Visit Conditions - null

Observed High Water - A High Water of Unknown was observed on the date of the site visit at null.

Site Visit Details -

Phone conversation between Clyde Biston (Property Owner) and Bart Rohrer (HDR Inc.) – Sept. 29, 2017

Field review performed by Bart Rohrer on October 1, 2017.

SECTION III: PROBLEM ANALYSIS

Current Problem Analysis

Current Problem Analysis:

The following items were collected and reviewed. Copies of pertinent information are provided as attachments to this Flooding Complaint Inventory.

1. Google
2. Pasco County Property Appraiser – various maps

- 3.Drainage Maps
- 4.USDA Web Soils Data
- 5.FEMA FIRM (Panels 12101C0295F and 12101C0315F)
- 6.USGS Gage Data

The site of interest is located along the south side of US 98 on the western edge of the Green Swamp, which is the headwaters of the Withlacoochee and Hillsborough Rivers. It is a low lying area that experiences regular flooding. FEMA has designated the area as a flood zone AE with an expected 100-yr flood elevation of 83.0 ft. NAVD88 on the north side of US 98 and elevation 82.0 ft. NAVD88 on the south side of US 98. The limits of the floodplain are shown to be just to the east of the driveway leading to the residence at 8933 US 98. Based upon available contours the low point of the driveway is at elevation 80 ft. NAVD88. There is a side drain under the driveway, within the US 98 R/W, to convey runoff from the west side to the east side and ultimately to the Withlacoochee River. The driveway would not be expected to experience frequent flooding due to normal season rainfall. However, during larger flooding events the driveway and surrounding area is expected to be inundated from the Withlacoochee River/Green Swamp.

The USGS Gage 02311000 is located to the east of the site of interest within the Green Swamp. The historical gage stage and rainfall data was retrieved from September 2, 2017 to September 22, 2017. The time frame encompasses the time Hurricane Irma passed over Florida, which brought a significant amount of rain through the area. The USGS Gage recorded 8.15 inches of rainfall on September 10, 2017, 1.49 inches on Sept. 11, and 1.87 inches on Sept. 14. As a result, the area experienced significant flooding. The gage height reached a peak of 6.56 ft. on Sept. 15, 2017. The gage height on that date translates to an elevation of 81.1 ft. NAVD88.

Outfall Description: Roadside Swale
Responsible Entity for Maintenance of Outfall: FDOT
Flooding Damages or Harm:
Current Status:

Attachments

Attachment	Attachment Type	Attachment Description
Correspondence.pdf	Other Data	Correspondence
Drainage Maps.pdf	FDOT Drainage Map	
FEMA FIRM.pdf	FEMA Flood Map	
Photographs.pdf	Site Photo	
Property Appraiser Maps.pdf	Other Data	
Site Map.pdf	Aerial Photo	
Soils Data.pdf	Other Data	
USGS Gage Data.pdf	Gauge Data	

Damages or Harm Result -

SECTION IV: CONCLUSIONS AND RECOMMENDATIONS

Recommendation:

Recommendation Date: 10/17/2017

Project Ranking:

ROADWAY FLOODING MATRIX

Ranking of the roadway hazard level based on accident data, ADT, depth and location of water, and site specific factors.

(Weight Factor = 10)

1

Ranking of the operational impacts (i.e. magnitude of vehicle speed reduction, ADT, frequency of flooding, availability of detour route, and cost to FDOT to handle problem, etc.)

(Weight Factor = 7)

1

Ranking of the nuisance factor to the public and FDOT.

(Weight Factor = 3)

1

Ranking of the length of time before scheduled roadway improvements that will also provide remedy, are to be let to contract.

(Weight Factor = 5)

1

Ranking of the costs to cure the problem, if any.

(Weight Factor = 5)

1

Total Score

30

PRIVATE PROPERTY FLOODING MATRIX

Ranking of the potential financial impacts versus the flooding frequency that impacts the private property.

(Weight Factor = 10)

1

Ranking of the hazard level versus the flooding frequency that impacts the private property.

(Weight Factor = 10)

1

Ranking of the nuisance factor to the private property as well as FDOT.

(Weight Factor = 5)

1

Ranking of the costs to FDOT to cure the problem versus the financial impact to the private property if not cured.

(Weight Factor = 10)

1

Ranking of the length of time before scheduled roadway improvements that will also provide remedy, are to be let to contract.

(Weight Factor = 5)

1

Total Score

40

Solution Cost:

Hyperlinks:

Rohrer, Bart

From: Lauricello, Daniel <Daniel.Lauricello@dot.state.fl.us>
Sent: Friday, September 22, 2017 8:56 AM
To: Rohrer, Bart
Cc: Wang, Anita; Waris, Abdul
Subject: FW: Possible Property Flooding -- US 98 (Dade City)

Importance: High

Bart,

Please assign someone to review this matter.

Thanks,

Daniel M. Lauricello, P.E.

District Drainage Engineer - District VII
Drainage and Environmental Section



State of Florida

Department of Transportation

11201 N. McKinley Drive, MS 7-800
Tampa, Florida 33612-6403
(813) 975-6137

From: Beebe, Jacqueline
Sent: Friday, September 22, 2017 8:28 AM
To: Eaton, Joshua; Lauricello, Daniel
Cc: Grace, Lance; Berg, Patricia
Subject: RE: Possible Property Flooding -- US 98 (Dade City)
Importance: High

Joshua,

Good morning. I apologize missing earlier your e-mail with the concern below. Via this e-mail I am forwarding this concern to our District Drainage Engineer, Daniel Lauricello, our district Drainage Section has good records of areas with drainage issues and perhaps there is information/assessment readily available pertinent to this location.

Daniel,

Good morning. Could you have your staff review the concern below and contact Mr. Biston accordingly?

Thank you

Jacqueline E. Beebe, P.E.
Deputy District Maintenance Engineer-D7
Phone: (813) 975-6268
jacqueline.beebe@dot.state.fl.us

From: Eaton, Joshua
Sent: Friday, September 22, 2017 8:15 AM
To: Beebe, Jacqueline
Cc: Grace, Lance; Berg, Patricia
Subject: RE: Possible Property Flooding -- US 98 (Dade City)

Good Morning,

Do you know if anyone has reached out to Mr. Biston regarding this issue?

Thanks,

Joshua D. Eaton
Consultant, Sr. Right of Way Specialist
Atkins/Independence Acquisition & Appraisal, LLC
FDOT District 7 Right of Way
11201 N. McKinley Dr., MS7-900
Tampa, FL 33612
Direct: (813) 975-6056
Fax: (813) 975-6761

From: Eaton, Joshua
Sent: Tuesday, September 19, 2017 2:09 PM
To: Beebe, Jacqueline
Cc: Grace, Lance; Berg, Patricia
Subject: Possible Property Flooding -- US 98 (Dade City)

Hello,

We met with a property owner (Clyde Biston) this morning for R/W acquisition purposes. During the meeting, we also learned about a flooded property he owns adjacent to 8933 Highway 98 in Dade City. Evidently, there is a very large home at that address with two feet of water at the entry to the driveway, making the home inaccessible. According to Mr. Biston, there is an FDOT box culvert with no water going through it, with the water being diverted somehow onto his property. Of note, Mr. Biston formally owned the large house and sold it to the current property owner; however, he owns the property fronting US 98 and there is an easement in favor of the homeowner across his property.

Would someone be able to contact Mr. Biston and look into this issue? He is the owner of Cross Environmental Services, main phone number is (813) 783-1688 and he goes by Al Biston. There is also an issue at his business address where plywood and cement is blocking a culvert, but that would be secondary to the flooding issue at the other property.

Thanks so much,

Joshua D. Eaton
Consultant, Sr. Right of Way Specialist


Atkins/Independence Acquisition & Appraisal, LLC
FDOT District 7 Right of Way
11201 N. McKinley Dr., MS7-900
Tampa, FL 33612
Direct: (813) 975-6056
Fax: (813) 975-6761

05-D-798-0028
Tara Oaks Subdivision
Maps
#\TPNCD41\GROUP\AREA\DRAI
NAGE\SCAN\7D10112.TIF#

N
1"=100'


8933 US 98
FLOODING COMPLAINT

MAP # 56
14070-



Drainage 6-21-05

C:\land Projects 3\03-02\dwg\03-02-10-dot.dwg, 6/16/2005 2:27:50 PM




POST CONDITION

8933 US 98
Flooding Complaint

Drainage 6-21-05

C:\land Projects 3\03-02\dwg\03-02-10-dot.dwg, 6/16/2005 2:28:03 PM




PRE CONDITION

8933 US 98
Flooding Complaint



MAP SCALE 1" = 1000'



shed

OSTEEN LN

OPICAL ST

ARLINE ST

FRANK COOK ST

ELCOM ST

MELROSE AVE

BELMAR LN

PUNKY LN

389

TRAILER PARK

DYKAS LN

STANTON HALL DR

8933 US 98

Flooding Complaint

FLOODING EFFECTS FROM WITHLACOOCHEE RIVER

ZONE AE

ZONE A

FLOODING EFFECTS FROM WITHLACOOCHEE RIVER

292522

ZONE A

ZONE AE

TUCKER LAKE

ZONE A

BERRY RT

1435000 FT

1440000 FT

JOINS PANEL 0315

NATIONAL FLOOD INSURANCE PROGRAM

NFIP

PANEL 0295F

FIRM

FLOOD INSURANCE RATE MAP
PASCO COUNTY,
FLORIDA
AND INCORPORATED AREAS

PANEL 295 OF 500

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
PASCO COUNTY	120230	0295	F
ZEPHYRHILLS, CITY OF	120235	0295	F

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.




MAP NUMBER
12101C0295F

EFFECTIVE DATE
SEPTEMBER 26, 2014

Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov



3130000mN

3129000mN


JOINS PANEL 0295

Upper Withlacoochee Watershed

**8933 US 98
Flooding Complaint**



MAP SCALE 1" = 1000'



NFIP NATIONAL FLOOD INSURANCE PROGRAM

PANEL 0315F

FIRM
FLOOD INSURANCE RATE MAP
PASCO COUNTY,
FLORIDA
AND INCORPORATED AREAS

PANEL 315 OF 500
 (SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
PASCO COUNTY	120230	0315	F

MAP NUMBER
12101C0315F

EFFECTIVE DATE
SEPTEMBER 26, 2014

Federal Emergency Management Agency

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov



Photo 1:
South side of US 98,
Facing west from
driveway entrance to
8933 US98, Dade City



Photo 2:
South side of US 98,
Facing south along the
driveway entrance to
8933 US98, Dade City



Photo 3:

South side of US 98,
Facing south along the
eastern edge of the
driveway entrance to
8933 US98, Dade City



Photo 4:

South side of US 98,
Facing east from
driveway entrance to
8933 US98, Dade City



Photo 5:

South side of US 98,
Facing north from
driveway entrance to
8933 US98, Dade City



Photo 6:

South side of US 98,
Facing northeast from
driveway entrance to
8933 US98, Dade City



Photo 7:

South side of US 98,
Facing south along the
driveway entrance to
8933 US98, Dade City



Photo 8:

South side of US 98,
Facing south along the
driveway entrance to
8933 US98, Dade City



Photo 9:

South side of US 98 located to the west of the driveway entrance to 8933 US98, Dade City.

Facing west at the fence along the US 98 R/W.



Photo 10:

South side of US 98 located to the west of the driveway entrance to 8933 US98, Dade City.

Facing southwest at the fence along the US 98 R/W.



Photo 11:

South side of US 98 located to the west of the driveway entrance to 8933 US98, Dade City.

Facing east at the fence along the US 98 R/W. The drive is seen in the far distance.



Photo 12:

South side of US 98 located to the west of the driveway entrance to 8933 US98, Dade City.

Facing west at the CBC under the US 98.

10' x 8' CBC



Photo 13:

South side of US 98 located to the west of the driveway entrance to 8933 US98, Dade City.

Facing northwest at the CBC under the US 98.

Ridge/Drainage Dived b/w the Driveway and CBC.



Photo 14:

South side of US 98 located to the west of the driveway entrance to 8933 US98, Dade City.


Facing east along the US 98 R/W. The drive is in the far distance.

Note the ridge between the drive and CBC.

Pasco County, Florida 1.1 miles ENE of Richland

Prepared by the Office of Gary Joiner, Pasco County Property Appraiser.


Map Created on 9/30/2017 at 9:28:22 AM.





- Legend**
- Street (Labels)
 - Parcel (Lines)
 - Subdivision (Boundaries and Labels)
 - Parcels (Clickable Info)
 - Blocks (Boundaries and Labels)
 - Lot (Lines)
 - 1' Topo, 5' Interval, Auto on @ 1" = 200'
 - 1' Topo, 1' Interval, Auto on @ 1" = 200'

Contour MAP
 Flooding Complaint
 8933 US98



September 30, 2017


GARY JOINER
PROPERTY APPRAISER
 PASCO COUNTY, FLORIDA

20-25-22-0020
 TARA OAKS PLANTATION
 FBI PG 42
 STANTON HALL DRIVE


20-25-22-0020
 TARA OAKS PLANTATION
 PB 60 PG 42

Legend

- Street (Labels)
- Parcel (Lines)
- Subdivision (Boundaries and Labels)
- Parcels (Clickable Info)
- Blocks (Boundaries and Labels)
- 5' Topo, Auto on @ 1" = 1,500'




Contour MAP - 5 ft.
 Flooding Complaint
 8933 US98



September 30, 2017

GARY JOINER
PROPERTY APPRAISER
 PASCO COUNTY, FLORIDA



Legend

- Street (Labels)
- Parcel (Lines)
- Subdivision (Boundaries and Labels)
- Parcels (Clickable Info)
- Blocks (Boundaries and Labels)
- Section Lines
- 5' Topo, Auto on @ 1" = 1,500'

FEMA Zones, Auto on @ 1" = 2,000'

- X - The areas of minimal flood hazard, which are higher than the elevation of the 0.2-percent-ann... flood.
- 0.2 - percent-annua... (or 500-year) flood.
- A - Areas subject to inundation by the 1-percent-ann... flood event determined without a detailed hydraulic analyses.
- AE - Areas subject to inundation by the 1-percent-ann... flood event determined by detailed methods.
- AH - Areas subject to inundation by 1-percent-ann... shallow flooding (usually areas of ponding) where average depths are between one and three feet.



September 30, 2017




0 320 640 1,280 Feet

FEMA MAP

Flooding Complaint

8933 US98



Legend

- Street (Labels)
- Parcel (Lines)
- Subdivision (Boundaries and Labels)
- Parcels (Clickable Info)
- Blocks (Boundaries and Labels)
- Section Lines



September 30, 2017

Flooding Complaint-8933 US98



Flooding Complaint

8933 US98






Google



Soil Map—Pasco County, Florida
(8933 US 98 Flooding Investigation)







































Soil Map may not be valid at this scale.

Map Scale: 1:8,860 if printed on A landscape (11" x 8.5") sheet.

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84

MAP LEGEND

-  Area of Interest (AOI)
- Soils**
-  Soil Map Unit Polygons
-  Soil Map Unit Lines
-  Soil Map Unit Points
- Special Point Features**
-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot
-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features
- Water Features**
-  Streams and Canals
- Transportation**
-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads
- Background**
-  Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Pasco County, Florida
Survey Area Data: Version 15, Sep 28, 2016

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.


Date(s) aerial images were photographed: Dec 29, 2010—Mar 13, 2011

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend


Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
2	Pomona fine sand	2.4	0.6%
5	Myakka-Myakka, wet, fine sands, 0 to 2 percent slopes	7.7	1.9%
6	Tavares sand, 0 to 5 percent slopes	74.9	18.8%
7	Sparr fine sand, 0 to 5 percent slopes	20.2	5.1%
28	Pits	16.0	4.0%
32	Lake fine sand, 0 to 5 percent slopes	41.4	10.4%
39	Chobee soils, frequently flooded	69.8	17.5%
43	Arredondo fine sand, 0 to 5 percent slopes	58.1	14.6%
72	Orlando fine sand, 0 to 5 percent slopes	107.4	26.9%
99	Water	0.9	0.2%
Totals for Area of Interest		398.7	100.0%

Hydrologic Soil Group—Pasco County, Florida
(8933 US 98 Flooding Investigation)




Soil Map may not be valid at this scale.

Map Scale: 1:8,860 if printed on A landscape (11" x 8.5") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84

MAP LEGEND



MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Pasco County, Florida
Survey Area Data: Version 15, Sep 28, 2016

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 29, 2010—Mar 13, 2011

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Hydrologic Soil Group

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
2	Pomona fine sand	B/D	2.4	0.6%
5	Myakka-Myakka, wet, fine sands, 0 to 2 percent slopes	A/D	7.7	1.9%
6	Tavares sand, 0 to 5 percent slopes	A	74.9	18.8%
7	Sparr fine sand, 0 to 5 percent slopes	A/D	20.2	5.1%
28	Pits		16.0	4.0%
32	Lake fine sand, 0 to 5 percent slopes	A	41.4	10.4%
39	Chobee soils, frequently flooded	C/D	69.8	17.5%
43	Arredondo fine sand, 0 to 5 percent slopes	A	58.1	14.6%
72	Orlando fine sand, 0 to 5 percent slopes	A	107.4	26.9%
99	Water		0.9	0.2%
Totals for Area of Interest			398.7	100.0%

Description

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The soils in the United States are assigned to four groups (A, B, C, and D) and three dual classes (A/D, B/D, and C/D). The groups are defined as follows:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas. Only the soils that in their natural condition are in group D are assigned to dual classes.


Rating Options

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

Flooding Frequency Class—Pasco County, Florida
(8933 US 98 Flooding Investigation)































Soil Map may not be valid at this scale.

Map Scale: 1:8,860 if printed on A landscape (11" x 8.5") sheet.

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84

MAP LEGEND

Area of Interest (AOI)	<input type="checkbox"/> Not rated or not available
Area of Interest (AOI)	Water Features
	 Streams and Canals
Soils	Transportation
Soil Rating Polygons	 Rails
 None	 Interstate Highways
 Very Rare	 US Routes
 Rare	 Major Roads
 Occasional	 Local Roads
 Frequent	Background
 Very Frequent	 Aerial Photography
 Not rated or not available	
Soil Rating Lines	
 None	
 Very Rare	
 Rare	
 Occasional	
 Frequent	
 Very Frequent	
 Not rated or not available	
Soil Rating Points	
 None	
 Very Rare	
 Rare	
 Occasional	
 Frequent	
 Very Frequent	

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Pasco County, Florida
Survey Area Data: Version 15, Sep 28, 2016

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 29, 2010—Mar 13, 2011

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Flooding Frequency Class

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
2	Pomona fine sand	None	2.4	0.6%
5	Myakka-Myakka, wet, fine sands, 0 to 2 percent slopes	None	7.7	1.9%
6	Tavares sand, 0 to 5 percent slopes	None	74.9	18.8%
7	Sparr fine sand, 0 to 5 percent slopes	None	20.2	5.1%
28	Pits	None	16.0	4.0%
32	Lake fine sand, 0 to 5 percent slopes	None	41.4	10.4%
39	Chobee soils, frequently flooded	Frequent	69.8	17.5%
43	Arredondo fine sand, 0 to 5 percent slopes	None	58.1	14.6%
72	Orlando fine sand, 0 to 5 percent slopes	None	107.4	26.9%
99	Water	None	0.9	0.2%
Totals for Area of Interest			398.7	100.0%

Description

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent.

"None" means that flooding is not probable. The chance of flooding is nearly 0 percent in any year. Flooding occurs less than once in 500 years.

"Very rare" means that flooding is very unlikely but possible under extremely unusual weather conditions. The chance of flooding is less than 1 percent in any year.

"Rare" means that flooding is unlikely but possible under unusual weather conditions. The chance of flooding is 1 to 5 percent in any year.

"Occasional" means that flooding occurs infrequently under normal weather conditions. The chance of flooding is 5 to 50 percent in any year.

"Frequent" means that flooding is likely to occur often under normal weather conditions. The chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year.

"Very frequent" means that flooding is likely to occur very often under normal weather conditions. The chance of flooding is more than 50 percent in all months of any year.

Rating Options

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified


Tie-break Rule: More Frequent

Beginning Month: January

Ending Month: December



National Water Information System: Map View



_____ WARNING _____

Some of the data that you have obtained from this U.S. Geological Survey database
 # may not have received Director's approval. Any such data values are qualified
 # as provisional and are subject to revision. Provisional data are released on the
 # condition that neither the USGS nor the United States Government may be held liable
 # for any damages resulting from its use.

#

Additional info: <https://help.waterdata.usgs.gov/policies/provisional-data-statement>

#

File-format description: <https://help.waterdata.usgs.gov/faq/about-tab-delimited-output>

Automated-retrieval info: <https://help.waterdata.usgs.gov/faq/automated-retrievals>

#

Contact: gs-w_support@usgs.gov

retrieved: 2017-09-29 12:03:20 EDT (caww02)

#

Data for the following 1 site(s) are contained in this file

USGS 02311000 WITHLACOOCHEE-HILLSBOROUGH OVFLO NEAR RICHLAND, FL

#

Data provided for site 02311000

#	TS	parameter	statistic	Description
#	26198	00060	00003	Discharge, cubic feet per second (Mean)
#	26199	00065	00003	Gage height, feet (Mean)
#	26200	00045	00006	Precipitation, total, inches (Sum)

#

Data-value qualification codes included in this output:

P Provisional data subject to revision.

#

agency_cd	site_no	datetime	Discharge cfs	Gage Ht	Precipitation inches	Gage Datum ft.		Gage Elevation ft.	
						NGVD29	NAVD88	NGVD29	NAVD88
USGS	2311000	9/1/2017	191	4.4	0.76	75.42	74.542	79.82	78.942
USGS	2311000	9/2/2017	209	4.49	0.08	75.42	74.542	79.91	79.032
USGS	2311000	9/3/2017	210	4.49	0.15	75.42	74.542	79.91	79.032
USGS	2311000	9/4/2017	200	4.44	0.01	75.42	74.542	79.86	78.982
USGS	2311000	9/5/2017	179	4.33	0.09	75.42	74.542	79.75	78.872
USGS	2311000	9/6/2017	157	4.22	0	75.42	74.542	79.64	78.762
USGS	2311000	9/7/2017	146	4.15	0	75.42	74.542	79.57	78.692
USGS	2311000	9/8/2017	143	4.14	0.01	75.42	74.542	79.56	78.682
USGS	2311000	9/9/2017	136	4.1	0	75.42	74.542	79.52	78.642
USGS	2311000	9/10/2017	160	4.22	8.15	75.42	74.542	79.64	78.762
USGS	2311000	9/11/2017	514	5.62	1.49	75.42	74.542	81.04	80.162
USGS	2311000	9/12/2017	691	6.13	0	75.42	74.542	81.55	80.672
USGS	2311000	9/13/2017	796	6.39	0	75.42	74.542	81.81	80.932
USGS	2311000	9/14/2017	857	6.5	1.87	75.42	74.542	81.92	81.042
USGS	2311000	9/15/2017	891	6.56	0	75.42	74.542	81.98	81.102
USGS	2311000	9/16/2017	863	6.51	0	75.42	74.542	81.93	81.052
USGS	2311000	9/17/2017	810	6.42	0	75.42	74.542	81.84	80.962
USGS	2311000	9/18/2017	757	6.3	0	75.42	74.542	81.72	80.842
USGS	2311000	9/19/2017	705	6.17	0	75.42	74.542	81.59	80.712
USGS	2311000	9/20/2017	653	6.03	0	75.42	74.542	81.45	80.572
USGS	2311000	9/21/2017	605	5.9	0	75.42	74.542	81.32	80.442
USGS	2311000	9/22/2017	563	5.78	0.19	75.42	74.542	81.2	80.322



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:

Surface Water ▼

Geographic Area:

Florida ▼

GO

Click to hide News Bulletins

- [Please see news on new formats](#)
- [Full News](#) 

Click to hide state-specific text

USGS 02311000 WITHLACOOCHEE-HILLSBOROUGH OVFLO NEAR RICHLAND, FL

PROVISIONAL DATA SUBJECT TO REVISION

Time-series: Daily data ▼

GO

Click to hide station-specific text

This gage is monitored in cooperation with the
Southwest Florida Water Management District.



This gage is monitored in cooperation with
Pasco County.



Available Parameters

Period of Record

- All 3 Available Parameters for this site
- 00045 Precipitation(Sum)
- 00060 Discharge(Mean)
- 00065 Gage height(Mean)

2015-03-07 2017-09-28
 1930-02-11 2017-09-28
 1930-02-11 2017-09-28

Output format

- Graph
- Graph w/ stats
- Graph w/ meas
- Graph w/ (up to 3) parms
- Table
- Tab-separated

Days (21)

[Summary of all available data for this site](#)
[Instantaneous-data availability statement](#)

GO

-- or --

Begin date


2017-09-01

Precipitation, total, inches

End date

2017-09-22

USGS 02311000 WITHLACOOCHEE-HILLSBOROUGH OVFL0 NEAR RICHLAND, FL



----- Provisional Data Subject to Revision -----

Add up to 2 more sites and replot for "Precipitation, total, inches"



Add site numbers


[Note](#)

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create [presentation-quality](#) graph.

Discharge, cubic feet per second



Add up to 2 more sites and replot for "Discharge, cubic feet per second"

[?](#)

Add site numbers


[Note](#)

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create [presentation-quality](#) graph.

Gage height, feet



Add up to 2 more sites and replot for "Gage height, feet"

[?](#)

Add site numbers

[Note](#)

Enter up to 2 site numbers separated by a comma. A site number consists of 8 to 15 digits

GO

Create [presentation-quality](#) graph.

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)



Title: USGS Surface-Water Daily Data for Florida

URL: <https://waterdata.usgs.gov/fl/nwis/dv?>

Page Contact Information: [Florida Water Science Center - Tampa Water Data Support Team](#)

Page Last Modified: 2017-09-29 12:02:13 EDT

2.45 2.28 caww02